SUBJECT INDEX.

[References to the papers read before the Institute are indicated by the word *Paper* following the page number. The letter *P.* denotes a reference in Section I. of the Journal which contains the reports of the proceedings of meetings, the papers read, and the discussions thereon. The letter *A.* denotes a reference to the section dealing with abstracts.

Indexing of Alloy Steels and Other Alloys. In the indexing of alloy steels, carbon and iron are ignored and the alloying elements contained in the steel are arranged in alphabetical order; for example all references to nickel-chromium-molybdenum steel will be found under the heading chromium-molybdenum-nickel steel. In the indexing of other alloys, carbon and iron, when present, are included in the title; iron, when present, is always mentioned first and the other elements follow in alphabetical order, carbon being in all cases mentioned last. Examples: "Iron-silicon-carbon alloys" and "iron-chromium-nickel-carbon alloys."]

Absorptiometer, Hilger-Spekker, for analysis of stainless steel, 34*A*.
Accelerated-Precipitation Theory of stress-corrosion cracking, 70*A*.
Acicular Cast Iron, production, 18*A*.
Acid Bessemer Process, theory and practice, 4*A*.
Acid Electric Furnace Practice, American, 5*A*.
Acid Electric Furnace Process, 19*A*.
Acid Electric Steel:
  deoxidation, 5*A*.
  production, 22*A*., 41*A*.
  production with electrolytic manganese, 62*A*.
Acid Open-Hearth Furnaces, 75*A*.
Acid Open-Hearth Practice, methods of improvement, 41*A*.
Acid Open-Hearth Process, 75*A*.
Acid Open-Hearth Steel:
  deoxidation, 41*A*.
  non-metallic inclusions, formation, 41*A*.
  production with electrolytic manganese, 62*A*.
Acid Plating Baths, Fink and Lah type, for electrodeposition of alloys, 79*A*.
Acid-Resistant Plastics, use in pickling equipment, 9*A*.
Acid Slag, open-hearth, fluidity tests, 36*A*., 42*A*.
Ageing:
  cast iron, 29*A*.
  strain-, steel, effect of titanium, 51*A*.
Agglutinating Tests for coking coal, 58*A*.
Agricultural Machinery, induction hardening, 66*A*.
Air, control, in cupolas, use of air-weight instrument, 18*A*.
Air-Compressor Cylinders, casting, metal moulds for, 19*A*.
Air-Weight Instrument for air control in cupolas, 18*A*.
Aircraft Castings, inspection methods, 3*A*.
Aircraft-Engine Bearings, electrodeposited coatings for, 10*A*.
Aircraft-Engine Crankshafts:
  malleable cast iron, damping capacity, 29*A*.
  nitriding, 25*A*.
Aircraft-Engine Cylinders, nitriding, 25*A*.
Aircraft-Engine Exhaust Manifolds, stainless steel, failure, 30*A*.
Aircraft-Engine Forgings:
  effect of overheating, 217 *Paper*.
  fracture tests, 54*A*.
Aircraft-Engine Gears:
  heat-treatment, 65*A*.
  nitriding, 25*A*.
  processing methods, effect on fatigue strength, 65*A*.
Aircraft-Engine Parts:
  heat-treatment plant for, 65*A*.
  stainless steel, resistance-welding, 67*A*.
Aircraft-Engine Valves, facing, properties and use of Eatonite, 82*A*.
Aircraft Engines:
  hardenability tests, 14*A*.
  Magnaflux tests, 14*A*.
  metals for, 14*A*
  use of chromium plating, 14*A*.
  use of sintered carbides, 14*A*.
Aircraft Frames, materials for, 86*A*. (*Book*.)
Aircraft Parts, steel, centrifugal casting, 61*A*.
Aircraft Propeller Blades:
  experimental heat-treatment furnaces for, 77*A*.
  manufacture, 65*A*.
Aircraft Steel, nitriding, 66*A*.
Al-Fin Process, bonding aluminium to cast iron and steel, 26*A*.
Alabama, cobalt-bearing manganese deposits, 1*A*.
Algoma, iron ore deposits, 72*A*.
Alloy-Treated Steel, comparison with alloy steel, 54*A*.
Alloying Elements:
  detection in steel by drop reactions, 34*A*.
  effect on case depth of case-hardened steel, 6*A*.
  effect on impact strength of cast steel at low temperatures, 28*A*.
  effect in heat-treatment of steel, 43*A*.
  in steel, determination of thermodynamic constants, 84*A*.
Alloys:
  analysis, spectrum, 33*A*., 34*A*.
  binary, calculation of gravity- and temperature-segregation, 36*A*. (*Book*.)
Alloys (*contd.*)—
  cobalt-nickel-tungsten, electrodeposition, 79*A*.
  for engineering purposes, 36*A*. (*Book*.)
  heat-resistant, for gas turbines, 53*A*.
  iron, overstressing, 36*A*. (*Book*.)
  iron-aluminium-chromium, 36*A*. (*Book*.)
  iron-aluminium-cobalt-copper-nickel, magnetic properties, effect of heat-treatment, 13*A*.
  iron-aluminium-cobalt-nickel-titanium, magnetic properties, effect of heat-treatment, 13*A*.
  iron-molybdenum-carbon, diffusion of molybdenum, 32*A*.
  iron-silicon, oxidation at high temperatures, 33*A*.
  magnet, properties, effect of heat-treatment, 13*A*.
  tin-cadmium, creep tests, 53*A*.
  tin-zinc, electrodeposition, 80*A*.
  tungsten, electrodeposition, 50*A*.
Alumina, *see* Refractory Materials.
Aluminium:
  additions to steel, factors affecting efficiency, 41*A*.
  bonding to cast iron and steel, Al-Fin process, 26*A*.
  deoxidation of steel, spheroidization and graphitization relationship, 22*A*.
  detection in steel by drop reactions, 34*A*.
  determination in chromium-nickel steel by spectrum analysis, 33*A*.
  determination in iron and steel, 70*A*.
  determination in steel by spectrum analysis, 14*A*., 71*A*.
  effect on flowability of steel, 28*A*.
  effect on impact strength of cast steel at low temperatures, 28*A*.
  forged, applications in aircraft-engine manufacture, 14*A*.
  impregnation in steel, 10*A*.
  wartime production in America, 40*A*.
Aluminium-Bronze, for welding electrodes, 46*A*.
Aluminium-Chromium-Molybdenum Steel, nitriding, 66*A*.
Aluminium-Clad Steel, spot-welding, measurement of electrical resistance, 67*A*.
Aluminium Coating, by immersion method, 79*A*.
American Foundrymen's Association:
  moulding sand tests, 74*A*.
  research on solidification rates of steel castings, 61*A*.
  sintering tests of moulding sand, 61*A*.
American Iron and Steel Institute, types and analyses of stainless steel, 63*A*.
American Society for Testing Materials, procedure for Jominy hardenability testing, 52*A*.
Ammonium Chloride, recovery during carbonization of coal, 59*A*.
Analysis, 33*A*., 70*A*.
  chemical, 35*A*. (*Book*.)
  drop reaction, for detection of alloying elements in steel, 34*A*.
  ferro-alloys, standard methods, 36*A*. (*Book*.)
  float-and-sink, South African coal, 37*A*.
  iron, standard methods, 36*A*. (*Book*.)
  magnetic, for detection of defects in bars and tubes, 69*A*.
  micro-, application of X-rays, 84*A*.
  polarographic, determination of nickel in steel and nickel ores, 71*A*.
  semi-micro, 35*A*. (*Book*.)
  spectrum, 35*A*. (*Book*.)
  spectrum, alloys, 33*A*., 34*A*.
  spectrum, chromium-nickel steel, 33*A*.
  spectrum, determination of aluminium in steel, 14*A*., 71*A*.
  spectrum, determination of calcium in iron, 33*A*.
  spectrum, determination of metallic impurities in steel, 71*A*.
  spectrum, determination of titanium in iron and alloy steels, 71*A*.
  spectrum, evaluation of data by statistical methods, 70*A*.
  spectrum, semi-automatic accessory apparatus, 71*A*.
  stainless steel, absorptiometric method, 34*A*.
  steel, standard methods, 36*A*. (*Book*.)
  weld metal, 45*A*.
  X-ray, 16*A*. (*Book*.)
  X-ray diffraction, compounds in lime-magnesia-silica system, 57*A*.

Annealing :
alloy steels, 66*A*.
stainless steel, 43*A*.
steel, 85*A*. (*Book*.)
welded boilers, 7*A*.
whiteheart malleable cast iron by gas process, 3*A*.
wire, 7*A*.
Annealing Furnaces, for welded boilers, 7*A*.
Annual Meeting, proceedings, 1*P*.
Anodes, insoluble, use in electrodeposition, 48*A*.
Anti-Fouling Compositions, methods of assessment, 11*A*.
Arc Welding, electro-physics, 45*A*.
Arc Furnaces, *see* Electric Furnaces.
Arizona :
manganese deposits, 1*A*.
tungsten deposits, 1*A*.
Arsenic, determination in ferro-alloys, 34*A*.
Ash, in coal and coke, electric furnace for determination, 34*A*.
Assel Process, seamless-tube production, 65*A*.
Associates, election, 8*P*.
Atlas Steel Castings Co., steel production, use of electrolytic manganese, 62*A*.
Atmospheres:
preparation, for carburization of steel, 43*A*.
protective, use in heat-treatment furnaces, 7*A*.
Atmospheric Corrosion :
factors affecting rate of attack, 55*A*.
low alloy steels, 55*A*.
Atomic Structure, steel, examination, use of X-ray powder photographs, 83*A*.
Austenite :
decomposition in steel, 85*A*.
decomposition in steel, coalescence of cementite, 24*A*.
effect on properties of carbon steel, 50*A*.
isothermal transformation, 24*A*.
isothermal transformation in chromium steel, 32*A*.
retained, in high-speed steel, determination by Magnaflux method, 15*A*.
transformation at low temperatures, 26*A*.
Australia, wartime steel specifications, 54*A*.
Australian Iron and Steel Ltd., development of Western Australian iron-ore deposits, 72*A*.
Automobile Parts :
forging, 64*A*.
plated, wear, 10*A*.

Babcock and Wilcox Tube Co. :
detection of flaws in tubes, 8*A*.
tube mills, 8*A*.
Balls :
quenching, time-temperature-volume relationships, 26*A*.
wear, in grinding mills, 31*A*.
Bar Mills, 23*A*., 64*A*.
Bars :
chromium-molybdenum-nickel steel, bend tests, 51*A*.
cooling beds for, 23*A*.
defects in, detection by magnetic analysis, 69*A*.
heating, time-temperature charts, 65*A*.
hot-rolled, properties before and after cold-drawing, 14*A*.
magnetic comparators for, 13*A*.
quality control by statistical methods, 21*A*.
steel, determination of critical forging temperature, 22*A*.
steel, magnetic sorting, 13*A*.
steel, magnetic tests, 13*A*.
steel, magnetic tests, use of Cyclograph apparatus, 13*A*.
supersonic testing, 332*P*.
welded, distortion, 46*A*.
Barvoys Process of coal cleaning, 58*A*.
Basic Bessemer Process, theory and practice, 4*A*.
Basic Bessemer Steel, production of very clean ingots, 62*A*.
Basic Electric Furnace Process, 19*A*.
Basic Electric Steel :
production, 22*A*.
production in America, 1940–1945, 5*A*.
silicate inclusions, origin and formation, 42*A*.
Basic Open-Hearth Practice :
control methods, 40*A*.
Steel Co. of Canada, 40*A*.
Basic Open-Hearth Furnaces :
design and developments, 40*A*.
maintenance and repair, 40*A*.
Basic Slag :
mineralogy, 355*P*.
X-ray examination, 135*P*.
Baum Washer for cleaning coal, 2*A*.
Bend-Fatigue Tests :
chromium-molybdenum flash-welded steel, 78*A*.
weld metal, 46*A*.
Bend Tests :
micro-, 13*A*.
welds, cast steel, 78*A*.
yield point of bars and tubes, 51*A*.
Bentonite, effect in moulding sand, 74*A*.
Benzole, from coke-oven gas, method of increasing yield, 38*A*.
Benzole Absorption Oil, corrosive action, 33*A*.
Beryllium, applications in aircraft-engine manufacture, 14*A*.
Bessemer Gold Medal, awarded to J. S. Hollings, 3*P*.
Bessemer Process :
acid and basic, theory and practice, 4*A*.
cast steel production, 19*A*.
Bessemer Steel, basic, production of very clean ingots, 62*A*.
Bethlehem Steel Co. :
bar mills, 23*A*.
casting bronze blast-furnace tuyeres, 74*A*.
electric power distribution, 40*A*.
radiant-tube furnaces, 10*A*.
Bibliography, 36*A*., 86*A*.
American steel foundries, 19*A*.
British steel foundries, 19*A*.
corrosion, 70*A*.
cutting of metals, 85*A*.
fluidity tests for acid open-hearth slag, 36*A*., 42*A*.
gaseous carburization, 7*A*.
non-destructive methods for testing steel castings, 50*A*.
Russian steel foundries, 19*A*.
wire manufacture, 43*A*.
Young's modulus, 80*A*.
Billets :
defects in, detection by Sperry supersonic reflectoscope, 68*A*.
quality control by statistical methods, 21*A*.
supersonic testing, 332*P*.
Biographical Notes :
W. H. Hatfield, 375*P*.
George B. Waterhouse, 376*P*.
Blackplate, lacquering and decorating methods, 80*A*.
Blast-Furnace Blowers, steam and gas driven, 17*A*.
Blast-Furnace Coke, properties, 17*A*.
Blast-Furnace Gas :
applications, 185*P*.
cleaning, Dovel plant, 72*A*.
effect of cleanliness, 188*P*.
evaluation of efficiency, 2*A*.
oxygen-enriched, use as fuel in open-hearth furnaces, 37*A*.
properties, 72*A*.
utilization in Great Britain, 38*A*.
Blast-Furnace Plant :
design and developments, 17*A*.
Wheeling Steel Corporation, 85*A*. (*Book*.)
Blast-Furnace Practice :
developments, 17*A*.
effect of increased top pressure, 73*A*.
effect of nodulizing, 37*A*.
effect of ore beneficiation, 37*A*.
effect of sinter, 37*A*.
factors affecting operation and output, 59*A*.
France, 59*A*.
Great Britain, 59*A*.
use of sinter, 17*A*.
Blast-Furnaces :
bears, removal, 73*A*.
behaviour of manganese, 73*A*.
behaviour of silicon, 73*A*.
blowing out, 59*A*.
carbon bricks for, 57*A*.
carbon deposition, 73*A*.
clay gun for plugging tapholes, 73*A*.
cooling plates, design of withdrawal lugs, 38*A*.
design in France, 59*A*.
reduction and carburization of iron, 73*A*.
removal from Florida to Texas, 18*A*.
thermal principles, 73*A*.
tuyeres, casting, 74*A*.
Blooms, defects in, detection by Sperry supersonic reflectoscope, 68*A*.
Boiler Plates, intercrystalline cracking, effect of silica/sodium-hydroxide ratio in feed water, 55*A*.
Boiler Steel, creep tests, German methods, 82*A*.
Boilers :
cast-iron sectional, corrosion, 70*A*.
coal-fired, combustion control, 58*A*.
operation and maintenance, 36*A*., 71*A*. (*Book*.)
welded, annealing, 7*A*.
Bolts :
cold-heading, life of dies for, 22*A*.
electrical equipment for manufacture, 6*A*.
precision, manufacture, 6*A*.
Bomb Boxes, automatic arc welding, 8*A*.

Bombs:
spinning, 76*A*.
X-ray examination, 54*A*.
Bonderizing, parts, conveyor system for, 80*A*.
Bonding, aluminium to cast iron and steel, Al-Fin process, 26*A*.
Book Notices, 16*A*., 35*A*., 56*A*., 71*A*., 85*A*.
Boron, effect on hardenability of carbon steel, 29*A*.
Brackelsburg Furnaces, for production of malleable castings, 19*A*.
Brakes, hydraulic, casting, metal moulds for, 19*A*.
Brazing :
high-speed steel, 67*A*.
methods and applications, 26*A*., 47*A*., 67*A*.
tungsten carbide tools, 26*A*., 67*A*.
Brinell Hardness, relation to tensile strength, grey cast iron, 27*A*.
Brinell Hardness Testing Machines, 52*A*.
British Empire, shale oil production, 17*A*.
British Iron and Steel Research Association, research work, 63*A*.
B.N.F. Jet Test, for determination of thickness of zinc coatings, 50*A*.
British Standard Swelling Test for coking coal, limitations, 58*A*.
British Welding Research Association, research work, 45*A*.
Brittle Fractures :
effect of combined stresses, 28*A*.
materials, 52*A*.
welded structures, 78*A*.
Brittleness :
cast steel, 12*A*.
materials, research at Renault Works, 52*A*.
soldered steel, 36*A*. (*Book*.)
temper, chromium-molybdenum-vanadium steel, 81*A*.
temper, steel, 32*A*., 53*A*.
Brockhouse, John and Co., history and development, 60*A*.
Broken Hill Proprietary Co., Ltd. :
coal-cleaning plant, 58*A*.
electric welding, construction and maintenance, 67*A*.
Brymbo Steel Co., Ltd., electric arc furnace plant, 22*A*.
Bureau for Technical Nomenclature, Sweden, strength of materials, definitions and terms, 83*A*.
Burners, ceramic, for heat-treatment furnaces, 25*A*.
Burning :
chromium-molybdenum-nickel steel, 255 *Paper*.
steel, 237 *Paper*.
steel, test for, 259 *Paper*.
Bursting, iron-oxide, resistance of chrome-magnesite bricks, 57*A*.
Bushes, centrifugal casting, 21*A*.
By-Products Recovery Plants, comparison of practice at gas works and coke-oven plants, 2*A*.

Cadmium Coating, by immersion method, 79*A*.
Calcium :
determination in iron by spectrum analysis, 33*A*.
properties and production, 71*A*. (*Book*.)
Calcium-Oxide/Manganese-Oxide System, X-ray survey, 22*A*.
California :
chromite deposits, 1*A*.
manganese deposits, 1*A*.
mercury deposits, 1*A*.
Carbide Tools :
induction brazing, 26*A*.
for milling cast iron, 9*A*., 27*A*.
for milling steel, 9*A*.
selection and uses, 27*A*.
wartime developments in America, 9*A*.
Carbides :
effect in steel, 84*A*.
sintered, applications in aircraft-engine manufacture, 14*A*.
Carbon :
deposition in blast-furnaces, 73*A*.
determination in acid electric furnace practice, 34*A*.
determination in iron and steel, 70*A*.
diffusion in steel, 14*A*.
effect on creep strength of steel, 13*A*.
effect on damping capacity of steel, 52*A*.
effect on hardenability of steel, 14*A*.
effect on impact strength of steel, 14*A*.
effect on tensile strength of steel, 14*A*.
Carbon-Molybdenum Steel, creep, in high-temperature steam, 82*A*.
Carbon-Molybdenum Steel Tubes, graphitization in high-temperature steam, 69*A*.
Carbon Monoxide, evolution from cast steel, 30*A*.
Carbon Refractories, *see* Refractory Materials.
Carbon Saturation, cast iron, 27*A*.
Carbon Steel :
aluminium-killed, determination of superheating sensitivity, 14*A*.
British Standards Institution schedule, 86*A*. (*Book*.)
creep tests, in air furnaces, 14*A*.
creep tests, correlation of short-time and long-time, 81*A*.
decarburization, 25*A*.
Carbon Steel (*contd*.)—
diffusion of carbon, 14*A*.
diffusion of phosphorus, 14*A*.
electrolytic polishing, 48*A*.
hardenability, effect of boron, 29*A*.
hardenability and transformation characteristics, 25*A*.
hardness tests, effect of prolonged heating, 53*A*.
hot- and cold-workability, 68*A*.
nitriding, 66*A*.
properties, effect of austenite, 50*A*.
properties, effect of combined stresses, 50*A*.
semi-killed, effect of variables on surface and yield, 41*A*.
strain-ageing, effect of titanium, 51*A*.
strain-sensitivity, effect of deoxidation, 41*A*.
stress-strain properties, effect of cold-rolling, 28*A*.
structure, changes during prolonged heating, 53*A*.
tensile tests, 50*A*.
time-elongation curves, at high temperatures, 13*A*.
weldability, 66*A*.
Carbonization :
coal, recovery of ammonium chloride, 59*A*.
shale, 17*A*.
torbanite, 17*A*.
Carbonization Process, utilization of waste heat, 17*A*.
Carburization :
gaseous, bibliography, 7*A*.
gaseous, steel, 65*A*.
gaseous, theory and practice, 7*A*.
Homo-Carb furnaces, 43*A*.
iron in blast-furnaces, 73*A*.
liquid, 25*A*.
steel, preparation of atmospheres, 43*A*.
theory, 77*A*.
Case-Hardened Steel :
effect of alloying elements on case depth, 6*A*.
measurement of case depth, 6*A*., 24*A*.
Cast Iron :
acicular, production, 18*A*.
ageing, 29*A*.
bonding to aluminium, Al-Fin process, 26*A*.
carbon saturation, 27*A*.
chilled, use of tellurium, 73*A*.
chromium-molybdenum-nickel, endurance limit, effect of heat treatment, 68*A*.
cleaning, for enamelling, 9*A*.
cleaning, Kolene process, 9*A*.
cold-welding, 46*A*.
for constructional work, 36*A*. (*Book*.)
Cromol, for crankshafts, 51*A*.
determination of manganese, phosphorus, and silicon, 34*A*.
effect of gas content, 30*A*.
effect of residual elements, 30*A*.
effect of sulphur, 80*A*.
etching, 54*A*.
flame-hardening, 25*A*.
graphitization, 69*A*.
grey, Brinell hardness and tensile strength relationships, 27*A*.
grey, review of production methods, 1914–1944, 18*A*.
grey, wartime production in America, 18*A*.
hardenability, 81*A*.
high-duty, production, 60*A*.
machining tests, 9*A*., 27*A*.
malleable, *see* Malleable Cast Iron.
martensitic, production, 18*A*.
Meehanite, effect of heat-treatment processes, 77*A*.
melting, for malleable castings, 19*A*.
microstructure, 84*A*.
milling with carbide tools, 9*A*., 27*A*.
molybdenum-nickel, endurance limit, effect of heat-treatment, 68*A*.
Ni-tensyl, production, 18*A*.
oxy-acetylene welding, 36*A*., 71*A*. (*Book*.)
preparation for tinning, 49*A*.
production, Meehanite process, 18*A*.
production, Thyssen-Emmel process, 18*A*.
properties, 27*A*.
properties, effect of manganese, 31*A*.
rolling, Nipper process, 27*A*.
tensile strength, 27*A*.
tensile strength, effect of graphite, 51*A*.
tinning, 360*P*., 49*A*.
welding, 36*A*. (*Book*.)
Cast Steel :
brittleness, 12*A*.
evolution of gases, 30*A*.
impact strength at low temperatures, effect of alloying elements, 28*A*.
intergranular fracture, 12*A*.
production, Bessemer process, 19*A*.

Cast Steel (*contd.*)—
weldability tests, 8*A*., 78*A*.
welded, bend tests, 78*A*.
Casting :
bronze blast-furnace tuyeres, 74*A*.
centrifugal, effect on properties and structure of steel, 61*A*.
centrifugal, gun barrels, research work, 61*A*.
centrifugal, patented processes, 21*A*.
centrifugal, steel for aircraft parts, 61*A*.
design, in Russia, 20*A*.
grey-iron engine-bed, 73*A*.
ingot moulds, 74*A*.
ingots, methods used, 1880–1890, 41*A*.
Meehanite cast-iron crankshafts, 74*A*.
precision, lost-wax process, 20*A*., 74*A*.
precision, use of plastics, 20*A*.
pump castings, equipment and methods, 74*A*.
steel test bars, 60*A*.
Casting-Pit Sampling, liquid steel, 63*A*.
Casting Properties, iron, effect of weather conditions, 73*A*.
Castings :
centrifugal, tests, 61*A*.
cleaning, Hydro-blast system, 47*A*.
cleaning, use of iron chippings and steel turnings, 47*A*.
cleaning, vacuum equipment, 75*A*.
feeding, 61*A*.
for pumps, moulding and casting, equipment and methods, 74*A*.
grey-iron, high quality, production, 73*A*.
grey-iron, metal moulds for, 19*A*.
grey-iron, review of production methods, 1914–1944, 18*A*.
grey-iron, wartime production in America, 18*A*.
inspection methods, 39*A*.
iron, surface hardening, 43*A*.
Ni-hard iron, cause of blowholes, 20*A*.
non-destructive tests, 81*A*.
porous, sealing with Laminac, 74*A*.
steel, for aircraft, inspection methods, 3*A*.
steel, American wartime production and developments, 60*A*.
steel, causes of cracks, 19*A*.
steel, defects, elimination, 41*A*.
steel, defects, removal by flame-gouging, 39*A*.
steel, defects, removal by oxy-acetylene cutting, 27*A*.
steel, defects, removal methods, 39*A*.
steel, examination by gamma-radiography, 32*A*.
steel, feeding, gas pressure method, 20*A*., 61*A*.
steel, feeding, use of Kayell, 20*A*., 61*A*.
steel, gating and feeding, 3*A*.
steel, high quality, production, 19*A*., 39*A*.
steel, non-destructive tests, 50*A*.
steel, properties and tests, 60*A*.
steel, repair, 39*A*.
steel, solidification rates, 61*A*.
steel, thin-walled, effect of pouring speed, 60*A*.
supersonic testing, 335*P*.
X-ray examination, 32*A*.
Cathode-Ray Oscillograph, use in obtaining photo-records of cooling curves of quenching oils, 66*A*.
Cathodic Protection, use of zinc, 16*A*.
Cellophane, use in preparation of oxide prints, 15*A*.
Cement, use in core and moulding sands, 20*A*.
Cementation, metallic, 10*A*.
Cementite, coalescence, in decomposition of austenite, 24*A*.
Centrifugal Force, application in cleaning fine coal, 17*A*.
Chains :
production, Heenan plant, 47*A*.
welding machines for, 47*A*.
Charging Equipment :
for cupolas, 60*A*.
for heat-treatment furnaces, 77*A*.
oil-operated, for reheating furnaces, 63*A*.
Chemicals, for metal finishing, 86*A*. (*Dictionary*.)
Chilled Cast Iron, use of tellurium, 73*A*.
China :
foundry practice, wartime developments, 60*A*.
iron and steel industry, 4*A*.
Chrome-Magnesite Bricks, *see* Refractory Materials.
Chromite Deposits, California, 1*A*.
Chromium :
detection in steel by drop reactions, 34*A*.
determination in chromium-nickel steel by spectrum analysis, 33*A*.
determination in iron and steel, 70*A*.
determination in stainless steel, 34*A*.
effect on creep strength of steel, 13*A*.
effect on damping capacity of steel, 52*A*.
effect on hardenability of steel, 29*A*., 68*A*.
effect on impact strength of cast steel at low temperatures, 28*A*.
electrodeposition, 10*A*., 49*A*.
electrodeposition, use of Hull cell, 79*A*.
Chromium (*contd.*)—
impregnation in steel, 10*A*.
wartime production in America, 40*A*.
Chromium Coatings :
electrodeposited, use in corrosion prevention, 49*A*.
porous, for internal combustion engine cylinders, 10*A*.
Chromium-Manganese Steel :
properties and heat-treatment, German developments, 54*A*.
temper-colour process for revealing structure, 15*A*.
Chromium-Molybdenum-Nickel Cast Iron, endurance limit, effect of heat-treatment, 68*A*.
Chromium-Molybdenum-Nickel Steel :
bend tests, 51*A*.
critical points, determination by dilatometric method, 32*A*.
effect of hydrogen on isothermal transformations, 96*P*.
effect of initial heating temperature on properties, 45*A*.
forging, 64*A*.
for gas turbines, 82*A*.
nitriding, 66*A*.
overheating and burning, 255 *Paper*.
oxy-acetylene cutting, 67*A*.
spot-welding, 26*A*.
welded, hardness tests, 67*A*.
welded, impact tests, 67*A*.
welded, tensile tests, 67*A*.
welding, 8*A*., 67*A*.
Chromium-Molybdenum Steel :
corrosion-fatigue, study by sulphur-print method, 52*A*.
creep tests, in air furnaces, 14*A*.
damage curves, 12*A*.
flash-welded, fatigue properties, 78*A*.
fluidity tests, 21*A*.
heat-treatment, 66*A*.
nitriding, 66*A*.
properties, effect of nickel, 31*A*.
properties, for mining industry, 54*A*.
shot-peened, fatigue, examination by X-ray diffraction, 52*A*.
time-elongation curves, at high temperatures, 13*A*.
welded, causes of cracks, 26*A*.
Wöhler, curves, 12*A*.
Chromium-Molybdenum Steel Tubes, bend tests, 51*A*.
Chromium-Molybdenum-Titanium Steel :
high-temperature strength, effect of composition, 30*A*.
impact strength, effect of composition, 30*A*.
Chromium-Molybdenum-Tungsten-Vanadium Steel, retained austenite, determination by Magnaflux method, 15*A*.
Chromium-Molybdenum-Vanadium Steel :
creep tests, in air furnaces, 14*A*.
impact tests, 81*A*.
temper brittleness, 81*A*.
Chromium-Nickel Steel :
case-hardened, measurement of case depth, 24*A*.
creep tests, 82*A*.
hardenability and transformation characteristics, 25*A*.
heat-resistant, properties, 31*A*.
heat-resistant, scaling resistance, 31*A*.
spectrum analysis, 33*A*.
temper-colour process, for revealing structure, 15*A*.
time-elongation curves, at high temperatures, 13*A*.
Chromium Ore Deposits, Cuba, 1*A*.
Chromium Plating, applications in aircraft-engine manufacture, 14*A*.
Chromium Steel :
effect of water-quenching, 26*A*.
isothermal transformation of austenite, 32*A*.
isothermal transformation diagrams, 32*A*.
production from laterite ore in arc furnace, 62*A*.
transformations, effects of time and temperature, 32*A*.
Chromium-Vanadium Steel, effect of water-quenching, 26*A*.
Chrysler Corporation, heat-treatment plant, 65*A*.
Clad Steel, aluminium; spot welding, measurement of electrical resistance, 67*A*.
Clay, bonding, British, 19*A*.
Clay Gun, for plugging blast-furnace tapholes, 73*A*.
Cleaning :
blast-furnace gas, Dovel plant, 72*A*.
cast iron, for enamelling, 9*A*.
cast iron, Kolene process, 9*A*.
castings, Hydro-blast system, 47*A*.
castings, use of iron chippings and steel turnings, 47*A*.
castings, vacuum equipment, 75*A*.
coal, Barvoys process, 58*A*.
coal, Baum washer, 2*A*.
coal, de Vooys process, 2*A*.
coal, Rheolaveur process, 2*A*.
coal, separation of middlings, economic limits, 58*A*.
coal, Tromp process, 2*A*.
coal, use of cyclone washer, 17*A*.
cupola gas, 19*A*.
metals, 9*A*., 47*A*., 78*A*.

Cleaning (*contd.*)—
metals, comparison of methods, 9*A*.
metals, selection of process, 48*A*.
metals, by shot-blasting, 9*A*.
nails, 79*A*.
wire, salt baths for, 77*A*.
Cleaning Solutions, use of glycerine, 47*A*.
Coal, 36*A*. (*Book*.)
carbonization, recovery of ammonium chloride, 59*A*.
cleaning, Barvoys process, 58*A*.
cleaning, Baum washer, 2*A*.
cleaning, de Vooys process, 2*A*.
cleaning, Rheolaveur process, 2*A*.
cleaning, separation of middlings, economic limits, 58*A*.
cleaning, Tromp process, 2*A*.
cleaning, use of cyclone washer, 17*A*.
coking, agglutinating tests, 58*A*.
coking, British Standard swelling test, limitations, 58*A*.
coking, resources in Derbyshire, 37*A*.
coking, resources in Nottinghamshire, 37*A*.
coking, resources in Yorkshire, 37*A*.
coking tests, 37*A*.
combustion control, 58*A*.
determination of ash in electric furnace, 34*A*.
effect of moisture on coking properties, 72*A*.
float-and-sink analysis, 37*A*.
properties and utilization, 85*A*. (*Book*.)
pulverized, use in forge furnaces, 58*A*.
swelling, British Standard test, limitations, 58*A*.
swelling power, 72*A*.
Coal-Cleaning Plant :
Broken Hill Proprietary Co., Ltd., 58*A*.
Manvers Main Colleries Ltd., 2*A*.
Coal Deposits :
England, 37*A*., 72*A*.
Grand Lake, New Brunswick, 37*A*.
Witbank, South Africa, 37*A*.
Coal Dust, effect in moulding sand, 20*A*.
Coating :
metallic, by immersion method, 79*A*.
metals, 10*A*., 48*A*., 79*A*.
Coatings :
brittle, use in stress determination, 51*A*.
chromium, electrodeposited, use in corrosion prevention, 49*A*.
chromium, porous, for internal-combustion-engine cylinders, 10*A*.
electrodeposited, adherence properties, 10*A*.
electrodeposited, for aircraft-engine bearings, 10*A*.
electrodeposited, effect of surface films, 9*A*.
electrodeposited, on seamless tubes, Ekko process, 79*A*.
electrodeposited, on stainless steel, review of methods, 49*A*.
electrodeposited, on strip, 48*A*.
electrodeposited, thickness, nomographs for calculating, 50*A*.
enamel, porcelain, properties, 11*A*.
enamel, on steel, improving adhesion by use of nickel undercoat, 49*A*.
lacquer, for blackplate and tinplate, 80*A*.
lacquer, for petrol tanks, German methods of application, 80*A*.
lead on steel, protective value, 80*A*.
lead-tin, on steel, protective value, 80*A*.
metal, thickness measurement by X-ray micrometer, 23*A*.
nickel, on steel, etching, 32*A*.
nickel, on steel, for improving adhesion of enamel, 49*A*.
non-magnetic, on steel, determination of thickness, 11*A*., 81*A*.
paint, corrosion-resistant, properties, 11*A*.
paint, durability on iron and steel, effect of pretreatment methods, 48*A*.
paint, on galvanized steel, methods to improve adhesion, 50*A*.
plastic, for steel parts, 80*A*.
sprayed metal, formation and adhesion, 11*A*.
sprayed metal, properties, 50*A*.
synthetic resin, 10*A*., 11*A*.
synthetic resin, for petrol tanks, German methods of application, 80*A*.
tin, on food containers, American wartime standards, 10*A*.
tin, fusion, 10*A*.
tin, research, 49*A*.
welding electrode, manufacture by powder metallurgy process, 8*A*., 47*A*.
zinc, corrosion resistance, improving by Cronak process, 49*A*.
zinc, properties and tests, 49*A*.
zinc, thickness, measurement by B.N.F. jet test, 50*A*.
Cobalt :
detection by spot tests, 34*A*.
detection in steel by drop reactions, 34*A*.
determination in iron and steel, 70*A*.
production, Krupp-Renn process, 38*A*., 59*A*.
Cobalt-Nickel-Tungsten Alloys, electrodeposition, 79*A*.
Cobalt Steel, magnetic properties, effect of mass and heat-treatment, 30*A*.
Coke :
for blast-furnaces, properties, 17*A*.
consumption in cupolas, 18*A*., 19*A*.
determination of ash in electric furnace, 34*A*.
dry-cooling, Swiss practice, 38*A*.
use in blowing out blast-furnaces, 59*A*.
Coke-Oven Gas :
benzole recovery, method of increasing yield, 38*A*.
evaluation of efficiency, 2*A*.
preparation for towns use, 2*A*.
utilization in Great Britain, 38*A*.
Coke-Oven Plants :
design and developments, 2*A*., 17*A*.
failures and repair work, 2*A*.
organization and costing system, 2*A*.
Coke-Oven Practice :
developments, 17*A*.
in Great Britain, 59*A*.
Coke-Oven Regenerators, 58*A*.
Coking Coal :
resources in Derbyshire, 37*A*.
resources in Nottinghamshire, 37*A*.
resources in Yorkshire, 37*A*.
resources at Witbank, South Africa, 37*A*.
Coking Properties, coal, effect of moisture, 72*A*.
Coking Tests, South African coal, 37*A*.
Cold-Heading, bolts, life of dies for, 22*A*.
Cold-Rolled Manganese Steel, properties, 31*A*.
Cold-Rolling :
effect on stainless steel, 76*A*.
effect on stress-strain properties of carbon steel, 28*A*.
factors affecting yield stress, 23*A*.
sheet and strip, British practice, 64*A*.
Cold-Work :
effect on creep strength of thin-walled steel tubes, 14*A*.
effect on damping capacity of steel, 52*A*.
Cold-Workability, high-tensile steel, 68*A*.
Colorado, vanadium deposits, 1*A*.
Colorado Interstate Gas Co., cathodic protection of pipe lines, use of zinc, 16*A*.
Columbia Steel Co., foundry plant, 4*A*.
Combustion Control :
coal, 58*A*.
in furnaces, 58*A*.
in internal combustion engines, 58*A*.
Comparators, magnetic, for bars, 13*A*.
Compression Strength, foamed-slag concrete, 3*A*.
Concentration Plant, iron ore, Mount Hope Mine, New Jersey, 37*A*.
Concrete, slag, compression strength and specific gravity, 3*A*.
Connors Steel Co., electric steel production, 63*A*.
Consolidated Mining and Smelting Co. of Canada Ltd., foundry practice, 60*A*.
Consolidated Vultee Aircraft Corporation, tool steel classifications, 83*A*.
Contact-Print Process, for detection of phosphorus segregations in iron and steel, 36*A*. (*Book*.)
Contour-Forming Machines for sheet metals, 43*A*.
Control :
air, in cupolas, use of air-weight instrument, 18*A*.
automatic, open-hearth furnace reversal, 41*A*., 62*A*.
combustion, coal, 58*A*.
combustion, in furnaces, 58*A*.
combustion, in internal combustion engines, 58*A*.
core sand, 39*A*.
dust in industry, 85*A*. (*Book*.)
electro-hydraulic, electric furnaces, 63*A*.
electronic, machinery in iron and steel plants, 23*A*.
flame radiation in open-hearth furnaces, 41*A*.
fuel consumption, German wartime methods, 17*A*.
gaseous fuel consumption in furnaces, 17*A*.
heat transfer in industrial plants, 17*A*.
moulding sand, 19*A*., 39*A*., 74*A*.
production, in foundries, 39*A*.
quality, for engineers, 36*A*. (*Book*.)
quality, flash welding, 46*A*.
quality, in foundries, 4*A*.
quality, grey iron castings, 73*A*.
quality, spot welds, statistical methods, 67*A*.
quality, statistical methods, 13*A*., 21*A*.
quality, statistical methods, metal stampings, 76*A*.
quality, statistical methods, refractory materials, 57*A*.
silicon, in Tysland-Hole electric furnace, 38*A*.
slag, 41*A*.
Control Instruments, for soaking pits, 63*A*.
Conveyor Systems :
for bonderizing parts, 80*A*.
for foundries, installation factors, 60*A*.
Conveyors :
for heat-treatment furnaces, 77*A*.
sand, dust removal, 61*A*.

Cooling, dry-, coke, Swiss practice, 38*A*.
Cooling Beds, 23*A*.
Cooling Curves, quenching oils, photo-records, use of cathode-ray oscillograph, 66*A*.
Cooling Plates, blast-furnace, design of withdrawal lugs, 38*A*.
Copper :
detection in steel by drop reactions, 34*A*.
determination in iron and steel, 70*A*.
determination in steel, rapid method, 71*A*.
diffusion in steel, 20*A*.
preparation of surfaces for electrodeposition of chromium, use of Hull cell, 79*A*.
production, Krupp-Renn process, 38*A*., 59*A*.
wartime production in America, 40*A*.
Copper Coating, by immersion method, 79*A*.
Cor-Ten Steel, hot- and cold-workability, 68*A*.
Core Binders :
cereal, effect in core sand, 61*A*.
properties and tests, 19*A*., 20*A*.
use of cement, 20*A*.
use of plastics, 20*A*.
use of synthetic resin, 74*A*.
Core-Blowing Machines, 61*A*.
Core Laminations, magnetic, for electric motors, manufacture, 22*A*.
Core-Making Machines, 61*A*.
Core Oil, properties and tests, 19*A*.
Core Sand :
control, 39*A*.
effect of cereal core binders, 61*A*.
tests, 39*A*.
use of cement, 20*A*.
use of synthetic resin as binder, 74*A*.
Core Washes, use of tellurium, 20*A*.
Cores :
production, 18*A*.
for small castings, fixing methods, 74*A*.
Corrodibility, metals, 27*A*.
Corrosion :
atmospheric, factors affecting rate of attack, 55*A*.
atmospheric, low alloy steels, 55*A*.
by benzole absorption oil, 33*A*.
cast-iron sectional boilers, 70*A*.
coupled metals, in water, measuring apparatus, 55*A*.
immersed, factors affecting rate of attack, 55*A*.
iron, by hydrogen chloride, 70*A*.
iron, by hydrogen sulphide, 70*A*.
low-alloy steels, 55*A*.
iron, research in Britain, 55*A*.
marine, testing station, North Carolina, 56*A*.
measurement, 29*A*.
mechanism, 33*A*.
metals, by steam and water, methods of reducing, 55*A*.
prevention, light-gauge steel structures, 56*A*.
prevention, use of electrodeposited chromium coatings, 49*A*.
review of literature, 70*A*.
stainless-steel tubes, by naphtha, 16*A*.
steel, by hydrogen chloride, 70*A*.
steel, by hydrogen sulphide, 70*A*.
steel, methods of prevention, 36*A*. (*Book*.)
steel, research in Britain, 55*A*.
wrought iron, methods of prevention, 36*A*. (*Book*.)
zinc-iron couples in soil, 56*A*.
Corrosion Cracking :
stress-, metals, 36*A*. (*Book*.)
stress-, mild steel, accelerated-precipitation theory, 70*A*.
Corrosion-Fatigue, chromium-molybdenum steel, study by sulphur-print method, 52*A*.
Corrosion Resistance :
effect of phosphatization, 50*A*.
lead and lead-tin coatings on steel, 80*A*.
materials, research in Russia, 55*A*.
plated surfaces, 9*A*.
stainless steel, 14*A*.
zinc coatings, improving by Cronak process, 49*A*.
Corrosion-Resistant Paint Coatings, properties, 11*A*.
Corrosion-Resistant Steel, determination of zinc, 34*A*.
Corrosion-Resistant Sucker Rods, for oil wells, 16*A*.
Corrosion Testing Machine, 29*A*.
Corrosion Tests, total immersion, apparatus, 70*A*.
Costa Rica, manganese deposits, 1*A*.
Costing, foundry, 4*A*., 39*A*.
Costing Systems :
for coke-oven plants, 2*A*.
for forging dies, 22*A*.
Costs :
arc welding, 66*A*.
oxy-acetylene cutting, methods of reduction, 68*A*.
production, reduction in manufacture of thick-walled pipes, 65*A*.
shearing of plates, 23*A*.
Coulomb Micro-Pendulum :
for measurement of internal friction, 28*A*.
for micro-impact tests, 13*A*.
Council Report, 18*P*.
Cracking :
intercrystalline, boiler plates, effect of silica/sodium-hydroxide ratio in feed water, 55*A*.
quench, alloy steel, relation to hardenability, 81*A*.
stress-corrosion, metals, 36*A*. (*Book*.)
stress-corrosion, mild steel, accelerated-precipitation theory, 70*A*.
Cracks :
detection, magnetic powder method, 53*A*.
detection, Metrolux method, 53*A*.
detection, use of supersonic waves, 319 *Paper*.
formation in welded chromium-molybdenum steel, 26*A*.
in ground metal surfaces, detection, 27*A*.
hair-line, formation in steel, 99*P*.
in steel, methods of detection, 31*A*., 81*A*.
in steel castings, causes, 19*A*.
in welds, detection by hammer tests, 8*A*.
in welds, detection by modified Magnaflux method, 8*A*.
in welds, detection by X-rays, 26*A*.
in welds, effect of hydrogen, 45*A*.
see also Defects, Flaws.
Cranes, electric, safety precautions, 22*A*.
Crankshafts :
aircraft-engine, malleable cast iron, damping capacity, 29*A*.
aircraft-engine, nitriding, 25*A*.
Cromol cast iron, 51*A*.
Meehanite cast iron, casting, 74*A*.
testing, magnetic powder method, 53*A*.
testing, use of plastic models, 51*A*.
Creep :
carbon-molybdenum steel, in high-temperature steam, 82*A*.
metals, 81*A*.
steel, effect of grain size, 82*A*.
steel, effect of heat-treatment, 82*A*.
Creep Resistance, steel, 82*A*.
Creep Strength :
steel, effect of elements, 13*A*.
steel, effect of heat-treatment, 13*A*., 82*A*.
Creep Testing Machines, 13*A*., 82*A*.
Creep Tests, 30*A*.
alloy steel, in air furnaces, 14*A*.
boiler steel, German methods, 82*A*.
carbon steel, correlation of short-time and long-time, 81*A*.
chromium-nickel steel, 82*A*.
high-temperature, 13*A*., 53*A*.
steel, 69*A*.
thin-walled steel tubes, effect of cold-work, 14*A*.
thin-walled steel tubes, effect of heat-treatment, 14*A*.
tin-cadmium alloys, 53*A*.
Critical Points, chromium-molybdenum-nickel steel, determination by dilatometric method, 32*A*.
Critical Temperature, for forging steel bars, determination, 22*A*.
Cromol Cast Iron, for crankshafts, 51*A*.
Cronak Process, to improve corrosion resistance of zinc coatings, 49*A*.
Crucibles :
for induction melting, failure, 41*A*.
production for steel manufacture, 57*A*.
use in production of sponge iron, 3*A*.
Cuba :
chromium ore deposits, 1*A*.
manganese deposits, 1*A*.
tungsten deposits, 1*A*.
Cumberland, coal deposits, 72*A*.
Cupola Gas, cleaning, 19*A*.
Cupola Practice, 18*A*.
effect of hot blast on coke consumption, 18*A*., 19*A*.
effect of substituting dolomite for limestone as flux, 18*A*.
Cupola Slag, properties, 18*A*.
Cupolas :
air control, use of air-weight instrument, 18*A*.
behaviour of charge materials, 3*A*.
charging equipment, design, 60*A*.
dust collecting systems, 19*A*.
hot-blast, operation, 18*A*., 19*A*.
method of igniting, 18*A*.
slag-metal reactions, 18*A*.
Curtiss-Wright Corporation, plant and processes for production of aircraft propeller blades, 65*A*.
Cutting :
flame-, developments, 27*A*.
metals, bibliography, 85*A*.
oxy-acetylene, alloy steels, 78*A*.
oxy-acetylene, applications in steel plants, 27*A*.
oxy-acetylene, chromium-molybdenum-nickel steel, 67*A*.
oxy-acetylene, equipment, 8*A*.

Cutting (*contd.*)—
oxy-acetylene, methods for increasing production and decreasing costs, 68*A*.
oxy-acetylene, for removal of defects in steel castings, 27*A*.
Cutting Machines :
flame-, 27*A*., 68*A*.
oxy-acetylene, German, 47*A*.
Cutting Tools :
carbide, for milling cast iron, 9*A*., 27*A*.
carbide, for milling steel, 9*A*.
carbide, selection and uses, 27*A*.
treatment, selection, and use, 9*A*.
wartime developments in America, 9*A*.
Cyclograph Apparatus, for magnetic testing of steel bars, 13*A*.
Cyclone Washer for cleaning coal, 17*A*.
Cylinder Liners, induction hardening, 7*A*.
Cylinders :
air-compressor, casting, metal moulds for, 19*A*.
aircraft-engine, nitriding, 25*A*.
centrifugal casting, 21*A*.
internal combustion engines, porous chromium plating, 10*A*.
marine-engine, forging, 64*A*.
stainless-steel, drawing, 43*A*.

Damage Curves, chromium-molybdenum steel, 12*A*.
Damping Capacity :
malleable cast iron, 29*A*.
steel, effect of carbon, 52*A*.
steel, effect of chromium, 52*A*.
steel, effect of cold-work, 52*A*.
steel, effect of magnetic properties, 52*A*.
study, use of fatigue-testing machine, 52*A*.
Davidson Retorts, for shale-oil production, 17*A*.
Debye and Scherrer Method, for obtaining X-ray powder photographs, 83*A*.
Decarburization :
aircraft-engine gears, effect on fatigue strength, 65*A*.
carbon steel, 25*A*.
tank gears, prevention, 25*A*.
Deep-Drawing :
sheet, splitting, 28*A*.
strain markings, 76*A*.
wax lubricating compound, 76*A*.
Defects :
in bars and tubes, detection by magnetic analysis, 69*A*.
in billets and blooms, detection by Sperry supersonic reflectoscope, 68*A*.
in ground metal surfaces, detection, 27*A*.
in nitrided steel, causes, 44*A*.
in steel, detection by Hypersonic Analyser, 69*A*.
in steel, methods of detection, 31*A*.
in steel castings, causes, 19*A*.
in steel castings, removal by flame-gouging, 39*A*.
in steel castings, removal methods, 39*A*., 41*A*.
in steel castings, removal by oxy-acetylene cutting, 27*A*.
in welds, detection by X-rays, 26*A*.
see also Cracks, Flaws.
Deformation :
effect on tensile strength, 11*A*.
iron, 28*A*.
plastic, iron-oxide inclusions in iron, 15*A*.
Degreasing Plants, electric and gas-heated, 48*A*.
De Lattre Process, pickling plant, 48*A*.
Deoxidation :
steel, 5*A*., 41*A*.
steel, effect on strain-sensitivity, 41*A*.
steel with aluminium, spheroidization and graphitization relationship, 22*A*.
Derbyshire, coking coal resources, 37*A*.
Descaling, steel, sodium hydride process, 48*A*.
Descaling Plant, Rustless Iron and Steel Corporation, 78*A*.
Desulphurization, pig iron, use of sodium carbonate, 2*A*.
Detroit Steel Casting Co., electric and open-hearth steel production, use of electrolytic manganese, 62*A*.
de Vooys Coal-Cleaning Process, 2*A*.
Dielectric Heating, 25*A*.
Die-Rolling, 64*A*.
Die Steel, properties, 31*A*., 68*A*.
Dies :
for cold-heading bolts, life, 22*A*.
cold-heading, factors affecting quality of steel for, 14*A*.
design, for powder-metal parts, 3*A*.
forging, costing methods, 22*A*.
forging design, 5*A*., 22*A*., 42*A*., 64*A*., 76*A*.
manufacture, 64*A*.
wire-drawing, calculations for, 6*A*.
Diesel-Engine Parts, repair by metal spraying, 80*A*.
Diffusion, in metals, 20*A*.
Dilatometric Method :
for determination of critical points of chromium-molybdenum-nickel steel, 32*A*.
for studying transformations in chromium steel, 32*A*.
Diescher Process, seamless-tube production, 65*A*.
Distortion, measurement, use of photo-grids, 28*A*.
Dolomite, substitute for limestone as cupola flux, 18*A*.
Dovel Plant for cleaning blast-furnace gas, 72*A*.
Drawability, steel, determination, 64*A*.
Drawing :
deep-, sheet, splitting, 28*A*.
deep-, strain markings, 76*A*.
deep-, wax lubricating compound, 76*A*.
metals, lubricating compounds, 6*A*.
seamless tubes, calculation of maximum reduction, 6*A*.
stainless-steel cylinders, 43*A*.
wire, American practice, 6*A*., 76*A*.
wire, calculations for dies and die sizes, 6*A*.
wire, lubricating compounds, 23*A*., 64*A*.
wire, reactive, 43*A*.
wire, theory, 64*A*.
Drawing Machines, for wire, 64*A*.
Drop Forging, 5*A*.
Drop Forgings, effect of overheating, 217 *Paper*.
Drop Hammers, 76*A*.
Dross Formation in hot-dip galvanizing process, 79*A*.
Drying, moulds, propane torch for, 74*A*.
Ductility, welds, methods of predicting, 67*A*.
Dumas Combustion Method for determination of nitrogen, 71*A*.
Dust :
collecting system for cupolas, 19*A*.
measurement and control, 85*A*. (*Book*.)
removal from sand conveyors, 61*A*.

Eatonite, use in facing aircraft-engine valves, 82*A*.
Eberbach Microhardness Testing Machine, 81*A*.
Eddy-Current Heating, 25*A*.
Ekko Process, for plating seamless tubes, 79*A*.
Elastic Limit, steel, fatigue strength relationship, 12*A*.
Elasticity, cold-drawn spring steel, 43*A*.
Electric Current Rectifiers, for steel plants, 23*A*.
Electric Furnace Practice, 18*A*.
acid, 19*A*., 22*A*., 41*A*.
acid, America, 5*A*.
acid, carbon determination, 34*A*.
basic, 19*A*., 22*A*.
Brymbo Steel Co., Ltd., 22*A*.
developments, 63*A*.
Electric Furnaces :
arc, design, 22*A*., 75*A*.
arc, methods of increasing efficiency, 22*A*.
arc, for production of small ingots, 63*A*.
design, acid and basic processes, 19*A*.
for determination of ash in coal and coke, 34*A*.
electrodes, properties and manufacture, 41*A*.
electrodes, selection, 22*A*.
electro-hydraulic control, 63*A*.
high-frequency, design, 43*A*.
high-frequency, for production of special steels, 63*A*.
high-frequency, for steel production, 22*A*.
for production of manganese-molybdenum-nickel steel, 3*A*.
refractory materials for, 22*A*.
Tysland-Hole, for pig-iron production, 38*A*.
Electric Motors:
manufacture of magnetic core laminations for, 22*A*.
rolling-mill, overload relays for, 64*A*.
Electric Power, distribution in steel plants, 40*A*., 75*A*.
Electric Steel :
acid, deoxidation, 5*A*.
acid, production, 22*A*., 41*A*.
acid, production with electrolytic manganese, 62*A*.
basic, production, 22*A*.
basic, production in America, 1940–1945, 5*A*.
basic, silicate inclusions, origin and formation, 42*A*.
production in arc furnaces, 63*A*.
Electrical Apparatus for analogical study of heat flow in regenerators, 72*A*.
Electrical Equipment :
for bolt and stud manufacture, 6*A*.
for induction heating, 7*A*., 8*A*., 25*A*., 43*A*.
for welding, 78*A*.
Electrical Method, for sorting metals, 69*A*.
Electrical Plant, safety precautions, 22*A*.
Electrical Resistance, measurement in spot-welding, 67*A*.
Electrodeposited Coatings :
adherence properties, 10*A*.
for aircraft-engine bearings, 10*A*.
effect of surface films, 9*A*.

Electrodeposited Coatings (*contd.*)—
on seamless tubes, Ekko process, 79*A*.
on stainless steel, review of methods, 49*A*.
on strip, 48*A*.
thickness, nomographs for calculating, 50*A*.
Electrodeposition :
for building up worn parts, 10*A*.
chromium, 10*A*., 49*A*.
chromium, use of Hull cell, 79*A*.
cobalt-nickel-tungsten alloys, 79*A*.
indium, 11*A*.
lead, 11*A*.
nickel, on interior of steel tubes, 10*A*.
silver, 11*A*.
tin, 10*A*.
tin-zinc alloys, 80*A*.
tungsten alloys, 50*A*.
use of insoluble anodes, 48*A*.
zinc, 49*A*.
Electrodes :
electric-furnace, properties and manufacture, 41*A*.
electric-furnace, selection, 22*A*.
welding, aluminium-bronze, 46*A*.
welding, manufacture of coatings by powder metallurgy process, 8*A*., 47*A*.
Electro-Hydraulic Control, electric furnaces, 63*A*.
Electrolytic Manganese :
production in America from low-grade ores, 4*A*.
use in electric and open-hearth steel production, 21*A*., 62*A*.
use in stainless-steel production, 62*A*.
Electrolytic Polishing, 9*A*., 47*A*., 48*A*.
Electron Microscopes, 36*A*. (*Book*.), 86*A*. (*Book*.)
for examination of surface structures, 31*A*.
Electron Optics, use of electron microscopes, 36*A*. (*Book*.)
Electron Tubes, theory and applications, 86*A*. (*Book*.)
Electronic Apparatus :
industrial applications, 31*A*., 86*A*. (*Book*.)
Electronic Control, machinery in iron and steel plants, 23*A*.
Electronic Inspection, 12*A*., 13*A*., 28*A*., 31*A*., 53*A*., 68*A*., 69*A* ., 81*A*.
Electronics, principles and applications, 86*A*. (*Book*.)
Electro-Physics, of welding arcs, 45*A*.
Electro-Pneumatic Hammers, 42*A*.
Electrotinning, 10*A*.
food containers, American wartime standards, 10*A*.
Embrittlement :
hydrogen, stainless-steel wire, 82*A*.
steel, 52*A*.
steel, at high temperatures, 53*A*.
En Steel :
properties, effect of heat-treatment, 53*A*.
standard specifications, 31*A*., 54*A*.
Enamel, spraying on metals, equipment, 11*A*.
Enamel Coatings :
porcelain, properties, 11*A*.
on steel, improving adhesion by use of nickel undercoat, 49*A*.
Enamelled Wire, pin-hole tester for, 80*A*.
Enamelling, cast iron, preparation of surface, 9*A*.
End-Quench Test, *see* Jominy Hardenability Test.
Endurance Limit :
chromium-molybdenum-nickel cast iron, effect of heat-treatment, 68*A*.
molybdenum-nickel cast iron, effect of heat-treatment, 68*A*.
Engine Bed, grey-iron, moulding and casting, 73*A*.
Equilibrium Diagrams, for slag systems, 5*A*.
Equilibrium Relationships, alloy steel, calculation, 84*A*.
Etching :
cast iron, 54*A*.
high-speed steel, 54*A*.
nickel deposits on steel, 32*A*.
stainless steel, 54*A*.
Etching Solution, alkaline chromate, use in detection of segregated oxides in steel, 69*A*.
Ethyl Silicate, use in foundry practice, 39*A*.
Extrusion Process, developments in America, 76*A*.

Failure :
aircraft-engine exhaust manifolds, 30*A*.
in coke-oven plants, 2*A*.
crucibles, in induction melting, 41*A*.
lifting magnets, 5*A*.
welded gas mains, 45*A*.
welded joints, 46*A*.
Fatigue :
chromium-molybdenum flash-welded steel, 78*A*.
effect of shot-peening, examination by X-ray diffraction, 52*A*.
metals, 36*A*. (*Book*.)
Fatigue Strength :
aircraft-engine gears, effect of processing methods, 65*A*.
Fatigue Strength (*contd.*)—
steel, elastic limit relationship, 12*A*.
wire, effect of shot-peening, 80*A*.
Fatigue Testing Machines, 12*A*., 52*A*.
Fatigue Tests :
effect of overstress, 51*A*.
tensile, effect of rest periods, 51*A*.
torsional, malleable cast iron, 29*A*.
Feeding :
castings, 3*A*., 61*A*.
steel castings, gas pressure method, 20*A*., 61*A*.
steel castings, use of Kayell, 20*A*., 61*A*.
Ferro-Alloys :
analysis, standard methods, 36*A*. (*Book*.)
determination of arsenic, 34*A*.
determination of sulphur, 34*A*.
wartime production in America, 40*A*.
Ferro-Magnetic Materials, tests, use of magnetic sorting bridge, 80*A*.
Ferromagnetism, theory, 30*A*.
Ferrous Metallurgy :
developments, 50*A*., 83*A*.
research at Watertown Arsenal Laboratory, 83*A*.
Films :
anti-reflection, use in metallographic microscopes, 31*A*.
oxide, formation on iron, X-ray examination, 16*A*.
oxide, formation on iron-silicon alloys, 33*A*.
surface, on metals, effect on electrodeposited coatings, 9*A*.
Finishing Process for nails, 79*A*.
Fink and Lah Acid Plating Bath, for electrodeposition of alloys, 79*A*.
Fissures, *see* Cracks.
Flame-Cutting, developments, 27*A*.
Flame-Cutting Machines, 27*A*., 68*A*.
Flame-Gouging, for removal of defects in steel castings, 39*A*.
Flame-Hardening :
cast iron, 25*A*.
equipment, 66*A*.
Flame-Priming, steel surfaces, preparation for painting, 48*A*.
Flame Radiation :
in furnaces, 58*A*.
in open-hearth furnaces, measurement and control, 41*A*.
Flame Spinning, tubes, 22*A*.
Flaw Detector, supersonic, 321*P*.
Flaws :
detection by magnetic powder method, 53*A*.
detection by supersonic waves, 12*A*., 32*A*., 68*A*.
see also Cracks, Defects.
Float-and-Sink Analysis, South African coal, 37*A*.
Flow :
gases through coke beds, measurement, 17*A*.
heat in furnaces, 41 *Paper*.
in metals, photo-grids for determination, 64*A*.
plastic, weld metal, 78*A*.
Flowability :
metals, 27*A*.
steel, effect of aluminium, 28*A*.
steel, effect of silicon, 28*A*.
steel, effect of temperature, 28*A*.
Flowability Laws, for metals and alloys, 28*A*.
Fluidity Tests :
acid open-hearth slag, 36*A*., 42*A*.
chromium-molybdenum steel, 21*A*.
Food Containers, electro-tinning, American wartime standards, 10*A*.
Foren Process, seamless-tube production, 65*A*.
Forge Furnaces, use of pulverized coal, 58*A*.
Forge Hammers, 5*A*., 42*A*., 76*A*.
Forge Plant for shells, 5*A*.
Forgeability, metals, 27*A*.
Forging :
automobile parts, 64*A*.
chromium-molybdenum-nickel steel, 64*A*.
drop, 5*A*.
marine-engine cylinders, 64*A*.
press, plates, 5*A*.
shells, 5*A*.
shells, Witter process, 76*A*.
Forging Dies :
costing methods, 22*A*.
design, 5*A*., 22*A*., 42*A*., 64*A*., 76*A*.
Forging Machines :
press, 76*A*.
upset, 76*A*.
Forging Practice, 5*A*., 76*A*.
America, developments, 76*A*.
Forging Presses, 5*A*.
Forging Temperature, critical, for steel bars, determination, 22*A*.
Forgings :
aircraft-engine, fracture tests, 54*A*.
design, 76*A*.
drop, effect of overheating, 217 *Paper*.

Foundries :
conveyor systems, installation factors, 60*A*.
electric power distribution, 75*A*.
fuel consumption, 2*A*.
illumination, 21*A*.
moulding sand consumption and control, 19*A*.
quality control in, 4*A*.
steel, American, bibliography, 19*A*.
steel, British, bibliography, 19*A*.
steel, Russian, bibliography, 19*A*.
ventilation, 21*A*., 75*A*.
works management, 5*A*., 39*A*.
Foundry Cores, *see* Cores.
Foundry Costing, 4*A*., 39*A*.
Foundry Equipment, shake-out machines for large castings, 74*A*.
Foundry Industry, France, organization, 73*A*.
Foundrymen, facts for, 36*A*., 85*A*. (*Book*.)
Foundry Plant :
American, for production of malleable iron castings, 4*A*.
Columbia Steel Co., 4*A*.
design and layout of buildings, 21*A*.
General Motors Corporation, 21*A*.
U.S. Navy, Philadelphia, 21*A*.
Foundry Practice, 3*A*., 18*A*., 39*A*., 60*A*., 73*A*.
America, wartime developments, 39*A*., 60*A*.
China, wartime developments, 60*A*.
Consolidated Mining and Smelting Co. of Canada Ltd., 60*A*.
review of developments, 1914–1944, 18*A*.
use of ethyl silicate, 39*A*.
use of tellurium core-washes, 20*A*.
Foundry Prize, awarded to P. W. Hyde, 6*P*.
Foundry Sand, *see* Moulding Sand.
Fracture :
brittle, effect of combined stresses, 28*A*.
brittle, mechanism, 52*A*.
brittle, welded structures, 78*A*.
intergranular, cast steel, 12*A*.
of solids, theory, 28*A*.
steel, at high temperatures, 69*A*.
Fracture Stress, steel, 28*A*.
Fracture Tests, for aircraft-engine forgings, 54*A*.
France :
blast-furnace design and practice, 59*A*.
foundry industry, organization, 73*A*.
investigations of railway rails, 83*A*.
open-hearth practice, 4*A*.
steel production by Perrin process, 62*A*.
French North Africa, mineral resources, 72*A*.
Fretz-Moon Process, pipe production, 23*A*.
Friction :
external, between rolls and materials, 23*A*.
internal, measurement by Coulomb micro-pendulum, 28*A*.
internal, measurement by Poisson's ratio, 28*A*.
Friction Coefficients, plated surfaces, 9*A*.
Fuel, 2*A*., 17*A*., 37*A*., 57*A*., 72*A*.
consumption control in gas-fired furnaces, 17*A*.
consumption in iron and steel plants, 2*A*.
consumption, wartime control in Germany, 17*A*.
efficient use in iron and steel works, 165 *Paper*.
for open-hearth furnaces, selection and use, 37*A*.
for open-hearth furnaces, use of oxygen-enriched blast-furnace gas, 37*A*.
pulverized, *see* Coal, pulverized.
for Swedish wartime iron and steel industry, 151 *Paper*.
utilization in iron and steel works, 183 *Paper*.
Fuel Oil :
use in open-hearth furnaces, 21*A*.
uses and conservation methods in America, 73*A*.
Furnace Bears, removal from blast-furnaces, 73*A*.
Furnace Operators, training, 17*A*.
Furnace Walls, heat-flow, methods of measurement, 24*A*.
Furnaces :
blast, *see* Blast-Furnaces.
boiler, *see* Boiler Furnaces.
electric, *see* Electric Furnaces.
flame radiation, 58*A*.
forge, *see* Forge Furnaces.
gas-fired, evaluation of efficiency, 17*A*.
gas-fired, fuel-consumption control, 17*A*.
heat consumption, 2*A*.
heat-flow meter for, 41 *Paper*.
heat-treatment, *see* Heat-Treatment Furnaces, Annealing Furnaces, etc.
high-frequency, *see* Electric Furnaces.
induction, *see* Electric Furnaces.
Krupp-Renn rotary, 38*A*., 59*A*.
open-hearth, *see* Open-Hearth Furnaces.
radiant-tube, *see* Radiant-Tube Furnaces.
reheating, *see* Reheating Furnaces *and* Soaking Pits.
Furnaces (*contd.*)—
rotary, *see* Rotary Furnaces.
thermal efficiency, 58*A*.

Galvanized Steel, methods to improve adhesion of paint coatings, 50*A*.
Galvanizing Plant, John Summers and Sons Ltd., 49*A*.
Galvanizing Process :
Herman hot-dip, 79*A*.
hot-dip, 49*A*.
hot-dip, dross formation, 79*A*.
Gamma-Radiography :
for examination of steel castings, 32*A*.
for examination of welds, 32*A*.
Gary Steel Works, control and measurement of open-hearth furnace flame radiation, 41*A*.
Gas :
blast-furnace, *see* Blast-Furnace Gas.
coke-oven, *see* Coke-Oven Gas.
producer, *see* Producer Gas.
town, use in annealing whiteheart malleable cast iron, 3*A*.
town, utilization in Great Britain, 38*A*.
Gas Engines, for blast-furnace blowers, 17*A*.
Gas Flow through coke beds, measurement, 17*A*.
Gas Liquor, ammonium chloride recovery, 59*A*.
Gas Mains, welded, failure, 45*A*.
Gas-Permeability, moulding sands, 19*A*.
Gas Pressure Method, feeding steel castings, 20*A*., 61*A*.
Gas Producers, *see* Producers.
Gas Turbines :
chromium-molybdenum-nickel steel for, 82*A*.
heat-resistant alloys for, 53*A*.
Gaseous Fuel :
evaluation of efficiency, 2*A*., 17*A*.
utilization in Great Britain, 38*A*.
Gases :
by-product, *see* By-Product Gases.
effect in cast iron, 30*A*.
evolution from cast steel, 30*A*.
Gating, steel castings, 3*A*.
Gauges, strain, design and applications, 51*A*., 81*A*.
Gears :
aircraft-engine, heat-treatment, 65*A*.
aircraft-engine, nitriding, 25*A*.
aircraft-engine, processing methods, effect on fatigue strength, 65*A*.
centrifugal casting, 21*A*.
heat-treatment furnaces for, 7*A*., 43*A*.
induction hardening, 7*A*.
tank, heat-treatment, prevention of decarburization, 25*A*.
tempering, furnaces for, 7*A*.
General Motors Corporation :
foundry plant, 21*A*.
heat-treatment plant for gears, 43*A*.
heat-treatment plant for tank drives, 25*A*.
Georgia, cobalt-bearing manganese deposits, 1*A*.
Germany :
chromium-manganese steel, properties and heat-treatment, 54*A*.
creep testing of boiler steel, 82*A*.
iron and steel industry, 40*A*.
magnetic and radiographic inspection, 84*A*.
metallurgical, industry, comparison with America, 40*A*.
methods of applying synthetic coatings to petrol tanks, 80*A*.
oxy-acetylene cutting machines, 47*A*.
production of light steel structures for buildings, 77*A*.
research work on effect of addition agents to lubricants, 77*A*.
sintering plants, methods to improve output, 37*A*.
spring industry, 64*A*.
stainless steel, properties, processing, and wartime uses, 53*A*.
testing and standardizing core binders, 20*A*.
tool-steel production, 61*A*.
wartime control of industrial fuel, 17*A*.
wartime production of rolled sheets and plates, 77*A*.
welding in shipyards, 78*A*.
welding, standard specifications, 47*A*.
welding, wartime applications, 66*A*.
Glycerine, use in metal-cleaning solutions, 47*A*.
Gold Coast, manganese deposits, 37*A*.
Grain Boundaries, in metals, theory, 69*A*.
Grain Size :
aluminium and sulphur relationships, 41*A*.
austenitic, effect on properties of carbon steel, 50*A*.
austenitic, relation to splitting in deep-drawing sheet, 28*A*.
control in aircraft-engine manufacture, 14*A*.
effect on properties of carbon steel, 50*A*.
spatial, determination of distribution, 54*A*.
steel, effect on creep, 82*A*.
Graphite, effect in cast iron, tensile strength, 51*A*.

Graphitization :
carbon-molybdenum steel tubes, in high-temperature steam, 69*A*.
cast iron, 69*A*.
relationship between spheroidization in deoxidation of steel, 22*A*.
steel, factors affecting, 30*A*.
Gravity-Segregation, calculation, liquid binary alloys, 36*A*. (*Book*.)
Grease Guns, 77*A*.
Grease Pumps, 77*A*.
Greer Steel Co., pickling plant, 10*A*.
Grinding :
aircraft-engine gears, effect on fatigue, strength, 65*A*.
stainless steel, 8*A*.
Grinding Tests, steel balls, 31*A*.
Grossman Method :
for calculation of hardenability of steel, 68*A*., 80*A*.
Ground Surfaces, detection of cracks, 27*A*.
Guides for rolling mills, 23*A*.
Gun, for metal spraying, 50*A*.
Gun Barrels :
centrifugal casting, 21*A*., 61*A*.
induction hardening, 7*A*.

Hammer Tests, for detection of cracks in welds, 8*A*.
Hammers :
counterblow, 76*A*.
drop, 76*A*.
electro-pneumatic, 42*A*.
forge, 5*A*., 42*A*., 76*A*.
steam, 42*A*.
Hard-Facing, 67*A*.
Hardenability :
alloy steel, 25*A*.
alloy steel, Grossman and experimental methods of calculation compared, 80*A*.
alloy steel, relation to martensitic structure, 29*A*.
alloy steel, relation to quench-cracking, 81*A*.
carbon steel, effect of boron, 29*A*.
cast iron, 81*A*.
metals, 27*A*.
steel, 36*A*. (*Book*.), 81*A*.
steel, calculationby Gr ossmann method, 68*A*., 80*A*.
steel, effect of elements, 14*A*., 29*A*., 68*A*.
steel, factors affecting, 41*A*.
Hardenability Specifications :
alloy steel, America, 81*A*.
steel, 12*A*.
Hardenability Tests :
in aircraft-engine manufacture, 14*A*.
cast iron, 81*A*.
Jominy, 43*A*., 52*A*.
steel, 81*A*.
Hardening :
American processes, 77*A*.
flame-, cast iron, 25*A*.
flame-, equipment, 66*A*.
gears, heat-treatment furnaces for, 7*A*., 43*A*.
induction, 7*A*., 8*A*., 25*A*., 43*A*., 66*A*.
induction, agricultural machinery, 66*A*.
induction, cylinder liners, 7*A*.
induction, electrical equipment, 7*A*., 8*A*., 43*A*.
induction, gears, 7*A*.
induction, gun barrels, 7*A*.
induction, steel, 43*A*., 63*A*.
induction, steel, comparison with furnace heating and quenching, 25*A*.
induction, wheel hubs, 7*A*.
parts, by electrodeposition, 10*A*.
steel, 85*A*. (*Book*.)
structural-, steel, 52*A*.
surface, iron castings, 43*A*.
work-, steel, effect of machinining, 52*A*.
Hardness :
Brinell, relation to tensile strength, in grey cast iron, 27*A*.
high-speed steel, relation to magnetic permeability, 53*A*.
metals, methods of measurement, 29*A*.
Rockwell, alloy steel, calculation, 68*A*.
Hardness Testing Machines :
Brinell, 52*A*.
micro-, 12*A*.
micro-, Eberbach, 81*A*.
micro-, Knoop, 29*A*., 81*A*.
micro-, Tukon, 29*A*., 81*A*.
micro-, Zeiss, 52*A*.
Hardness Tests :
carbon steel, effect of prolonged heating, 53*A*.
chromium-molybdenum-nickel steel, welded, 67*A*.
metals, 29*A*.
Hardness Tests (*contd*.)—
molybdenum steel, effect of prolonged heating, 53*A*.
welded joints, 46*A*.
Hatfield Memorial Lecture, 369*P*.
Heat, consumption in furnaces, 2*A*.
Heat Flow :
through furnace walls, methods of measurement, 24*A*.
in furnaces, 41 *Paper*.
in regenerators, study by electrical analogue, 72*A*.
in steel, 61*A*.
Heat-Flow Meter, for furnaces, 41 *Paper*.
Heat-Resistant Alloys, for gas turbines, 53*A*.
Heat-Resistant Iron :
effect of gas content, 30*A*.
effect of residual elements, 30*A*.
Heat-Resistant Steel :
properties, 31*A*.
scaling resistance, 31*A*.
Heat Transfer :
control and measurement in industrial plants, 17*A*.
in moulding sand, 39*A*.
theory and practice, 58*A*.
through tubes, effect of tube shape, 58*A*.
Heat-Treatment, 6*A*., 24*A*., 43*A*., 65*A*., 77*A*.
aircraft-engine gears, 65*A*.
alloy steel, 63*A*., 66*A*.
American processes, 77*A*.
chromium-manganese steel, German developments, 54*A*.
chromium-molybdenum steel, 66*A*.
effect on creep strength of steel, 13*A*., 82*A*.
effect on creep strength of thin-walled steel tubes, 14*A*.
effect on endurance limit of chromium-molybdenum-nickel cast iron, 68*A*.
effect on endurance limit of molybdenum-nickel cast iron, 68*A*.
effect on machinability, 77*A*.
effect on Meehanite cast iron, 77*A*.
effect on properties of British En steel, 53*A*.
effect on properties of magnet alloys, 13*A*.
effect on tool life, 46*A*.
high-speed steel, 46*A*., 63*A*.
isothermal, steel, 65*A*.
manganese-molybdenum-nickel steel, 3*A*.
milling cutters, 46*A*.
pearlitic malleable cast iron, 24*A*.
seamless tubes, 65*A*.
shells, cooling properties of quenching media, 77*A*.
steel, 85*A*. (*Book*.)
steel, effect of alloying elements, 43*A*.
steel, time-temperature-transformation curves, 6*A*., 24*A*.
tank gears, prevention of decarburization, 25*A*.
tools, use of salt baths, 43*A*.
wire, salt baths for, 77*A*.
Heat-Treatment Furnaces :
for aircraft-engine parts, 65*A*.
ceramic burners for, 25*A*.
charging equipment, 77*A*.
combustion control, 58*A*.
conveyors for, 77*A*.
experimental, for aircraft propeller blades, 77*A*.
forced-air circulation, 26*A*.
for gears, 7*A*., 43*A*.
quenching equipment, 77*A*.
salt-bath, 6*A*., 7*A*., 43*A*., 65*A*., 66*A*., 77*A*.
for tank drives, 25*A*.
use of protective atmospheres, 7*A*.
Heating :
bars and plates, time-temperature charts, 65*A*.
by conduction, 25*A*.
by convection, 25*A*.
by radiation, 25*A*.
by radiation, application to metal finishing, 36*A*. (*Book*.)
dielectric, 25*A*.
eddy-current, 25*A*.
induction, 7*A*., 8*A*., 43*A*., 66*A*.
induction, electrical equipment, 7*A*., 8*A*., 25*A*., 43*A*.
induction, plant for ordnance equipment, 6*A*.
induction, for shrink fits, 66*A*.
steel, 86*A*. (*Book*.)
submerged, wire-pickling tanks, 10*A*.
Heenan Plant, for chain manufacture, 47*A*.
Hematite, ceramic, use in production of sponge iron, 3*A*.
Herman Process, for galvanizing wire, 79*A*.
Herty Viscometer, 45*A*.
High-Frequency Furnaces, *see* Electric Furnaces.
High-Frequency Oscillator, use in comparison of stresses in metals, 28*A*.
High-Speed Steel :
brazing, 67*A*.

High-Speed Steel (*contd.*)—
etching, 54*A*.
heat-treatment, 63*A*.
low-temperature treatment, 6*A*.
magnetic permeability and hardness relationships, 53*A*.
nitriding, 6*A*.
production, 41*A*.
sodium-cyanide treatment, 66*A*.
treatment in salt bath before hardening, 66*A*.
welding to cast-iron shanks, 67*A*.
High-Speed Steel Tools :
production and heat-treatment, 46*A*.
repair by welding, 46*A*.
retained austenite, determination by Magnaflux method, 15*A*.
Hilger-Spekker Absorptiometer, for analysis of stainless steel, 34*A*.
Höganäs Sponge Iron Process, 38*A*.
Homo-Carb Furnaces, for carburizing, 43*A*.
Hoppers, moulding sand, design, 39*A*.
Hot-Rolling, factors affecting yield stress, 23*A*.
Hot-Stamping Presses, 5*A*.
Hot-Workability, high-tensile steel, 68*A*.
Hot-Workability Tests, steel, effect of elements, 68*A*.
Hull Cell, use in electrodeposition of chromium, 79*A*.
Hydraulic Brakes, casting, metal moulds for, 19*A*.
Hydraulic Presses, 22*A*.
Hydro-Blast System, for cleaning castings, 47*A*.
Hydrogen :
determination in weld metal, 34*A*.
diffusion through iron at room temperature, 82*A*.
effect on mechanical properties of steel, 101*P*.
effect in steel, 36*A*. (*Book*.)
effect on transformation of chromium-molybdenum-nickel steel, 96*P*.
effect in welds, crack formation, 45*A*.
embrittlement of stainless-steel wire, 82*A*.
evolution from cast steel, 30*A*.
removal from steel, 67 *Paper*.
Hydrogen Chloride, corrosion of iron and steel, 70*A*.
Hydrogen Sulphide :
corrosion of iron and steel, 70*A*.
reaction with iron, equilibrium constants, 2*A*.
Hypersonic Analyser, for detection of defects in steel, 69*A*.
Hysteresis, mechanical, metals, 13*A*.

Illumination in foundries, 21*A*.
Impact Strength :
cast steel at low temperatures, effect of alloying elements, 28*A*.
chromium-molybdenum-titanium steel, effect of variations in composition, 30*A*.
materials, research at Renault Works, 52*A*.
steel, effect of elements, 14*A*.
Impact-Tensile Tests, water-quenched steel, 26*A*.
Impact Tests :
chromium-molybdenum-nickel steel, welded, 67*A*.
chromium-molybdenum-vanadium steel, 81*A*.
micro-, use of Coulomb micro-pendulum, 13*A*.
notched-bar, 11*A*.
Inclusions :
iron-oxide, in iron, plastic deformation and solubility, 15*A*.
lead-bearing, detection in steel, 15*A*.
non-metallic, in steel, formation, 4*A*., 41*A*.
silicate, in basic electric steel, origin and formation, 42*A*.
Indium, electrodeposition, 11*A*.
Induction Brazing, tungsten-carbide tools, 26*A*.
Induction Furnaces, *see* Electric Furnaces.
Induction Hardening, 7*A*., 8*A*., 25*A*., 43*A*., 66*A*.
agricultural machinery, 66*A*.
cylinder liners, 7*A*.
electrical equipment, 7*A*., 8*A*., 43*A*.
gears, 7*A*.
gun barrels, 7*A*.
steel, 43*A*., 63*A*.
steel, comparison with furnace heating and quenching, 25*A*.
wheel hubs, 7*A*.
Induction Heating, 7*A*., 8*A*., 43*A*., 66*A*.
electrical equipment, 7*A*., 8*A*., 25*A*., 43*A*.
ordnance equipment, 6*A*.
for shrink fits, 66*A*.
Induction Melting Process, failure of crucibles, 41*A*.
Ingot Moulds :
casting, 74*A*.
coating, mechanical methods, 5*A*.
life, 75*A*.
Ingots :
casting, methods used 1880–1890, 41*A*.
clean Bessemer steel, production, 62*A*.
semi-killed, effect of variables on surface and yield, 41*A*.
Ingots (*contd.*)—
small, production from arc furnaces, 63*A*.
soaking pits for, 63*A*.
Inland Steel Co. :
lifting magnets, failure and repair, 5*A*.
safety precautions for electric cranes and plant, 22*A*.
Inspection, metals, use of strain gauges, 81*A*.
Inspection Methods, for metals, 80*A*., 81*A*.
Intercrystalline Cracking, boiler plates, effect of silica/sodium-hydroxide ratio in feed water, 55*A*.
Intergranular Fracture, cast steel, 12*A*.
Internal-Combustion-Engine Cylinders, porous chromium plating, 10*A*.
Internal Combustion Engines, combustion control, 58*A*.
Internal Friction, measurement by Coulomb micro-pendulum, 28*A*.
Iron :
analysis, standard methods, 36*A*. (*Book*.)
casting properties, effect of weather conditions, 73*A*.
corrosion by hydrogen chloride, 70*A*.
corrosion by hydrogen sulphide, 70*A*.
corrosion, research in Britain, 55*A*.
deformation, 28*A*.
detection of phosphorus segregations by contact-print process, 36*A*. (*Book*).
detection by spot tests, 34*A*.
diffusion of hydrogen at room temperature, 82*A*.
effect of pretreatment methods on durability of paint coatings, 48*A*.
formation of oxide films, X-ray examination, 16*A*.
heat-resistant, effect of gas content, 30*A*.
heat-resistant, effect of residual elements, 30*A*.
pickling, effect of inhibitor in acid, 10*A*.
production, 2*A*., 18*A*., 38*A*., 59*A*., 73*A*.
production, America, developments in 1945, 74*A*.
reaction with hydrogen sulphide, equilibrium constants, 2*A*.
reduction and carburization in blast-furnaces, 73*A*.
solubility of elements, 69*A*.
treatment before painting, 367*P*.
X-ray examination, penetration intensity, 15*A*.
Iron Alloys, overstressing, 36*A*. (*Book*.)
Iron-Aluminium-Chromium Alloys, 36*A*. (*Book*.)
Iron-Aluminium-Cobalt-Copper-Nickel Alloys, magnetic properties, effect of heat-treatment, 13*A*.
Iron-Aluminium-Cobalt-Nickel-Titanium Alloys, magnetic properties, effect of heat-treatment, 13*A*.
Iron Castings, solidification, 18*A*.
Iron Chippings, use in cleaning castings, 47*A*.
Iron Industries :
America, developments in 1945, 61*A*., 74*A*.
China, 4*A*.
efficient use of fuel, 165 *Paper*.
fuel utilization, 183 *Paper*.
Germany, 40*A*.
research work, objects of British Iron and Steel Research Association, 63*A*.
Russia, 21*A*., 40*A*.
Russia, reconstruction, 75*A*.
Sweden, statistical information, 75*A*.
Sweden, wartime fuel problems, 151 *Paper*.
Iron-Molybdenum-Carbon Alloys, diffusion of molybdenum, 32*A*.
Iron Ore :
concentration plant, Mount Hope Mine, New Jersey, 37*A*.
nodulizing, effect on blast-furnace practice, 37*A*.
sintering, effect on blast-furnace practice, 37*A*.
smelting, 36*A*. (*Book*.)
Swedish, recovery of magnetic pyrites, 72*A*.
Iron Ore Deposits :
Algoma, Canada, 72*A*.
Western Australia, 72*A*.
world, 1*A*.
Iron-Oxide Bursting, resistance of chrome-magnesite bricks, 57*A*.
Iron-Oxide Inclusions, in iron, plastic deformation and solubility, 15*A*.
Iron-Oxide/Magnesium-Oxide System, X-ray survey, 22*A*.
Iron-Oxide/Manganese-Oxide System :
equilibrium diagram, 5*A*.
X-ray survey, 22*A*.
Iron-Oxide/Silica System, equilibrium diagram, 5*A*.
Iron Powders, *see* Powdered Iron.
Iron-Silicon Alloys, oxidation at high temperatures, 33*A*.
Iron Sponge, *see* Sponge Iron.
Iron and Steel Engineering Group, formation, 5*P*.
Isothermal Heat-Treatment, steel, 65*A*.
Isothermal Transformation :
austenite, 24*A*.
austenite in chromium steel, 32*A*.
steel, effect of oxygen, 259 *Paper*.
Isothermal-Transformation Diagrams, steel, 32*A*., 54*A*.

Jet Test, B.N.F., for determination of thickness of zinc coatings, 50*A*.
Jominy Hardenability Tests, 43*A*., 52*A*.
Jones and Laughlin Steel Corporation, lime/silica ratio, determination in open-hearth slag, 21*A*.

Kaiser Co., bar mills, 64*A*.
Kayell, use in feeding steel castings, 20*A*., 61*A*.
Kent, coal deposits, 72*A*.
Kingzett's Chemical Encyclopædia, 86*A*.
Kirkstall Forge, history, 36*A*. (*Book*.)
Knock-Out Machines for large castings, 74*A*.
Knoop Microhardness Testing Machines, 29*A*., 81*A*.
Kolene Process, cleaning cast iron, 9*A*.
Krause Rolling Mill, 76*A*.
Krupp-Renn Process, 38*A*., 59*A*.

Laboratories, Watertown Arsenal, 83*A*.
Lacquer, spraying on metals, equipment, 11*A*.
Lacquer Coatings :
for blackplate and tinplate, 80*A*.
for petrol tanks, German methods of application, 80*A*.
Ladle Nozzles, design and maintenance, 5*A*., 40*A*., 41*A*.
Ladle Stoppers :
design and maintenance, 5*A*., 40*A*., 41*A*.
testing methods, 40*A*.
Ladles, refractory materials for, 40*A*.
Laminac, for sealing porous castings, 74*A*.
Lancashire, coal deposits, 37*A*.
Laterite Ore :
production of chromium steel in arc furnace, 62*A*.
production of nickel steel in arc furnace, 62*A*.
Lead :
determination in iron and steel, 70*A*.
electrodeposition, 11*A*.
wartime production in America, 40*A*.
Lead-Bearing Inclusions, detection in steel, 15*A*.
Lead Coating, by immersion method, 79*A*.
Lead Coatings, on steel, protective value, 80*A*.
Lead-Tin Coatings, on steel, protective value, 80*A*.
Lime, properties, for wire-drawing lubricant, 23*A*.
Lime/Magnesia/Silica System, X-ray diffraction analysis of compounds, 57*A*.
Lime/Silica Ratio, determination in open-hearth slag, 21*A*.
Lost-Wax Process for precision casting, 20*A*., 74*A*.
Lubricants :
effect of addition agents, research work in Germany, 77*A*.
properties and applications, 85*A*. (*Book*.)
wax compound, for deep-drawing, 76*A*.
for wire drawing, 6*A*., 23*A*., 64*A*.
Lubrication Systems, grease guns and pumps for, 77*A*.
Lukens Steel Co. :
oxy-acetylene cutting equipment, 8*A*.
soaking pits, 63*A*.

Machinability :
effect of heat-treatment, 77*A*.
metals, 27*A*., 47*A*.
sulphur steel, 47*A*.
Machine-Gun Mountings, stamping processes for, 22*A*.
Machine Tools, repair by welding, 78*A*.
Machinery Parts, welded, design factors, 78*A*.
Machining :
metals, 9*A*., 27*A*., 47*A*.
stainless steel, 8*A*.
steel, 86*A*. (*Book*.)
steel, effect on work-hardening, 52*A*.
Machining Forces, nomographs for calculation of, 27*A*.
Machining Tests :
cast iron, 9*A*., 27*A*.
steel, 9*A*.
sulphur steel, 47*A*.
Magnaflux Method :
determination of retained austenite in high-speed steel, 15*A*.
modified, for detection of cracks, 8*A*.
for testing aircraft-engines, 14*A*.
Magnesite, *see* Refractory Materials.
Magnesium :
applications in aircraft-engine manufacture, 14*A*.
wartime production in America, 40*A*.
Magnesium-Oxide/Manganese-Oxide System, X-ray survey, 22*A*.
Magnet Alloys, properties, effect of heat-treatment, 13*A*.
Magnet Steel, properties, 81*A*.
Magnetic Analysis, for detection of defects in bars and tubes, 69*A*.
Magnetic Comparators, for bars, 13*A*.
Magnetic Inspection:
in Germany, 84*A*.
metals, 81*A*.
Magnetic Permeability, high-speed steel, relation to hardness, 53*A*.
Magnetic Powder Method :
of crack detection, 53*A*.
of testing, 86*A*. (*Book*.)
of testing crankshafts, 53*A*.
Magnetic Properties :
cobalt steel, effect of mass and heat-treatment, 30*A*.
magnet alloys, effect of heat-treatment, 13*A*.
steel, effect on damping capacity, 52*A*.
steel, effect of small stresses, 30*A*.
Magnetic Pyrites, recovery from Swedish ores, 72*A*.
Magnetic Sorting, steel bars, 13*A*.
Magnetic Sorting Bridge, for testing ferro-magnetic materials, 80*A*.
Magnetic Tests:
steel bars, 13*A*.
steel bars, use of Cyclograph apparatus, 13*A*.
Magnetite-Ilmenite Deposits, New York, vanadium-bearing, 1*A*.
Magnets :
lifting, failure and repair, 5*A*.
lifting, methods to improve efficiency, 63*A*.
permanent, design and testing, 81*A*.
Maine, manganese deposits, 1*A*.
Malleable Cast Iron :
damping capacity, 29*A*.
melting processes, 19*A*.
pearlitic, heat-treatment, 24*A*.
torsional fatigue tests, 29*A*.
whiteheart, annealing by gas process, 3*A*.
Malleable Iron Castings :
American foundry plant, 4*A*.
repair by welding, 46*A*.
Manganese :
behaviour in blast-furnaces, 73*A*.
detection in steel by drop reactions, 34*A*.
determination in chromium-nickel steel by spectrum analysis, 33*A*.
determination in iron and steel, 34*A*., 70*A*.
determination in stainless steel, 34*A*.
effect on creep strength of steel, 13*A*.
effect on hardenability of steel, 14*A*., 68*A*.
effect on impact strength of cast steel at low temperatures, 28*A*.
effect on impact strength of steel, 14*A*.
effect on properties of cast iron, 31*A*.
effect on tensile strength of steel, 14*A*.
electrolytic, production in America from low-grade ore, 4*A*.
electrolytic, use in electric and open-hearth steel production, 21*A*., 62*A*.
electrolytic, use in stainless-steel production, 62*A*.
wartime production in America, 40*A*.
Manganese-Chromium Steel, properties, use as substitute for nickel-chromium steel, 30*A*.
Manganese-Chromium-Vanadium Steel, properties, use as substitute for nickel-chromium, steel, 30*A*.
Manganese Deposits :
Alabama, cobalt-bearing, 1*A*.
Arizona, 1*A*.
California, 1*A*.
Costa Rica, 1*A*.
Cuba, 1*A*.
Georgia, cobalt-bearing, 1*A*.
Gold Coast, 37*A*.
Maine, 1*A*.
Nevada, 1*A*.
Tennessee, cobalt-bearing, 1*A*.
Virginia, 1*A*.
Washington, 1*A*.
West Virginia, 1*A*.
world, 1*A*.
Manganese-Molybdenum-Nickel Steel :
heat-treatment, 3*A*.
production in electric furnace, 3*A*.
Manganese-Silicon Steel, hardenability and transformation characteristics, 25*A*.
Manganese Steel :
cold-rolled, properties, 31*A*.
hardenability and transformation characteristics, 25*A*.
properties, 31*A*.
use as substitute for nickel-chromium steel, 30*A*.
Manganese-Vanadium Steel, use as substitute for chromium-nicke steel, 30*A*.
Manvers Main Colleries Ltd., coal-cleaning plant, 2*A*.
Marine Corrosion Testing Station, North Carolina, 56*A*.
Marine-Engine Cylinders, forging, 64*A*.
Martensite, formation and constitution, 15*A*.
Martensitic Cast Iron, production, 18*A*.
Martensitic Structure, relation to hardenability of low alloy steel, 29*A*

Mass, effect on magnetic properties of cobalt steel, 30*A*.
Materials, testing, 36*A*. (*Book*.)
Mechanical Hysteresis, metals, 13*A*.
Meehanite Cast Iron:
effect of heat-treatment processes, 77*A*.
cast iron production, 18*A*.
Members, election, 6*P*.
Mercury Deposits, California, 1*A*.
Metal Finishing, chemicals for, 86*A*. (*Dictionary*.)
Metallographic Specimens, method of removal of synthetic-resin replicas, 15*A*.
Metallography, 56*A*. (*Dictionary*.)
X-ray analysis, 16*A*. (*Book*.)
Metallography and Constitution, 15*A*., 31*A*., 54*A*., 69*A*., 83*A*.
Metallurgy, 86*A*. (*Book*.)
ferrous, developments, 50*A*., 83*A*.
ferrous, research at Watertown Arsenal Laboratory, 83*A*.
powdered iron, 38*A*.
theory, 15*A*.
Metallurgical Industry :
America, wartime developments, 40*A*.
Germany, comparison with America, 40*A*.
Metals :
interdependence of complex properties, 27*A*.
precious, electrolytic polishing, 48*A*.
properties and mechanical strength, 12*A*., 27*A*.
Metrolux Method, of crack detection, 53*A*.
Mexico, tin deposits, 1*A*.
Micro-Bend Tests, 13*A*.
Microhardness Testing Machines, 12*A*.
Eberbach, 81*A*.
Knoop, 29*A*., 81*A*.
Tukon, 29*A*., 81*A*.
Zeiss, 52*A*.
Micrometers, X-ray, for thickness measurement, 23*A*.
Micro-Pendulum :
Coulomb, for measurement of internal friction, 28*A*.
Coulomb, for micro-impact tests, 13*A*.
Microscopes :
electron, 36*A*. (*Book*), 86*A*. (*Book*.)
electron, for examination of surface structures, 31*A*.
metallographic, use of anti-reflection films, 31*A*.
metallographic, upright and inverted types compared, 69*A*.
Microstructure :
cast iron, 84*A*.
metals, changes during tensile tests, 86*A*. (*Book*.)
Midlands, coal deposits, 72*A*.
Mild Steel :
stress-corrosion cracking, accelerated-precipitation theory, 70*A*.
welding, 26*A*.
Milling :
cast iron with carbide tools, 9*A*., 27*A*.
steel with carbide tools, 9*A*.
Milling Cutters :
production and heat-treatment, 46*A*
repair by welding, 46*A*.
Millivoltmeters, 23*A*.
Mineral Resources, 1*A*., 37*A*., 72*A*.
Mining Industry, properties of wear-resistant steel for, 54*A*.
Moisture :
effect on coking properties of coal, 72*A*.
effect in moulding sand, 20*A*.
Molybdenum :
detection in steel by drop reactions, 34*A*.
determination in iron and steel, 34*A*., 70*A*.
determination in stainless steel, 34*A*.
diffusion in iron-molybdenum-carbon alloys, 32*A*.
effect on creep strength of steel, 13*A*.
effect on hardenability of steel, 14*A*., 29*A*., 68*A*.
effect on impact strength of steel, 14*A*.
effect on tensile strength of steel, 14*A*.
Molybdenum-Nickel Cast Iron, endurance limit, effect of heat-treatment, 68*A*.
Molybdenum Steel :
hardness tests, effect of prolonged heating, 53*A*.
structural changes during prolonged heating, 53*A*.
time-elongation curves, at high temperatures, 13*A*.
Motion Studies, foundries, 39*A*.
Motor-Generators, for induction heating, 43*A*.
Mould Cavity, factors affecting size, 74*A*.
Moulding :
flanged return bends, 39*A*.
grey-iron engine-bed, 73*A*.
pump castings, equipment and methods, 74*A*.
Moulding Practice, 18*A*., 39*A*., 74*A*.
in Great Britain, history, 74*A*.
powdered metal products, 60*A*.
Moulding Sand :
British resources, 3*A*.
Moulding Sand (*contd*.)—
compression strength, 74*A*.
consumption in steel foundries, 19*A*.
control, 19*A*., 39*A*., 74*A*.
deformation, 74*A*.
determination of gas-permeability, 19*A*.
effect of bentonite, 74*A*.
effect of coal dust, 20*A*.
effect of moisture, 20*A*.
heat transfer, 39*A*.
hot-strength characteristics, 358*P*.
nature and properties, 74*A*.
tests, 4*A*., 39*A*., 74*A*.
tests, 36*A*. (*Book*.)
use of split tube for forming specimens, 19*A*.
use of cement, 20*A*.
Moulding Sand Hoppers, design, 39*A*.
Moulds :
design, 41*A*.
drying, propane torch for, 74*A*.
metal, for grey-iron castings, 19*A*.

Nails, finishing and cleaning, 79*A*.
National Tube Co., forging plant and processes for shells, 5*A*.
Nevada :
manganese deposits, 1*A*.
tungsten deposits, 1*A*.
New Brunswick, coal deposits, 37*A*.
New Jersey, Mount Hope Mine, iron ore concentration plant, 37*A*.
New York, vanadium-bearing magnetite-ilmenite deposits, 1*A*.
Ni-Hard Iron Castings, cause of blowholes, 20*A*.
Ni-Tensyl Cast Iron, production, 18*A*.
Nickel :
detection by spot tests, 34*A*.
detection in steel by drop reactions, 34*A*.
determination in chromium-nickel steel by spectrum analysis, 33*A*.
determination in iron and steel, 70*A*.
determination in stainless steel, 34*A*.
determination in steel and nickel ores by polarographic analysis, 71*A*.
effect on hardenability of steel, 14*A*., 29*A*., 68*A*.
effect on impact strength of cast steel at low temperatures, 28*A*.
effect on impact strength of steel, 14*A*.
effect on properties of chromium-molybdenum steel, 31*A*.
effect on tensile strength of steel, 14*A*.
plating interior of steel tubes, 10*A*.
preparation of surfaces for electrodeposition of chromium, use of Hull cell, 79*A*.
production, Krupp-Renn process, 38*A*., 59*A*.
Nickel Coatings :
on steel, etching, 32*A*.
on steel, for improving adhesion of enamel, 49*A*.
Nickel Ores, determination of nickel by polarographic analysis, 71*A*.
Nickel Steel :
hardenability and transformation characteristics, 25*A*.
mechanical properties after quenching and tempering, 69*A*.
production from laterite ore in arc furnace, 62*A*.
welding, 67*A*.
weldability, 67*A*.
weldability tests, 67*A*.
Niell, James, and Co. (Sheffield), Ltd., high-frequency electric furnaces, 63*A*.
Niessner Method :
for production of oxide prints, use of cellophane, 15*A*.
for production of phosphorus prints, 15*A*.
Nigeria, mineral resources, 72*A*.
Nipper Process, for rolling cast iron, 27*A*.
Nitralloy Steel, welding, 67*A*.
Nitriding :
aircraft-engine crankshafts, 25*A*.
aircraft-engine cylinders, 25*A*.
aircraft-engine gears, 25*A*.
aluminium-chromium-molybdenum steel, 66*A*.
applications in aircraft-engine manufacture, 14*A*.
carbon steel, 66*A*.
chromium-molybdenum-nickel steel, 66*A*.
chromium-molybdenum steel, 66*A*.
high-speed tool steel, 6*A*.
steel, 63*A*.
steel, causes of defects, 44*A*.
steel, methods of acceleration, 7*A*.
Nitrogen :
apparatus for determination by Dumas combustion method, 71*A*.
evolution from cast steel, 30*A*.
Nodulizing, iron ore, effect on blast-furnace practice, 37*A*.

Nomographs :
for calculation of machining forces, 27*A*.
for calculation of thickness of electrodeposited coatings, 50*A*.
Non-Destructive Tests :
for castings, 50*A*., 81*A*.
for metals, 50*A*.
Non-Magnetic Coatings, on steel, determination of thickness, 11*A*., 81*A*.
Non-Metallic Inclusions in steel, formation, 4*A*., 41*A*.
North Carolina, marine corrosion testing station, 56*A*.
North-Eastern England, coal deposits, 72*A*.
North-Midland England, coal deposits, 72*A*.
North-Western England, coal deposits, 72*A*.
Northrop Aircraft Incorporated, inspection methods for castings, 3*A*.
Northumberland, coal deposits, 72*A*.
Notch-Sensitivity, weld metal, 46*A*.
Nottinghamshire, coking-coal resources, 37*A*.
Nozzles, ladle, design and maintenance, 5*A*., 40*A*., 41*A*.

Oil :
core, properties and tests, 19*A*.
lubricating, properties and applications, 85*A*. (*Book*.)
quenching, determination of rate of absorption of oxygen, 66*A*.
quenching, cooling curves, photo-records, use of cathode-ray oscillograph, 66*A*.
shale, production in British Empire, 17*A*.
shale, production, use of Salermo and Davidson retorts, 17*A*.
Oil Fuel :
use in open-hearth furnaces, 21*A*.
uses and conservation methods in America, 73*A*.
Oil Wells, corrosion-resistant sucker rods for, 16*A*.
Open-Hearth Furnaces :
acid, 75*A*.
basic, design and developments, 40*A*.
basic, maintenance and repair, 40*A*.
combustion control, 58*A*.
flame radiation, measurement and control, 41*A*.
fuel, selection and use, 37*A*.
fuel, use of oxygen-enriched blast-furnace gas, 37*A*.
hot-patching, 40*A*.
refractory materials for, 40*A*.
reversal, automatic control, 41*A*., 62*A*.
roofs, effect of changes in charge materials, 21*A*.
roofs, maintenance and repair, 40*A*.
roofs, silica-brick, wear, 40*A*.
slag-metal reactions, 18*A*.
small-scale, 5*A*., 40*A*.
use of liquid fuels, 21*A*.
Open-Hearth Practice :
acid, methods of improvement, 41*A*.
America, use of ores, 4*A*., 75*A*.
basic, control methods, 40*A*.
basic, Steel Co. of Canada, 40*A*.
France, 4*A*.
slag control, 41*A*.
Open-Hearth Process, acid, 75*A*.
Open-Hearth Slag :
acid, fluidity tests, 36*A*., 42*A*.
basic, mineralogy, 355*P*.
lime/silica ratio, determination, 21*A*.
Open-Hearth Steel :
acid, deoxidation, 41*A*.
acid, non-metallic inclusions, formation, 41*A*.
acid, production with electrolytic manganese, 62*A*.
liquid, occurrence of oxygen, sampling methods, 41*A*., 62*A*.
residual metals in, 40*A*.
Optical Instruments, applications in engineering, 86*A*. (*Book*.)
Optical Methods, for measurement of surface finish, 47*A*.
Optical Pyrometers, 23*A*.
disappearing-filament type, 24*A*., 362*P*.
Optics, electron, 36*A*. (*Book*.)
Ordnance Equipment :
induction-heating plant for, 6*A*.
stamping processes for, 22*A*.
Ores :
mining and treatment, 37*A*.
S.K. porosity test, 365*P*.
use in American open-hearth practice, 4*A*., 75*A*.
Oscillator, high-frequency, use in comparison of stresses in metals, 28*A*.
Oscillograph, cathode-ray, use in obtaining photo-records of cooling curves of quenching oils, 66*A*.
Overheating :
chromium-molybdenum-nickel steel, 255 *Paper*.
effect on drop forgings, 217 *Paper*.
steel, 237 *Paper*.
steel, factors affecting, 265 *Paper*.
Overheating (*contd*.)—
steel, methods of detection, 221*P*.
steel, methods of prevention, 231*P*.
Overstress, effect in fatigue tests, 51*A*.
Overstressing, iron alloys, 36*A*. (*Book*.)
Oxidation :
iron at high-temperatures, 16*A*.
iron-silicon alloys at high temperatures, 33*A*.
Oxide Films :
formation on iron, X-ray examination, 16*A*.
formation on iron-silicon alloys, 33*A*.
Oxide Prints, production by Niessner method, use of cellophane, 15*A*.
Oxide Systems :
in steel-furnace slags, 353*P*.
in steel-furnace slags, X-ray survey, 22*A*.
Oxides, segregated, detection in steel, use of alkaline chromate etching solution, 69*A*.
Oxy-Acetylene Cutting :
alloy steels, 78*A*.
applications in steel plants, 27*A*.
chromium-molybdenum-nickel steel, 67*A*.
equipment, 8*A*.
methods for increasing production and decreasing costs, 68*A*.
for removal of defects in steel castings, 27*A*.
Oxy-Acetylene Cutting Machines, German, 47*A*.
Oxy-Acetylene Welding, cast iron, 36*A*., 71*A*. (*Book*.)
Oxygen :
absorption by quenching oils, determination of rate, 66*A*.
effect on isothermal transformations of steel, 259 *Paper*.
in liquid open-hearth steel, sampling methods, 41*A*., 62*A*.
Oxygen-Enriched Blast-Furnace Gas, use as fuel in open-hearth furnaces, 37*A*.

Paint Coatings :
corrosion-resistant, properties, 11*A*.
durability on iron and steel, effect of pretreatment methods, 48*A*.
on galvanized steel, methods to improve adhesion, 50*A*.
Paints :
anti-fouling, methods of assessment, 11*A*.
spraying on metals, equipment, 11*A*.
Passivity, metals, definition and theory, 33*A*.
Pattern Making, 39*A*., 74*A*., 86*A*. (*Book*.)
Patterns :
design and interchangeability, 74*A*.
making and redesigning, 39*A*.
use in preparation of moulds, 39*A*.
Pearlite, calculation of growth, 84*A*.
Pendulum :
micro-, Coulomb, for impact tests, 13*A*.
micro-, Coulomb, for measurement of internal friction, 28*A*.
Perrin Process, steel production, 62*A*.
Phase Boundaries, alloy steel, theory and calculation, 84*A*.
Philadelphia, U.S. Navy foundry plant, 21*A*.
Phosphatization Process, effect on corrosion resistance, 50*A*.
Phosphorus :
determination in iron and steel, 34*A*., 70*A*.
diffusion in steel, 14*A*.
reaction in basic steelmaking process, 115 *Paper*.
Phosphorus Prints, production by Niessner method, 15*A*.
Phosphorus Segregations, in iron and steel, detection by contact-print process, 36*A*. (*Book*.)
Photo-Elastic Method, stress determination, 51*A*.
Photo-Electric Photometers, portable type, 36*A*. (*Book*), 70*A*.
Photo-Electric Polarograph, recording, 70*A*.
Photo-Grids :
production, for determination of flow and stretch of metals, 64*A*.
production, for measurement of distortion, 28*A*.
Photometers, photo-electric, portable type, 36*A*. (*Book*), 70*A*.
Pickling :
cold-worked steel, 9*A*.
effect of inhibitor in acid, 10*A*.
metals, use of acid-resistant plastic equipment, 9*A*.
steel, chemical reactions, 79*A*.
Pickling Liquor, spent, recovery methods, 79*A*.
Pickling Plants :
De Lattre process, 48*A*.
Greer Steel Co., 10*A*.
for strip, 10*A*.
Pickling Tanks, wire, submerged heating equipment, 10*A*.
Pig Iron :
desulphurization, use of sodium carbonate, 2*A*.
production in Tysland-Hole electric furnace, 38*A*.
Pilger Process, seamless-tube production, 65*A*.
Pin-Hole Tester, for enamelled wire, 80*A*.
Pinion Shaft, rolling-mill, repair by thermit welding, 46*A*.
Pipe Lines, cathodic protection, use of zinc, 16*A*.

Pipes :
carbon-molybdenum steel, creep in high-temperature steam, 82*A*.
carbon-molybdenum steel, graphitization in high-temperature steam, 69*A*.
cast iron, protection by synthetic resin coatings, 10*A*., 11*A*.
centrifugal casting, 21*A*.
production, Fretz-Moon process, 23*A*.
thick-walled, methods to reduce production costs, 65*A*.
Plastic Coatings, for steel parts, 80*A*.
Plastic Flow, weld metal, 78*A*.
Plastic Models, use in testing crankshafts, 51*A*.
Plastic Strain, effect on tensile strength, 68*A*.
Plastics :
acid-resistant, use in pickling equipment, 9*A*.
Laminac, for sealing porous castings, 74*A*.
use as core binders, 20*A*.
use in precision casting, 20*A*.
Plate Mills, work- and time-studies, 23*A*.
Plated Parts, automobile, wear, 10*A*.
Plated Surfaces :
coefficients of friction, 9*A*.
corrosion resistance, 9*A*.
Plates :
boiler, intercrystalline cracking, effect of silica/sodium-hydroxide ratio in feed water, 55*A*.
drafting calculations, 35*A*., 36*A*. (*Book.*)
heating, time-temperature charts, 65*A*.
rolled, German wartime production practice, 77*A*.
shearing, work-, time-, and cost-studies, 23*A*.
ship, notched-tensile tests, 78*A*.
steel, press-forging, 5*A*.
supersonic testing, 334*P*.
Plating, interior of steel tubes with nickel, 10*A*.
Plating Baths, acid, Fink and Lah type, for electrodeposition of alloys, 79*A*.
Poisson's Ratio :
apparatus for measuring, 28*A*.
for measuring internal friction, 28*A*.
Polarograph, photo-electric recording, 70*A*.
Polarographic Analysis, determination of nickel in steel and nickel ores, 71*A*.
Polishing :
electrolytic, 9*A*., 47*A*., 48*A*.
metals, comparison of methods, 9*A*.
stainless steel, 8*A*.
Porosity, of ores and sinters, determination, 365*P*.
Potentiometric Instruments, 23*A*.
Pouring Speed, effect on production of thin-walled steel castings, 60*A*.
Pouring Technique, effect on casting-pit performance, 40*A*.
Powder Metallurgy, 2*A*., 18*A*., 38*A*., 59*A*., 60*A*.
Powdered Iron :
hot-pressed, properties, 59*A*.
hot-pressing methods, 59*A*.
metallurgy, 38*A*.
Powdered Iron Products, moulding processes, 60*A*.
Powdered Metal Products :
die design, 3*A*.
manufacture, 3*A*., 18*A*.
moulding processes, 60*A*.
Powders, metal, for manufacture of welding-electrode coatings, 8*A*., 47*A*.
Precious Metals, electrolytic polishing, 48*A*.
Presidential Address, by C. H. Desch, F.R.S., D.Sc., 33*P*.
Press-Forging :
America, developments, 76*A*.
plates, 5*A*.
Press-Forging Machines, 76*A*.
Presses :
forging, 5*A*.
hot-stamping, 5*A*.
hydraulic, 22*A*.
Pressings, stretcher-strain markings, 76*A*.
Producer Gas :
evaluation of efficiency, 2*A*.
utilization in Great Britain, 38*A*.
Producer Practice, 2*A*., 38*A*.
Producers, modern developments, 2*A*.
Production Control in foundries, 39*A*.
Propane Torch for drying moulds, 74*A*.
Propeller Blades :
aircraft, experimental heat-treatment furnaces for, 77*A*.
aircraft, manufacture, 65*A*.
Pulverized Coal, *see* Coal, Pulverized.
Pump Castings, moulding and casting, equipment and methods, 74*A*.
Pyrometers :
optical, 23*A*.
optical, disappearing-filament type, 24*A*., 362*P*. (*Correspondence.*)
radiation, for control of open-hearth furnace reversals, 62*A*.
Pyrometric Equipment, desgin and applications, 23*A*., 24*A*.

Quality Control :
for engineers, 36*A*. (*Book.*)
flash welding, 46*A*.
in foundries, 4*A*.
grey-iron castings, 73*A*.
statistical methods, 13*A*., 21*A*.
statistical methods, metal stampings, 76*A*.
statistical methods, refractory materials, 57*A*.
statistical methods, spot welds, 67*A*.
Quench Cracking, alloy steel, relation to hardenability, 81*A*.
Quenching :
steel balls, time-temperature-volume relationships, 26*A*.
water, effect on chromium steel, 26*A*.
water, effect on chromium-vanadium steel, 26*A*.
Quenching Equipment, for heat-treatment furnaces, 77*A*.
Quenching Media, cooling properties, 77*A*.
Quenching Oil :
absorption of oxygen, determination of rate, 66*A*.
cooling curves, photo-records, use of cathode-ray oscillograph, 66*A*.

Radiant Heating, 25*A*.
application to metal finishing, 36*A*. (*Book.*)
Radiant-Tube Furnaces, for fusion of electrodeposited tin, 10*A*.
Radiation Pyrometers, for control of open-hearth reversals, 62*A*.
Radiographic Examination:
in Germany, 84*A*.
metals, 81*A*.
Radiographs, interpretation, 54*A*.
Radiography :
gamma-, for examination of steel castings, 32*A*.
gamma-, for examination of welds, 32*A*.
see also X-Ray Examination.
Railway Wagon Wheels, production, 19*A*.
Rails, investigations in France, 83*A*.
Rectifiers, electric current, for steel plants, 23*A*.
Recuperators :
for soaking pits, 63*A*.
metallic, 58*A*.
Reflectoscope :
supersonic, for detection of defects, Sperry type, 68*A*.
supersonic, for detection of flaws in metal, 12*A*.
Refractory Materials, 57*A*.
for electric furnaces, 22*A*.
for ladles, 40*A*.
for open-hearth furnaces, 40*A*.
statistical quality control, 57*A*.
for steel plants, 57*A*.
storage methods, 40*A*.
tests, 57*A*.
Refractory Materials (Alumina), properties and manufacture, 57*A*.
Refractory Materials (Carbon Bricks), for blast-furnaces, 57*A*.
Refractory Materials (Chrome-Magnesite Bricks), resistance to iron-oxide bursting, 57*A*.
Refractory Materials (Magnesite), properties and manufacture, 57*A*.
Refractory Materials (Mullite), for open-hearth furnaces, 40*A*.
Refractory Materials (Silica Bricks) :
for open-hearth roofs, wear, 40*A*.
properties and manufacture, 57*A*.
Regenerators :
for coke ovens, 58*A*.
heat flow, study by electrical analogue, 72*A*.
Reheating Furnaces, 63*A*.
oil-operated charging machines for, 63*A*.
Relays, electric overload, for rolling-mill motors, 64*A*.
Renault Works, research on impact strength and brittleness of materials, 52*A*.
Replicas, synthetic-resin, method of removal from metallographic specimens, 15*A*.
Republic Steel Corporation, blowing out blast-furnaces, 59*A*.
Resin, use as core binder, 74*A*.
Resin Coatings :
synthetic, 10*A*., 11*A*.
synthetic, for petrol tanks, German methods of application, 80*A*.
Retorts, for shale-oil production, Salermo and Davidson types, 17*A*.
Return Bends, flanged, moulding, 39*A*.
Rheolaveur Coal-Cleaning Process, 2*A*.
Rhodium, electrolytic polishing, 48*A*.
Rivets, shear-test data, 51*A*.
Rock Wool, manufacture and uses, 18*A*.
Rocket Projectiles, manufacture, 64*A*.
Rockwell Hardness, alloy steel, calculation, 68*A*.
Rolled Plates, German wartime practice, 77*A*.
Rolled Sheets, German wartime practice, 77*A*.
Rolling :
American practice, 76*A*.
cast iron, Nipper process, 27*A*.
cold-, factors affecting yield stress, 23*A*.

Rolling (*contd.*)—
cold-, sheet, British practice, 64*A*.
cold-, strip, British practice, 64*A*.
hot-, factors affecting yield stress, 23*A*.
load and roll-pressure relationships, 23*A*.
Rolling-Mill Plant :
Bethlehem Steel Co., 23*A*.
Kaiser Co., 64*A*.
Volta Redonda Steelworks, 23*A*.
Wheeling Steel Corporation, 85*A*. (*Book*.)
Rolling-Mill Practice, 23*A*., 64*A*., 76*A*.
Rolling Mills :
bar, 23*A*., 64*A*.
design and development in Britain, 64*A*.
electric motors, overload relays for, 64*A*.
guides, 23*A*.
Krause, 76*A*.
pinion shaft, repair by thermit welding, 46*A*.
tube, 23*A*.
Uni-Temper, 76*A*.
Rolls :
American, design and production, 64*A*.
worn, repair of, 65*A*.
Rotary Furnaces, Krupp-Renn, 38*A*., 59*A*.
Rotary Kiln, for sponge-iron production, Wyoming, 18*A*.
Russia :
design of castings, 20*A*.
iron and steel industry, 21*A*., 40*A*., 75*A*.
research on corrosion resistance of materials, 55*A*.
steel foundries, bibliography, 19*A*.
Rustless Iron and Steel Corporation:
sodium-hydride descaling plant, 78*A*.
stainless-steel production, use of electrolytic manganese, 62*A*.

Safety Precautions, electrical plant, 22*A*.
Salamanders, removal from blast-furnaces, 73*A*.
Salermo Retorts for shale-oil production, 17*A*.
Salt Baths :
for heat-treatment, 6*A*., 7*A*., 43*A*., 65*A*., 66*A*., 77*A*.
for heat-treatment and cleaning of wire, 77*A*.
for treatment of high-speed steel before hardening, 66*A*.
Sampling, liquid steel in casting-pit, 63*A*.
Sand Conveyors, dust removal, 61*A*.
Scaling Resistance, chromium-nickel heat-resistant steel, 31*A*.
Schori Pistol, use in flame-spraying metal powders, 50*A*.
Scrap :
segregation, 41*A*.
stainless steel, types and analyses, 63*A*.
Sea, raw materials from 86*A*. (*Book*.)
Sea Water, chemical and biological research, 71*A*. (*Book*.)
Segregation :
gravity-, calculation for liquid binary alloys, 36*A*. (*Book*.)
temperature-, calculation for liquid binary alloys, 36*A*. (*Book*.)
Selenium, applications in aircraft-engine manufacture, 14*A*.
Semi-Steel, production, 18*A*.
Shafting, calculation of stress distribution, 51*A*.
Shake-Out Machines for large castings, 74*A*.
Shale, carbonization, 17*A*.
Shale Oil :
production in British Empire, 17*A*.
production, use of Salermo and Davidson retorts, 17*A*.
Shear Blades, welding, 8*A*.
Shear Tests :
data for rivets, 51*A*.
micro-, 13*A*.
Shearing :
plates, work-, time-, and cost-studies, 23*A*.
stainless steel, 8*A*.
Sheet Metal Drafting, 35*A*. (*Book*.)
Sheets :
cold-rolling, British practice, 64*A*.
contour- and stretch-forming machines for, 43*A*.
deep-drawing, splitting, 28*A*.
drafting calculations, 35*A*., 36*A*. (*Book*.)
gas-welding, distortion, 67*A*.
rolled, German wartime production practice, 77*A*.
stainless steel, processing methods, 43*A*.
spot-welding, measurement of electrical resistance, 67*A*.
thickness measurement by X-ray micrometer, 23*A*.
Shells :
forge plant for, 5*A*.
forging, 5*A*.
forging, Witter process, 76*A*.
heat-treatment, cooling properties of quenching media, 77*A*.
X-ray examination, 54*A*.
Ship Plates, notched-tensile tests, 78*A*.
Shipbuilding, materials for, 82*A*.
Shot, for shot-peening, properties, 80*A*.
Shot-Blasting, metals, 9*A*.
Shot-Blasting Machines, 61*A*.
Shot-Peening :
aircraft-engine gears, effect on fatigue strength, 65*A*.
effect on fatigue, examination by X-ray diffraction, 52*A*.
properties of shot for, 80*A*.
wire, effect on fatigue strength, 80*A*.
Shrink Fits, 66*A*.
Silica:
reduction by liquid steel, 22*A*., 42*A*.
see also Refractory Materials.
Silica Bricks, *see* Refractory Materials.
Silica/Sodium-Hydroxide Ratio in feed water, effect on intercrystalline cracking of boiler plates, 55*A*.
Silicate Inclusions, in basic electric steel, origin and formation, 42*A*.
Silicon :
behaviour in blast-furnaces, 73*A*.
control in Tysland-Hole electric furnace, 38*A*.
determination in chromium-nickel steel by spectrum analysis, 33*A*.
determination in iron and steel, 34*A*., 70*A*.
effect on creep strength of steel, 13*A*.
effect on flowability of steel, 28*A*.
effect on hardenability of steel, 14*A*.
effect on impact strength cast of steel at low temperatures, 28*A*.
effect on impact strength of steel, 14*A*.
effect on tensile strength of steel, 14*A*.
impregnation in steel, 10*A*.
Silver :
applications in aircraft-engine manufacture, 14*A*.
electrodeposition, 11*A*.
production, Krupp-Renn process, 38*A*., 59*A*.
Sinter :
S.K. porosity test, 365*P*.
use in blast-furnace practice, 17*A*.
Sintering, iron ore, effect on blast-furnace practice, 37*A*.
Sintering Plants, Germany, methods to improve output, 37*A*.
Sintering Tests, American Foundrymen's Association, 61*A*.
S.K. Porosity Test, for ores and sinters, 365*P*.
Slabs, supersonic testing, 334*P*.
Slag :
acid open-hearth, fluidity tests, 36*A*., 42*A*.
basic, mineralogy, 355*P*.
basic, X-ray examination, 135*P*.
control, 41*A*.
cupola, 18*A*.
open-hearth, lime/silica ratio, determination, 21*A*.
technology, 3*A*.
welding, viscosity, determination by modified Herty viscometer, 45*A*.
Slag Concrete, compression strength and specific gravity, 3*A*.
Slag-Metal Reactions :
in basic steelmaking process, 115 *Paper*.
in cupolas, 18*A*.
in open-hearth furnaces, 18*A*.
Slag Reactions, in basic electric steel production, 5*A*.
Slag Systems :
oxide, 353*P*.
oxide, X-ray survey, 22*A*.
Slag Wool, manufacture and uses, 18*A*.
Smelting, iron ore, 36*A*. (*Book*.)
Soaking Pits :
combustion control, 58*A*.
control instruments, 63*A*.
Luken Steel Co., 63*A*.
recuperative, 63*A*.
see also Reheating Furnaces.
Society of Automotive Engineers, Inc., Handbook, 1945, 36*A*.
Sodium, applications in aircraft-engine manufacture, 14*A*.
Sodium Carbonate, use in desulphurization of pig iron, 2*A*.
Sodium-Cyanide Treatment, high-speed steel, 66*A*.
Sodium-Hydride Process, for descaling steel, 48*A*.
Soldering, methods and developments, 47*A*.
Solidification :
iron castings, 18*A*.
metals, 61*A*.
Solidification Diagrams, binary, investigation, 32*A*.
Solidification Rates, steel castings, 61*A*.
Solubility :
iron-oxide inclusions in iron, 15*A*.
titanium carbide in steel, 15*A*.
Sorting, metals, electrical method, 69*A*.
South Africa, coal resources, Witbank coalfield, 37*A*.
Soviet Union, *see* Russia.
Spark-Gap Converters, for induction heating, 25*A*., 43*A*.
Specific Gravity, foamed-slag concrete, 3*A*.
Spectrographic Inspection, metals, 81*A*.

Spectrum Analysis :
alloys, 33*A*., 34*A*., 35*A*. (*Book*.)
chromium-nickel steel, 33*A*.
determination of aluminium in steel, 14*A*., 71*A*.
determination of calcium in iron, 33*A*.
determination of metallic impurities in steel, 71*A*.
determination of titanium in iron and alloy steels, 71*A*.
evaluation of data by statistical methods, 70*A*.
semi-automatic accessory apparatus, 71*A*.
Sperry Supersonic Reflectoscope, for detection of defects, 68*A*.
Spheroidization, relationship with graphitization in deoxidation of steel, 22*A*.
Spinning, bombs, 76*A*.
Splitting, in deep-drawing of steel sheet, 28*A*.
Sponge Iron :
Höganäs process, 38*A*.
production in America, using low-grade fuel, 4*A*.
production from ceramic hematite, 3*A*.
production in rotary kiln, Wyoming, 18*A*.
production in Sweden, 3*A*.
Spot Tests :
for detection of cobalt, 34*A*.
for detection of iron, 34*A*.
for detection of nickel, 34*A*.
Sprayed Coatings :
metal, formation and adhesion, 11*A*.
metal, properties, 50*A*.
Spraying :
metal powder, use of Schori flame pistol, 50*A*.
metals, 11*A*., 50*A*.
metals, for repair of worn parts, 80*A*.
Spraying Equipment, 11*A*.
Spraying Gun, for metals, 50*A*.
Spring Industry, Germany, 64*A*.
Spring Steel, cold-drawn, elastic properties, 43*A*.
Stabilizing, stainless steel, 43*A*.
Stainless Steel :
analysis, absorptiometric method, 34*A*.
annealing, 43*A*.
applications in aircraft-engine manufacture, 14*A*.
composition and properties, 43*A*.
corrosion resistance, 14*A*.
descaling, sodium-hydride process, 48*A*.
determination of titanium by spectrum analysis, 71*A*.
effect of cold-rolling, 76*A*.
electroplating methods, 49*A*.
etching, 54*A*.
processing, 8*A*.
production with electrolytic manganese, 62*A*.
properties, processing, and wartime uses in Germany, 53*A*.
stabilizing, 43*A*.
stress-relieving, 43*A*.
for turbine blades, 14*A*., 31*A*.
types and analyses, 63*A*.
weldability, 26*A*., 46*A*.
Stainless-Steel Cylinders, drawing, 43*A*.
Stainless-Steel Parts, for aircraft engines, resistance welding, 67*A*.
Stainless-Steel Tubes, corrosion by naphtha, 16*A*.
Stainless-Steel Wire :
descaling, sodium-hydride process, 48*A*.
hydrogen embrittlement, 82*A*.
Stamping :
America, developments, 76*A*.
machine-gun mountings, 22*A*.
Stamping Practice, 36*A*. (*Book*.)
Stampings, metal, quality control by statistical methods, 76*A*.
Statistical Methods :
for evaluation of spectrum analysis data, 70*A*.
for quality control, 13*A*., 21*A*.
for quality control of metal stampings, 76*A*.
for quality control of refractory materials, 57*A*.
for quality control of spot welds, 67*A*.
Steam :
corrosion of metals, methods of reducing, 55*A*.
high-temperature, creep of carbon-molybdenum steel, 82*A*.
high-temperature, graphitization of carbon-molybdenum steel tubes, 69*A*.
Steam Hammers, 42*A*.
Steam Pipes :
carbon-molybdenum steel, creep, 82*A*.
carbon-molybdenum steel, graphitization at high temperatures, 69*A*.
Steam Plants :
combustion control, 58*A*.
operation and maintenance, 36*A*., 71*A*. (*Book*.)
Steam Superheaters, carbon-molybdenum steel, creep, 82*A*.
Steam Turbines for blast-furnace blowers, 17*A*.
Steel :
alloy, annealing, 66*A*.
Steel (*contd*.)—
alloy, for boilers, creep tests, German methods, 82*A*.
alloy, British Standards Institution schedule, 86*A*. (*Book*.)
alloy, calculation of phase boundaries, 84*A*.
alloy, comparison with alloy-treated steel, 54*A*.
alloy, creep tests, in air furnaces, 14*A*.
alloy, equilibrium relationships, calculation, 84*A*.
alloy, hardenability, 25*A*.
alloy, hardenability, Grossman and experimental methods of calculation compared, 80*A*.
alloy, hardenability, relation to quench cracking, 81*A*.
alloy, hardenability specifications, America, 81*A*.
alloy, heat-treatment, 63*A*.
alloy, oxy-acetylene cutting, 78*A*.
alloy, properties, effect of combined stresses, 50*A*.
alloy, Rockwell hardness, calculation, 68*A*.
alloy, tensile tests, 50*A*.
alloy, time-elongation curves at high temperatures, 13*A*.
alloy, transformations, 25*A*.
alloy, weldability, 66*A*.
alloy (low), atmospheric corrosion, 55*A*.
alloy (low), diffusion of carbon, 14*A*.
alloy (low), diffusion of phosphorus, 14*A*.
alloy (low), martensite structure and hardenability relationship, 29*A*.
alloy (low), welding, 67*A*.
aluminium additions, factors affecting efficiency, 41*A*.
aluminium-clad, spot-welding, measurement of electrical resistance, 67*A*.
analysis, standard methods, 36*A*. (*Book*.)
atomic structure, examination, use of X-ray powder photographs, 83*A*.
austenite decomposition, 85*A*.
austenite decomposition, coalescence of cementite, 24*A*.
bonding to aluminium, Al-Fin process, 26*A*.
British En, properties, effect of heat-treatment, 53*A*.
British En standard specifications, 31*A*., 54*A*.
carburization, preparation of atmospheres, 43*A*.
case-hardened, effect of alloying elements on case depth, 6*A*.
case-hardened, measurement of case depth, 6*A*., 24*A*.
clean, production in large quantities, 41*A*.
for cold-heading dies, factors affecting quality, 14*A*.
cold-worked, pickling, 9*A*.
corrosion by hydrogen chloride, 70*A*.
corrosion by hydrogen sulphide, 70*A*.
corrosion, methods of prevention, 36*A*. (*Book*.)
corrosion, research in Britain, 55*A*.
corrosion-resistant, determination of zinc, 34*A*.
creep, effect of grain size, 82*A*.
creep, effect of heat-treatment, 82*A*.
creep resistance, 82*A*.
creep strength, effect of elements, 13*A*.
creep strength, effect of heat-treatment, 13*A*., 82*A*.
creep strength, effect of titanium, 13*A*.
creep tests, 69*A*.
creep tests, at high temperatures, 53*A*.
damping capacity, effect of carbon, 52*A*.
damping capacity, effect of chromium, 52*A*.
damping capacity, effect of cold-work, 52*A*.
defects in, detection by Hypersonic analyser, 69*A*.
defects in, methods of detection, 31*A*.
deoxidation, 41*A*.
deoxidation, with aluminium, spheroidization and graphitization relationship, 22*A*.
descaling, sodium-hydride process, 48*A*.
detection of phosphorus segregations by contact-print process, 36*A*. (*Book*.)
die, properties, 31*A*., 68*A*.
diffusion of copper, 20*A*.
drawability, determination, 64*A*.
effect of carbides, 84*A*.
effect of hydrogen, 36*A*. (*Book*.)
effect of pretreatment methods on durability of paint coatings, 48*A*.
effect of sulphur, 80*A*.
embrittlement, 52*A*.
embrittlement, at high temperatures, 53*A*.
flowability, effect of aluminium, 28*A*.
flowability, effect of silicon, 28*A*.
flowability, effect of temperature, 28*A*.
formation of hair-line cracks, 99*P*.
fracture at high temperatures, 69*A*.
fracture stress, 28*A*.
galvanized, methods to improve adhesion of paint coatings, 50*A*.
gaseous carburization, 65*A*.
graphitization, factors affecting, 30*A*.
hardenability, 36*A*. (*Book*), 81*A*.
hardenability, calculation by Grossmann method, 68*A*., 80*A*.
hardenability, effect of elements, 14*A*., 29*A*., 68*A*.

Steel (*contd.*)—
hardenability, factors affecting, 41*A*.
hardenability specifications, 12*A*.
heat flow, 61*A*.
heat-treatment, 85*A*. (*Book*.)
heat-treatment, effect of alloying elements, 43*A*.
heat-treatment, isothermal, 65*A*.
heat-treatment, time-temperature-transformation curves, 6*A*., 24*A*.
heating, 86*A*. (*Book*.)
high-tensile, hot- and cold-workability, 68*A*.
high-tensile, weldability, 67*A*.
hot-workability tests, effect of elements, 68*A*.
impact strength, effect of elements, 14*A*.
impregnation with elements, use of solid and gaseous media, 10*A*.
internal stress, measurement by X-rays, 51*A*.
isothermal transformation diagrams, 32*A*., 54*A*.
lead-bearing inclusions, detection, 15*A*.
low-temperature treatment, 43*A*.
liquid, reduction of silica, 22*A*., 42*A*.
liquid, sampling, 63*A*.
machining, 86*A*. (*Book*.)
machining tests, 9*A*.
magnetic properties, effect of small stresses, 30*A*.
for magnets, properties, 81*A*.
mechanical properties, effect of hydrogen, 101*P*.
milling with carbide tools, 9*A*.
nitriding, 63*A*.
nitriding, causes of defects, 44*A*.
nitriding, methods of acceleration, 7*A*.
ordinary and special types, 36*A*. (*Book*.)
pickling, chemical reactions, 79*A*.
preparation of surfaces for electrodeposition of chromium, use of Hull cell, 79*A*.
preparation of surfaces for painting, flame-priming method, 48*A*.
processing, developments, 50*A*.
production, 4*A*., 21*A*., 40*A*., 61*A*., 75*A*.
production, America, developments in 1945, 74*A*.
production, American wartime practice, 4*A*.
production, developments, 50*A*., 83*A*.
production in arc furnaces, 63*A*.
production in Great Britain, developments, 61*A*., 75*A*.
production in high-frequency induction furnace, 22*A*.
production, manufacture of crucibles for, 57*A*.
production, Perrin process, 62*A*.
production, use of electrolytic manganese, 21*A*., 62*A*.
properties and applications, 56*A*. (*Book*.)
properties, developments in research, 50*A*.
ratio of fatigue strength to elastic limit, 12*A*.
removal of hydrogen, 67 *Paper*.
segregated oxides in, detection, use of alkaline chromate etching solution, 69*A*.
soldered, brittleness, 36*A*. (*Book*.)
solubility of titanium carbide, 15*A*.
structural hardening, 52*A*.
temper brittleness, 32*A*., 53*A*.
tensile strength, effect of elements, 14*A*.
treatment before painting, 367*P*. (*Synopsis of Special Report*.)
wartime specifications, America, 54*A*.
wartime specifications, Australia, 54*A*.
wartime specifications, Great Britain, 54*A*.
wear-resistant, for mining industry, 54*A*.
welded, formation of cracks, effect of hydrogen, 45*A*.
for welding, factors affecting selection, 67*A*.
work-hardening, effect of machining, 52*A*.
X-ray examination, penetration intensity, 15*A*.
Steel Castings, *see* Castings, steel.
Steel Industries, *see* Iron Industries.
Steel Plants :
American, bibliography, 19*A*.
applications of oxy-acetylene cutting, 27*A*.
applications of supersonic testing, 329*P*.
British, bibliography, 19*A*.
electric current rectifiers, 23*A*.
electric power distribution, 40*A*., 75*A*.
fuel consumption, 2*A*.
illumination, 76*A*.
machinery, electronic control, 23*A*.
maintenance, 5*A*.
maintenance, applications of welding, 46*A*.
moulding-sand consumption, 19*A*.
refractory materials for, 57*A*.
Russian, bibliography, 19*A*.
small-scale, 5*A*., 40*A*.
water supply, 76*A*.
Wheeling Steel Corporation, 85*A*. (*Book*.)
Steel Structures :
light, for buildings, production in Germany, 77*A*.
light, corrosion-prevention methods, 56*A*.
Steel Wool, properties and manufacture, 83*A*.
Steering Gears, automobile, forging, 64*A*.
Stoppers :
ladle, design and maintenance, 5*A*., 40*A*., 41*A*.
ladle, testing methods, 40*A*.
Strain :
in deep-drawing and pressing processes, 76*A*.
plastic, effect on tensile strength, 68*A*.
theory, 28*A*.
Strain-Ageing, steel, effect of titanium, 51*A*.
Strain Gauges, design and applications, 51*A*., 81*A*.
Strain-Sensitivity, carbon steel, effect of deoxidation, 41*A*.
Strength of Materials, definitions and terms, Swedish Bureau for Technical Nomenclature, 83*A*.
Stress :
fracture, of steel, 28*A*.
yield, of metals, effect of cold- and hot-rolling, 23*A*.
Stress Concentration, effect on tensile strength, 68*A*.
Stress-Corrosion Cracking :
metals, 36*A*. (*Book*).
mild steel, accelerated-precipitation theory, 70*A*.
Stress Relief, stainless steel, 43*A*.
Stress-Strain Properties, carbon steel, effect of cold-rolling, 28*A*.
Stresses :
combined, effect on brittle fracture, 28*A*.
combined, effect on properties of alloy steel, 50*A*.
combined, effect on properties of carbon steel, 50*A*.
determination, photo-elastic method, 51*A*.
determination, use of brittle coatings, 51*A*.
distribution in shafting, calculation, 51*A*.
in ground metal surfaces, 27*A*.
in metals, comparison, use of high-frequency oscillator, 28*A*.
internal, in steel, measurement by X-rays, 51*A*.
small, effect on magnetic properties of steel, 30*A*.
Stretch-Forming Machines for sheet metals, 43*A*.
Strip :
cold-rolling, British practice, 64*A*.
continuous welding machines for, 26*A*.
electroplating, 48*A*.
pickling plant, 10*A*.
Structure :
atomic, steel, examination, use of X-ray powder photographs, 83*A*.
carbon steel, changes during prolonged heating, 53*A*.
chromium steel, revealing by temper-colour process, 15*A*.
martensitic, relation to hardenability in low alloy steel, 29*A*.
molybdenum steel, changes during prolonged heating, 53*A*.
surface, examination by electron microscope, 31*A*.
Structural Hardening, of steel, 52*A*.
Structural Steel, strength under fluctuating multi-axial loads, 36*A*. (*Book*.)
Studs :
electrical equipment for manufacture, 6*A*.
precision, manufacture, 6*A*.
Substitutes, for metals and industrial materials, 85*A*. (*Book*.)
Sucker Rods, corrosion-resistant, for oil wells, 16*A*.
Sulphur :
determination in iron and steel, 70*A*.
effect in cast iron, 80*A*.
effect in steel, 80*A*.
wartime production in America, 40*A*.
Sulphur Dioxide, determination in ferro-alloys, 34*A*.
Sulphur-Print Method, for study of corrosion-fatigue of chromium-molybdenum steel, 52*A*.
Sulphur Steel, machinability, 47*A*.
Summers, John and Sons Ltd., hot-dip galvanizing plant, 49*A*.
Superheaters, steam, carbon-molybdenum steel, creep, 82*A*.
Superheating Sensitivity, determination in aluminium-killed carbon steel, 14*A*.
Supersonic Flaw Detector, 321*P*.
Supersonic Inspection, for detection of defects, 69*A*.
Supersonic Reflectoscope :
for detection of flaws in metal, 12*A*.
Sperry, for detection of defects in billets and blooms, 68*A*.
Supersonic Tests :
applications in steel plants, 329*P*.
on billets and bars, 332*P*.
for detection of cracks, 319 *Paper*.
on castings, 335*P*.
on slabs and plates, 334*P*.
surface preparation of specimens, 338*P*.
on welds, 336*P*.
Supersonic Waves, for detection of flaws in metals, 12*A*., 32*A*., 68*A*.
Surface Films, on metals, effect on electrodeposited coatings, 9*A*.
Surface Finish :
measurement, 81*A*.
measurement, by optical methods, 47*A*.
Surfaces :
cast iron, preparation for enamelling, 9*A*.

Surfaces (*contd.*)—
ground, detection of cracks, 27*A*.
metal, preparation for electrodeposition of chromium, use of Hull cell, 79*A*.
plated, coefficients of friction, 9*A*.
plated, corrosion resistance, 9*A*.
preparation for supersonic testing, 338*P*.
steel, preparation for painting, flame-priming method, 48*A*.
structure, examination by electron microscope, 31*A*.
Sweden :
Bureau for Technical Nomenclature, strength of materials, definitions, and terms, 83*A*.
iron and steel industry, statistical information, 75*A*.
production of sponge iron, 3*A*.
wartime fuel problems, 151 *Paper*.
Swedish Iron Ore, recovery of magnetic pyrites, 72*A*.
Swelling Power of coal, 72*A*.
Switzerland, dry-cooling of coke, 38*A*.

Tank Drives, heat-treatment plant, 25*A*.
Tank Gears, heat-treatment, prevention of decarburization, 25*A*.
Tanks :
petrol, application of synthetic coatings, German methods, 80*A*.
storage, protection by synthetic-resin coatings, 11*A*.
Tar, use as fuel in open-hearth furnaces, 21*A*.
Tellurium :
use as chill-inducing medium in cast iron, 73*A*.
use in core-washes, 20*A*.
Temper Brittleness :
chromium-molybdenum-vanadium steel, 81*A*.
steel, 32*A*., 53*A*.
Temper-Colour Process, for revealing structure of chromium steel, 15*A*.
Temperature-Segregation, calculation for liquid binary alloys, 36*A*. (*Book*.)
Temperatures :
critical, for forging steel bars, determination, 22*A*.
effect on flowability of steel, 28*A*.
high, creep tests, 13*A*., 53*A*.
high, embrittlement of steel, 53*A*.
high, fracture of steel, 69*A*.
high, steam, creep of carbon-molybdenum steel, 82*A*.
high, steam, graphitization of carbon-molybdenum steel tubes, 69*A*.
high, strength of chromium-molybdenum-titanium steel, effect of variations in composition, 30*A*.
high, time-elongation curves, alloy steel, 13*A*.
initial heating, effect on properties of chromium-molybdenum-nickel steel, 45*A*.
low, impact strength of cast steel, effect of alloying elements, 28*A*.
low, transformation of austenite, 26*A*.
low, treatment of high-speed tool steel, 6*A*.
low, treatment of steel, 43*A*.
steel baths, determination, 41*A*.
Tempering :
gears, heat-treatment furnaces for, 7*A*.
steel, 85*A*. (*Book*.)
steel, time-temperature relationships, 24*A*.
Tennessee, cobalt-bearing manganese deposits, 1*A*.
Tensile-Fatigue Tests, effect of rest periods, 51*A*.
Tensile Strength :
cast iron, 27*A*.
cast iron, effect of graphite, 51*A*.
deformed metals, 11*A*.
metals, effect of triaxiality, 68*A*.
metals, effect of stress concentration, 68*A*.
relation to Brinell hardness of grey cast iron, 27*A*.
steel, effect of elements, 14*A*.
Tensile Tests :
alloy steel, 50*A*.
carbon steel, 50*A*.
chromium-molybdenum-nickel steel, welded, 67*A*.
effect on microstructure, 86*A*. (*Book*.)
fatigue, metals, effect of rest periods, 51*A*.
micro-, 13*A*.
notched-, steel ship-plates, 78*A*.
welded joints, 46*A*.
Tensile-Impact Tests, water-quenched alloy steels, 26*A*.
Test Specimens, preparation of surfaces for supersonic testing, 338*P*.
Testing, materials, 36*A*. (*Book*.)
Testing Machines :
corrosion, 29*A*.
creep, 13*A*., 82*A*.
fatigue, 12*A*., 52*A*.
hardness, Brinell, 52*A*.
hardness, micro-, 12*A*.
hardness, micro-, Eberbach, 81*A*.
hardness, micro-, Knoop, 29*A*., 81*A*.
Testing Machines (*contd.*)—
hardness, micro-, Tukon, 29*A*., 81*A*.
hardness, micro-, Zeiss, 52*A*.
magnetic sorting bridge for ferro-magnetic materials, 80*A*.
pin-hole, for enamelled wire, 80*A*.
wear, 29*A*.
Tests :
agglutinating, for coking coal, 58*A*.
bend, micro-, 13*A*.
bend, welds, cast steel, 78*A*.
bend, yield point in bars and tubes, 51*A*.
bend-fatigue, chromium-molybdenum flash-welded steel, 78*A*.
bend-fatigue, weld metal, 46*A*.
centrifugal castings, 61*A*.
coking, South African coal, 37*A*.
core binders, 19*A*., 20*A*.
core oils, 19*A*.
core sand, 39*A*.
corrosion, total immersion, apparatus, 70*A*.
creep, 30*A*.
creep, alloy steel, in air furnaces, 14*A*.
creep, boiler steel, German methods, 82*A*.
creep, carbon steel, correlation of short-time and long-time, 81*A*.
creep, chromium-nickel steel, 82*A*.
creep, high-temperature, 13*A*., 53*A*.
creep, steel, 69*A*.
creep, steel, at high-temperatures, 53*A*.
creep, thin-walled steel tubes, effect of cold-work, 14*A*.
creep, thin-walled steel tubes, effect of heat-treatment, 14*A*.
creep, tin-cadmium alloys, 53*A*.
fatigue, effect of overstress, 51*A*.
fluidity, acid open-hearth slag, 36*A*., 42*A*.
fluidity, chromium-molybdenum steel, 21*A*.
fracture, for aircraft-engine forgings, 54*A*.
grinding, steel balls, 31*A*.
hammer, for detection of cracks in welds, 8*A*.
hardenability, in aircraft-engine manufacture, 14*A*.
hardenability, cast iron, 81*A*.
hardenability, Jominy, 43*A*., 52*A*.
hardenability, steel, 81*A*.
hardness, carbon steel, effect of prolonged heating, 53*A*.
hardness, chromium-molybdenum-nickel steel, welded, 67*A*.
hardness, metals, 29*A*.
hardness, molybdenum steel, effect of prolonged heating, 53*A*.
hardness, welded joints, 46*A*.
hot-workability, steel, effect of elements, 68*A*.
impact, chromium-molybdenum-nickel steel, welded, 67*A*.
impact, chromium-molybdenum-vanadium steel, 81*A*.
impact, micro-, use of Coulomb micro-pendulum, 13*A*.
impact, notched-bar, 11*A*.
jet, B.N.F., for determination of thickness of zinc coatings, 50*A*.
machining, cast iron, 9*A*., 27*A*.
machining, steel, 9*A*.
machining, sulphur steel, 47*A*.
Magnaflux, aircraft-engines, 14*A*.
magnetic, steel bars, 13*A*.
magnetic, steel bars, use of Cyclograph apparatus, 13*A*.
moulding sand, 4*A*., 36*A*. (*Book*.), 39*A*., 74*A*.
moulding sand, determination of gas-permeability, 19*A*.
moulding sand, use of split tube for forming specimens, 19*A*.
non-destructive, 50*A*., 81*A*.
notched-tensile, steel ship-plates, 78*A*.
refractory materials, 57*A*.
shear, data for rivets, 51*A*.
shear, micro-, 13*A*.
sintering, American Foundrymen's Association, 61*A*.
S.K. porosity, for ores and sinters, 365*P*. (*Correspondence*.)
spot, for detection of cobalt, 34*A*.
spot, for detection of iron, 34*A*.
spot, for detection of nickel, 34*A*.
steel castings, 60*A*.
supersonic, applications in steel plants, 329*P*.
supersonic, on billets and bars, 332*P*.
supersonic, on castings, 335*P*.
supersonic, for detection of cracks, 319 *Paper*.
supersonic, on slabs and plates, 334*P*.
supersonic, surface preparation of specimens, 338*P*.
supersonic, on welds, 336*P*.
tensile, alloy steel, 50*A*.
tensile, carbon steel, 50*A*.
tensile, chromium-molybdenum-nickel steel, welded, 67*A*.
tensile, effect on microstructure, 86*A*. (*Book*.)
tensile, micro-, 13*A*.
tensile, welded joints, 46*A*.
tensile-fatigue, metals, effect of rest periods, 51*A*.
tensile-impact, water-quenched alloy steels, 26*A*.
torsion, micro-, 13*A*.
torsional fatigue, malleable cast iron, 29*A*.
weldability, cast steel, 8*A*., 78*A*.

Tests (*contd.*)—
weldability, nickel steel, 67*A*.
weldability, research work by British Welding Research Association, 45*A*.
welded tubes, modified Magnaflux method, 8*A*.
welds, 46*A*.
X-ray, welds, 26*A*.
Test Bars, steel, casting, 60*A*.
Texas, removal of blast-furnace from Florida, 18*A*.
Thermal Efficiency of furnaces, 58*A*.
Thermionic Oscillators, for induction heating, 43*A*.
Thermit Welding, for repair of rolling-mill pinion shaft, 46*A*.
Thermocouples, 23*A*.
Thyssen-Emmel Process, cast-iron production, 18*A*.
Time-Elongation Curves, alloy steel, at high temperatures, 13*A*.
Time Studies :
foundries, 39*A*.
plate mill finishing shop, 23*A*.
shearing of plates, 23*A*.
Time-Temperature Charts, for heating bars and plates, 65*A*.
Time-Temperature Relationships, in tempering steel, 24*A*.
Time-Temperature-Transformation Curves, for heat-treatment of steel, 6*A*., 24*A*.
Time-Temperature Transformations, in chromium steel, 32*A*.
Time-Temperature-Volume Relationships, quenching steel balls, 26*A*.
Timken Roller Bearing Co., development of chromium-molybdenum-nickel steel for gas turbines, 82*A*.
Tin, electrodeposition, 10*A*.
Tin-Cadmium Alloys, creep tests, 53*A*.
Tin Coatings :
on food containers, American wartime standards, 10*A*.
fusion, 10*A*.
research, 49*A*.
Tin Ore Deposits :
Mexico, 1*A*.
Virginia, 1*A*.
Washington, 1*A*.
Tinning :
by immersion method, 79*A*.
cast iron, 49*A*.
cast iron, 360*P*.
electro, 10*A*.
electro, food containers, American wartime standards, 10*A*.
Tinplate, lacquering and decorating methods, 80*A*.
Tin-Zinc Alloys, electrodeposition, 80*A*.
Titanium :
detection in steel by drop reactions, 34*A*.
determination in iron and alloy steels by spectrum analysis, 71*A*.
effect in carbon steel, strain-ageing, 51*A*.
effect on creep strength of steel, 13*A*.
effect on hardenability of steel, 29*A*.
Titanium Carbide, solubility in steel, 15*A*.
Titanium Steel, properties, 83*A*.
Tool Steel, 86*A*. (*Book*.)
classification, 83*A*.
production, 41*A*.
production in Germany, 61*A*.
treatment, selection, and economic use, 9*A*.
Tool Vibration, investigation, 9*A*.
Tools :
carbide, for milling cast iron, 9*A*., 27*A*.
carbide, for milling steel, 9*A*.
carbide, selection and uses, 27*A*.
cutting, treatment, selection, and use, 9*A*.
cutting, wartime developments in America, 9*A*.
heat-treatment, use of salt baths, 43*A*.
high-speed, low-temperature treatment, 6*A*.
high-speed, nitriding, 6*A*.
high-speed, production and heat-treatment, 46*A*.
high-speed, repair by welding, 46*A*.
high-speed, retained austenite, determination by Magnaflux method, 15*A*.
life, effect of heat-treatment, 46*A*.
machine, repair by welding, 78*A*.
tungsten-carbide, brazing, 26*A*., 67*A*.
Torbanite, carbonization, 17*A*.
Torsion Tests, micro-, 13*A*.
Torsional-Fatigue Tests, malleable cast iron, 29*A*.
Town Gas :
use in annealing whiteheart malleable cast iron, 3*A*.
utilization in Great Britain, 38*A*.
Transformation Diagrams, isothermal, steel, 32*A*., 54*A*.
Transformations :
alloy steels, 25*A*.
austenite, effect of grain size, 50*A*.
austenite, isothermal, 24*A*.
austenite at low temperatures, 26*A*.
chromium-molybdenum-nickel steel, effect of hydrogen, 96*P*.
chromium steel, effects of time and temperature, 32*A*.
Transformations (*contd.*)—
chromium steel, study by dilatometric method, 32*A*.
chromium steel, study by microscopical method, 32*A*.
chromium steel, study by X-ray diffraction method, 32*A*.
isothermal, austenite in chromium steel, 32*A*.
isothermal, steel, effect of oxygen, 259 *Paper*.
Triaxiality, effect on tensile strength, 68*A*.
Tribo-Electrification, for sorting metals, 69*A*.
Tromp Coal-Cleaning Process, 2*A*.
Tube Mills, 8*A*., 23*A*., 26*A*.
Tubes :
carbon-molybdenum steel, graphitization in high-temperature steam, 69*A*.
chromium-molybdenum steel, bend tests, 51*A*.
continuous welding machines for, 26*A*.
defects in, detection by magnetic analysis, 69*A*.
effect of shape on heat transfer, 58*A*.
flame spinning, 22*A*.
measurement of wall-thickness by X-ray micrometer, 23*A*.
protection by interior nickel plating, 10*A*.
seamless, drawing, calculation of maximum reduction, 6*A*.
seamless, heat-treatment, 65*A*.
seamless, plating by Ekko process, 79*A*.
seamless, production, 65*A*.
seamless, production, Assel process, 65*A*.
seamless, production, Diescher process, 65*A*.
seamless, production, Foren process, 65*A*.
seamless, production, pilger process, 65*A*.
stainless-steel, corrosion by naphtha, 16*A*.
thick-walled, methods to reduce production costs, 65*A*.
thin-walled, creep tests, effect of cold-work, 14*A*.
thin-walled, creep tests, effect of heat-treatment, 14*A*.
welded, manufacture, 8*A*.
welded, manufacture, Fretz-Moon process, 23*A*.
welded, tests, modified Magnaflux method, 8*A*.
welding, by Uniwelding process, 77*A*.
Tukon Microhardness Testing Machine, 29*A*., 81*A*.
Tungsten, detection in steel by drop reactions, 34*A*.
Tungsten Alloys, electrodeposition, 50*A*.
Tungsten-Carbide Tools :
brazing, 26*A*., 67*A*.
wartime developments in America, 9*A*.
Tungsten Deposits :
Arizona, 1*A*.
Cuba, 1*A*.
Nevada, 1*A*.
Washington, 1*A*.
Turbine Blades, stainless steel for, 14*A*., 31*A*.
Turbines :
gas, chromium-molybdenum-nickel steel for, 82*A*.
gas, heat-resistant alloys for, 53*A*.
steam, for blast-furnace blowers, 17*A*.
Turnings, steel, use in cleaning castings, 47*A*.
Tuyeres, blast-furnace, casting, 74*A*.
Tysland-Hole Electric Furnaces, for pig-iron production, 38*A*.

Uni-Temper Mill, 76*A*.
Unionmelt Welding Process, plastic flow, 78*A*.
United Kingdom :
blast-furnace practice, 59*A*.
bonding clays, 19*A*.
coal deposits, 37*A*., 72*A*.
coke-oven practice, 59*A*.
coking-coal resources, 37*A*.
cold-rolling practice for sheet and strip, 64*A*.
corrosion research, 55*A*.
design and development of rolling mills, 64*A*.
moulding practice, history, 74*A*.
moulding-sand resources, 3*A*.
steel foundries, bibliography, 19*A*.
steel production, developments, 61*A*., 75*A*.
utilization of gaseous fuels, 38*A*.
wartime steel specifications, 54*A*.
United States :
acid electric furnace practice, 5*A*.
alloy steel hardenability specifications, 81*A*.
basic electric steel production, 1940–1945, 5*A*.
design and production of rolls, 64*A*.
developments in extrusion process, 76*A*.
electrolytic manganese production from low-grade ore, 4*A*.
electrotinning of food containers, wartime standards, 10*A*.
forging and stamping processes, developments, 76*A*.
foundry practice, wartime developments, 39*A*., 60*A*.
fuel oil, uses and conservation methods, 73*A*.
heat-treatment and hardening processes, 77*A*.
iron and steel industry, developments in 1945, 61*A*., 74*A*.
metallurgical industry, comparison with Germany, 40*A*.
metallurgical industry, wartime developments, 40*A*.

United States (*contd.*)—
open-hearth practice, use of ores, 4*A*., 75*A*.
rolling practice, 76*A*.
sponge-iron production, using low-grade fuel, 4*A*.
steel castings, wartime production and developments, 60*A*.
steel foundries, bibliography, 19*A*.
steel production, developments in 1945, 74*A*.
steel production, wartime practice, 4*A*.
steelplant illumination, 76*A*.
use of carbon bricks in blast-furnaces, 57*A*.
wartime developments in cutting tools, 9*A*.
wartime production of grey cast iron, 18*A*.
wartime steel specifications, 54*A*.
wire-drawing practice, 6*A*., 76*A*.
X-ray equipment, high-voltage, 84*A*.
X-ray examination of bombs and shells, 54*A*.
United States Bureau of Mines :
electrolytic-manganese production, 21*A*.
sponge-iron production in rotary kiln, 18*A*.
United Steel Companies, Ltd., efficient use of fuel, 183.
Universal-Cyclops Steel Corporation, stainless-steel production, use of electrolytic manganese, 62*A*.
Uniwelding Process, for steel tubes, 77*A*.
Upset-Forging Machines, 76*A*.
Utah, vanadium deposits, 1*A*.

Vacuum-Cleaning Equipment, for castings, 75*A*.
Valves, aircraft-engine, facing, properties and use of Eatonite, 82*A*.
Vanadium :
detection in steel by drop reactions, 34*A*.
effect on creep strength of steel, 13*A*.
effect on hardenability of steel, 14*A*.
effect on impact strength of steel, 14*A*.
effect on impact strength of cast steel at low temperatures, 28*A*.
effect on tensile strength of steel, 14*A*.
Vanadium Deposits :
Colorado, 1*A*.
Utah, 1*A*.
Vanadium Steel, determination of titanium by spectrum analysis, 71*A*.
Ventilation in foundries, 21*A*., 75*A*.
Vibration of tools, investigation, 9*A*.
Virginia :
manganese deposits, 1*A*.
tin deposits, 1*A*.
Viscometer, Herty modified type, for determination of viscosity of welding slags, 45*A*.
Volta Redonda Steelworks, rolling-mill plant, 23*A*.

Washington :
manganese deposits, 1*A*.
tin deposits, 1*A*.
tungsten deposits, 1*A*.
Waste Heat, recovery, control and utilization, 17*A*.
Water :
corrosion of coupled metals, measuring apparatus, 55*A*.
corrosion of metals, methods of reducing, 55*A*.
Water Supply for steel plants, 76*A*.
Watertown Arsenal :
research on centrifugal casting of gun barrels, 61*A*.
research on ferrous metallurgy, 83*A*.
Wear :
by friction, measurement, 29*A*., 30*A*.
metals, 86*A*. (*Book*.)
plated automobile parts, 10*A*.
silica-brick open-hearth roofs, 40*A*.
steel balls, in wet-grinding, measurement, 31*A*.
Wear-Resistant Steel, for mining industry, 54*A*.
Wear Testing Machine, 29*A*.
Weld Metal :
analysis and properties, 45*A*.
bend-fatigue tests, 46*A*.
determination of hydrogen, 34*A*.
notch-sensitivity, 46*A*.
plastic flow, 78*A*.
Weldability :
alloy steel, 66*A*.
carbon steel, 66*A*.
high-tensile steel, 67*A*.
metals, 27*A*., 46*A*.
nickel steel, 67*A*.
stainless steel, 26*A*., 46*A*.
Weldability Tests :
cast steel, 8*A*., 78*A*.
nickel steel, 67*A*.
research work by British Welding Research Association, 45*A*.
Welded Bars, distortion, 46*A*.
Welded Boilers, annealing, 7*A*.
Welded Gas Mains, failure, 45*A*.
Welded Joints :
failure, 46*A*.
hardness tests, 46*A*., 67*A*.
impact tests, 67*A*.
tensile tests, 46*A*., 67*A*.
Welded Joists, distortion, 46*A*.
Welded Parts, for machinery, design factors, 78*A*.
Welded Structures :
brittle fracture, 78*A*.
X-ray examination, 67*A*.
Welded Tubes :
continuous welding machines for, 26*A*.
manufacture, 8*A*.
manufacture, Fretz-Moon process, 23*A*.
tests, modified Magnaflux method, 8*A*.
Welding :
automatic, arc, bomb boxes, 8*A*.
cast iron, 36*A*. (*Book*.)
chromium-molybdenum-nickel steel, 8*A*., 67*A*.
cold-, cast iron, 46*A*.
electric, electrical equipment for, 78*A*.
electric, for maintenance and construction, 67*A*.
electric arc, costs, 66*A*.
factors affecting selection of steel for, 67*A*.
flash, technique and quality control, 46*A*.
flash-butt, 46*A*.
gas-, distortion of sheets, 67*A*.
German shipyard practice, 78*A*.
German standard specifications, 47*A*.
Germany, wartime applications, 66*A*.
high-speed steel to cast-iron shanks, 67*A*.
low-alloy steel, 67*A*.
mild steel, 26*A*.
nickel steel, 67*A*.
Nitralloy steels, 67*A*.
oxy-acetylene, cast iron, 36*A*., 71*A*. (*Book*.)
repair of high-speed steel tools, 46*A*.
repair of machine tools, 78*A*.
repair of malleable iron castings, 46*A*.
repair of milling cutters, 46*A*.
resistance, stainless-steel aircraft-engine parts, 67*A*.
shear blades, 8*A*.
spot-, chromium-molybdenum-nickel steel, 26*A*.
spot-, effect of variables, 46*A*.
spot-, high-speed, 78*A*.
spot-, measurement of electrical resistance, 67*A*.
stainless steel, 8*A*.
in steel-plant maintenance, 46*A*.
steel tubes, Uniwelding process, 77*A*.
thermit, for repair of rolling-mill pinion shaft, 46*A*.
tungsten-carbide tips to cast-iron shanks, 67*A*.
under water, 26*A*.
wartime developments, 8*A*.
Welding Arcs, electro-physics, 45*A*.
Welding Electrodes :
aluminium-bronze, 46*A*.
manufacture of coatings by powder metallurgy process, 8*A*., 47*A*.
Welding Machines :
for chains, 47*A*.
continuous, for strip, 26*A*.
continuous, for tubes, 26*A*.
flash-butt, 46*A*.
seam-, 67*A*.
spot-, 67*A*.
Welding Slag, viscosity, determination by modified Herty viscometer, 45*A*.
Welds :
bend tests, 78*A*.
cracks in, detection by hammer tests, 8*A*.
cracks in, detection by modified Magnaflux method, 8*A*.
cracks in, detection by X-rays, 26*A*.
cracks in, effect of hydrogen, 45*A*.
ductility, method of predicting, 67*A*.
examination by gamma-radiography, 32*A*.
flash, chromium-molybdenum steel, fatigue properties, 78*A*.
spot-, quality control, statistical methods, 67*A*.
supersonic testing, 336*P*.
tests, 46*A*.
Unionmelt process, plastic flow, 78*A*.
X-ray tests, 26*A*.
West Virginia, manganese deposits, 1*A*.
Western Australia, iron ore deposits, 72*A*.
Westinghouse Electric Corporation, rocket projectile manufacture, 64*A*.
Wheel Hubs, induction hardening, 7*A*.
Wheeling Steel Corporation, blast-furnace, steel, and rolling-mill plant, 85*A*. (*Book*).
Wheels, railway wagon, production, 19*A*.

Williams Prize :
awarded to R. Jackson, 5*P*.
awarded to T. F. Pearson, 5*P*.
Wire :
annealing, 7*A*.
drawing, American practice, 6*A*., 76*A*.
drawing, lubricating compounds, 23*A*., 64*A*.
drawing, reactive, 43*A*.
drawing, theory, 64*A*.
drawing dies, calculations for, 6*A*.
enamelled, pin-hole tester for, 80*A*.
fine steel, production and wartime applications, 23*A*.
galvanizing, Herman hot-dip process, 79*A*.
heat-treatment and cleaning, salt baths for, 77*A*.
manufacture, bibliography, 43*A*.
manufacture, history, and developments, 43*A*.
pickling tanks, submerged heating equipment, 10*A*.
shot-peening, effect on fatigue strength, 80*A*.
stainless steel, descaling, sodium hydride process, 48*A*.
stainless steel, hydrogen embrittlement, 82*A*.
Wire-Drawing Machines, 64*A*.
Wisconsin Steel Works, segregation of scrap, 41*A*.
Witter Process, for forging shells, 76*A*.
Wöhler Curves, chromium-molybdenum steel, 12*A*.
Work-Hardening, of steel, effect of machining, 52*A*.
Work Studies :
plate-mill finishing shop, 23*A*.
shearing of plates, 23*A*.
World :
iron-ore deposits, 1*A*.
manganese deposits, 1*A*.
Worn Parts :
building up by electrodeposition, 10*A*.
repair by metal spraying, 80*A*.
Worn Rolls, repair of, 65*A*.
Worth Steel Co., open-hearth furnaces, repair, 40*A*.
Wrought Iron, corrosion, methods of prevention, 36*A*. (*Book*.)
Wyoming, sponge-iron production in rotary kiln, 18*A*.

X-Ray Diffraction :
applications, 54*A*., 83*A*.
examination of effect of shot-peening on fatigue, 52*A*.
for studying transformations in chromium steel, 32*A*.
X-Ray Diffraction Analysis, compounds in lime-magnesia-silica system, 57*A*.
X-Ray Equipment, high-voltage, 84*A*.
X-Ray Examination :
basic slag, 135*P*.
bombs and shells, 54*A*.
castings, 32*A*.
iron and steel, penetration intensity, 15*A*.
metals, 16*A*. (*Book*.)
oxide films on iron, 16*A*.
slag-oxide systems, 22*A*.
slag-oxide systems, 353*P*. (*Correspondence*.)
welded structures, 67*A*.
welds, 26*A*.
X-Ray Micrometer, for thickness measurement, 23*A*.
X-Ray Photographs :
powder, obtaining by Debye and Scherrer method, 83*A*.
powder, for study of atomic structure of steel, 83*A*.
ultra-high speed, methods of obtaining, 84*A*.
X-Rays :
application in micro-analysis, 84*A*.
developments and industrial uses, 83*A*.
measurement of internal stresses in steel, 51*A*.

Yield Point, in bend tests of bars and tubes, 51*A*.
Yield Stress, metals, effect of cold- and hot-rolling, 23*A*.
Yorkshire, coking-coal resources, 37*A*.
Young's Modulus, bibliography, 80*A*.

Zeiss Microhardness Testing Machines, 52*A*.
Zinc :
determination in corrosion-resistant steel, 34*A*.
electrodeposition, 49*A*.
use in cathodic protection, 16*A*.
wartime production in America, 40*A*.
Zinc Coating, by immersion method, 79*A*.
Zinc Coatings :
corrosion resistance, improving by Cronak process, 49*A*.
properties and tests, 49*A*.
thickness measurement by B.N.F. jet test, 50*A*.
Zinc-Iron Couples, corrosion in soil, 56*A*.
Zirconium, determination in iron and steel, 70*A*.

NAME INDEX.

Aal, W., elected Member, 6*P*.
Ackland, R. G., pyrometry, 23*A*.
Adams, E. F. *See* Vernor, T. A.
Adams, J. H., elected Member, 6*P*.
Adams, R. G. *See* Cowdrey, I. H.
Adams, R. W., oxygen control in cupolas, 18*A*.
Ageew, N. W., elected Member, 6*P*.
Agnew, C. E., beneficiation of ores by sintering, 37*A*.
Agrell, S. O. :
Paper : "Mineralogical Observations on Some Basic Open-Hearth Slags." *Correspondence*, 355*P*. *Author's Reply*, 357*P*.
Aksu, A., elected Member, 6*P*.
Albin, J. :
plating seamless tubes by Ekko process, 79*A*.
sodium-hydride descaling, 48*A*.
Alexander, G. F., elected Member, 6*P*.
Allen, A. H., cleaning cupola waste gas, 19*A*.
Allen, K. A., elected Member, 6*P*.
Allender, P. J., elected Associate, 8*P*.
Allott, R. W., defects in nitrided cases, 44*A*.
Almunia y de León, J., elected Member, 6*P*.
American Institute of Mining and Metallurgical Engineers. *See also* American Society for Testing Materials.
American Society for Metals :
Book : "A.S.M. Review of Current Metal Literature," 86*A*.
American Society for Testing Materials :
Book : "Symposium on Magnetic Particle Testing," 86*A*.
American Society for Testing Materials and American Institute of Mining and Metallurgical Engineers :
Book : "Symposium on Stress-Corrosion Cracking of Metals," 36*A*.
Anderson, A. L., elected Member, 6*P*.
Anderson, R. J., flame-priming steel surfaces for painting, 48*A*.
Andrew, J. H., H. Lee, A. K. Mallik, and **A. G. Quarrell** :
Paper : "The Removal of Hydrogen from Steel," 67*P*.
Andrews, K. W. *See* Jay, A. H.
Andronov, I., steel plant reconstruction in Russia, 75*A*.
Angles, R. M., electrodeposition of tin-zinc alloys, 80*A*.
Antonioli, A., crack formation in welded chromium-molybdenum steel, 26*A*.
Archibald, F. R. *See* Meyer, A. W.
Arend, A. G., electric steel production, 63*A*.
Arland, Annemarie. *See* Roll, F.
Armann, B. N. J., elected Member, 6*P*.
Armstrong, A. W., elected Associate, 8*P*.
Armstrong, E. F., and **L. M. Miall** :
Book : "Raw Materials from the Sea," 86*A*.
Armstrong, G. R., statistical quality control of metal stampings, 76*A*.
Armstrong, H. C., fuel efficiency in iron and steel works, 202*P*.
Armstrong, T. N., welding of nickel steel, 67*A*.
Arner, L. H. *See* Johnson, H. H.
Arnold, R. N., tool vibration, 9*A*.
Aronstein, M. J. *See* Rohsenow, W. M.
Ashley, H. S., elected Associate, 8*P*.
Ashton, S. J., elected Associate, 8*P*.
Aspen, P. H. *See* Daveler, F. G.
Astley, W., elected Member, 6*P*.
Atchinson, C. G., hardenability of open-hearth steel, 41*A*.
Atha, A., elected Member, 6*P*.
Atherton, J. E., jun. *See* Lindsay, R. W.
Attenborough, P., tinning of cast iron, 360*P*.
Auld, J., elected Member, 6*P*.
Austin, C. R., effect of heat-treatment on Meehanite cast iron, 77*A*.
Austin, G. Wesley, tests on overheated and burnt steel, 288*P*.
Austin, J. M., pulverized coal-fired furnaces, 58*A*.
Austin, V., elected Member, 6*P*.
Avallone, S. C., fine wire drawing in America, 6*A*.
Ayers, R. W., spot- and seam-welding machines, 67*A*.

Backlund, O., and **R. Grundén**, plugging blast-furnace tapholes, 73*A*.
Bader, M., hot-blast cupola practice, 19*A*.
Badger, A., elected Member, 6*P*.
Bagley, D., fuel efficiency in iron and steel works, 209*P*.
Bagnall, F. T., elected Member, 6*P*.
Baily, T. F., reduction of Cuban nickel-chromium-iron ore, 62*A*.
Bainbridge, C. G., distortion in gas-welding sheet metals, 67*A*.
Balajiva, K., A. G. Quarrell, and **P. Vajragupta** :
Paper : "A Laboratory Investigation of the Phosphorus Reaction in the Basic Steelmaking Process," 115*P*. *Correspondence*, 145*P*. *Authors' Reply*, 148*P*.
Baldwin, W. J. *See* Wainer, E.
Ball, L. M., strain gauges, 51*A*.
Ball, L. W., X-ray examination of castings, 32*A*.
Ballard, W. E., metal-spraying, 11*A*.
Balsley, J. R., jun., vanadium-bearing magnetite-ilmenite deposits in New York, 1*A*.
Bandel, G. *See* Houdremont, E.
Barber, C. R. :
Paper : "The Design and Performance of Some Commercial Optical Pyrometers of the Disappearing-Filament Type." *Correspondence*, 362*P*. *Author's Reply*, 364*P*.
Bardenheuer, P., slag/metal reactions in open-hearth furnaces and cupolas, 18*A*.
Bardenheuer, P., and **W. A. Fischer**, effect of titanium on creep strength of steel, 13*A*.
Bardin, I., developments in Russian iron and steel industry, 40*A*.
Barker, J. L., elected Associate, 8*P*.
Barlow, T. :
wartime developments in American grey-iron foundries, 60*A*.
See also De Clercq, A. E.
Barlow, T. E., and **C. H. Lorig**, tensile strength and Brinell hardness relationships of grey cast iron, 27*A*.
Barnes, D. A., quality control of automobile forgings, 64*A*.
Barnes, J. R., blowing out blast-furnaces, 59*A*.
Barr, W., and **A. J. K. Honeyman** :
Book : "Steel and its Practical Applications," 56*A*.
Barratt, W. M., optical pyrometers, 363*P*.
Barrett, C. S., applications of X-ray diffraction, 83*A*.
Barrett, J. C., flash-welding of steel, 46*A*.
Barritt, D. T., and **R. J. Barritt**, post-war coke-oven design, 2*A*.
Barritt, R. J. *See* Barritt, D. T.
Bastien, P., flowability of metals and alloys, 28*A*.
Bastien, P. G. :
overheating and burning of steel, 288*P*.
supersonic testing of steel, 342*P*.
Baulk, R. H., and **M. W. Thring** :
Paper : "A Heat-Flow Meter for Use in Furnaces," 41*P*.
Baxter, A. H., elected Member, 6*P*.
Bayindir, I., elected Member, 6*P*.
Baylas, V., elected Member, 6*P*.
Bayramoglu, K., elected Member, 6*P*.
Becker, O., blowing out blast-furnaces, 59*A*.
Beese, C. W. *See* Ritchey, J.
Beese, J. J., elected Member, 6*P*.
Beeswy, R. L., safety precautions for electrical machinery, 22*A*.
Beighton, A., elected Member, 6*P*.
Belaiew, N. T., effect of carbides on quality of steel, 84*A*.
Belcher, R., and **A. L. Godbert** :
Book : "Semi-Micro Quantitative Organic Analysis," 35*A*.
Bell, D., elected Member, 6*P*.
Bell, D. J., elected Member, 6*P*.
Bell, H., elected Member, 6*P*.
Bellew, G. E., oxy-acetylene cutting, 27*A*.
Bénard, J., X-ray examination of oxide films on iron, 16*A*.
Benford, J. R., improving performance of metallographic microscopes, 31*A*.
Bennek, H., and **O. Rüdiger**, nitriding steel by glow-discharge process, 7*A*.
Bennett, H. :
Book : "Substitutes," 85*A*.
Bennett, R. W. *See* Grover, H. J.
Berdrow, W. :
Book : "Alfred Krupp und sein Geschlecht," 36*A*.
Beresford, W. L., elected Member, 6*P*.
Bergsman, E. B., microhardness testers, 12*A*.
Berndt, N. *See* Hengstenberg, O.
Berner, L. R., maintenance of ladles, 40*A*.
Bernhardt, E. O., Zeiss microhardness tester, 52*A*.
Bernhardt, H. E., Eberbach microhardness tester, 81*A*.
Bernhoeft, R. C., grain boundaries, 69*A*.
Bertrand, P., and **E. Dupuy**, open-hearth practice in France, 4*A*.
Bevan, A. H., elected Associate, 8*P*.
Bibby, E. W., elected Member, 6*P*.
Bickerstaff, R. M., merchant-bar mills, 64*A*.
Bigge, H. C. *See* Gladding, S. D.
Biggs, W. D., elected Associate, 8*P*.
Billingsley, W. B., sodium-hydride descaling plant, 78*A*.
Binai, W. R., plating with insoluble anodes, 48*A*.
Birdsall, G. W., upset-forging of marine-engine cylinders, 64*A*.
Bischof, F. :
properties of cast manganese steel and effect of manganese on cast iron, 31*A*.
carbon saturation and tensile strength relationships of cast iron, 27*A*.

Bishop, A. O., elected Member, 6*P*.
Bishop, W. C., elected Associate, 8*P*.
Black, R. E. *See* Holt, M. L.
Blackbourn, J. L., elected Member, 6*P*.
Blackledge, B. E., elected Member, 6*P*.
Blair, J. S., elected Member, 6*P*.
Blake, A. E., jun., flame-gouging of steel castings, 39*A*.
Blayden, H. E., H. L. Riley, and **F. Shaw,** agglutinating tests for coal, 58*A*.
Blickwede, D. J., elected Associate, 8*P*.
Bligh, A. R., elected Member, 6*P*.
Bloomquist, W. C., electricity distribution in iron and steel works, 75*A*.
Blythe, N. C., moulding-sand conveyors, 39*A*.
Boël, P. G., elected Member, 6*P*.
Bollenrath, F., and **H. Cornelius :**
damage and fatigue curves, 12*A*.
effect of rest periods on tensile fatigue strength, 51*A*.
Bollenrath, F., and **E. Osswald,** X-ray stress measurements on steel, 51*A*.
Bone, C. H., ammonium chloride recovery from gas-liquor, 59*A*.
Bornholt, W. J., and **H. E. Scarbrough,** heat-treatment plant for gears, 7*A*.
Borsdiks, A. M., impregnation of steel with chromium, silicon, and aluminium, 10*A*.
Boston, O. W. :
Book : "A Bibliography on Cutting of Metals 1864–1943," 85*A*.
Bouchet, J., elected Member, 6*P*.
Bowen, N. B., elected Member, 6*P*.
Bowman, F. E., partition of molybdenum in alloys, 32*A*.
Bozorth, R. M., and **H. J. Williams,** effect of small stresses on magnetic properties of steel, 30*A*.
Brachet, C., elected Member, 6*P*.
Bradley, C. B., measurement of heat flow in furnace walls, 24*A*.
Bradwell, L., elected Member, 6*P*.
Bragg, Sir Lawrence :
properties and strength of metals, 12*A*., 27*A*.
See also Taylor, A.
Bramhall, E., elected Member, 6*P*.
Brandsma, elected Member, 6*P*.
Brandt, W. H., edgewise growth of pearlite, 84*A*.
Braun, W. H. *See* Schaufus, H. S.
Bredig, M. A., phase relations in slag systems, 355*P*.
Bremer, E., production of chilled railway wagon wheels, 19*A*.
Brewer, G., raised yield in bend tests, 51*A*.
Bricker, L. G., S. Weinberg, and **K. L. Proctor,** colorimetric determination of zinc in corrosion-resistant steels, 34*A*.
Brighton, K. W., electro-tinning of food containers, 10*A*.
Brinkmann, G., and **P. Tobias,** preparation of iron for malleable castings, 19*A*.
British Non-Ferrous Metals Research Association :
Book : "Collected Papers on Metallurgical Analysis by the Spectrograph," 35*A*.
Britt, J. R., effect of furnace, pit, and mould on surface and yield of semikilled ingots, 41*A*.
Bromhead, E. B., and **T. E. Piper,** steel castings for aircraft, 3*A*.
Brommelle, N. S., supersonic testing of steel, 342*P*.
Brooking, W. J. :
electric-welding costs, 66*A*.
metal-spraying for repair of worn parts, 80*A*.
Brooks, S. H., elected Associate, 8*P*.
Brophy, G. R., heat-treatment of hypo-eutectoid steels, 66*A*.
Brophy, G. R., and **A. G. Miller,** Grossmann method for calculation of hardenability of steel, 68*A*.
Brouillet, L., elected Member, 6*P*.
Brower, T. E., oxygen analyses of open-hearth steel, 62*A*.
Brower, T. E., and **B. M. Larsen,** occurrence of oxygen in liquid open-hearth steel, 41*A*., 62*A*.
Brown, E. S., effect of sulphur on properties of cast iron and steel, 80*A*.
Brown, J. W., elected Member, 6*P*.
Brown, R. H., moulding and casting technique for production of pump castings, 74*A*.
Browne, L. E. :
drawing stainless steel cylinders, 43*A*.
properties and manufacture of steel wool, 83*A*.
Brumfield, R. C., sulphur-printing technique to determine corrosion-fatigue damage, 52*A*.
Brun, M., elected Member, 6*P*.
Bruton, A. L., elected Member, 6*P*.
Bryant, J. R., elected Member, 6*P*.
Buchholtz, H. *See* Siebel, E.
Bucknall, E. H., overheating and burning of steel, 290*P*.
Bulle, G., blast-furnace gas and oxygen-rich air for open-hearth furnaces, 37*A*.
Bullock, W. E. *See* Field, M.
Bunting, E. A., wax compound as lubricant for deep-drawing operations, 76*A*.
Burnett, W. H., blowing out blast-furnaces using domestic coke, 59*A*.
Burns, G., overheating and burning of steel, 296*P*.
Burr, W. H., iron and steel industry in America, 61*A*.
Burton, H. W., elected Member, 6*P*.
Busch, H., annealing electric welds, 7*A*.
Bushell, L. A., S. B. Gass, F. W. Quass, and **R. F. J. Teichmann,** coking and steam coals from Witbank, South Africa, 37*A*.
Butcher, R., elected Associate, 8*P*.
Butler, J. H., elected Member, 6*P*.

Cable, H. E., automatic arc welding, 8*A*.
Cable, J. W., induction heating, 8*A*.
Cairns, J., elected Member, 6*P*.
Callenberg, W. :
fuel efficiency in large plants, 17*A*.
gas-fired furnace control, 17*A*.
Cambournac, M., defects in railway rails, 83*A*.
Camdibi, F., elected Member, 6*P*.
Camp, E. Q., C. Phillips, and **L. Gross,** corrosion of stainless steel furnace tubes, 16*A*.
Campbell, W. J., elected Associate, 8*P*.
Cape, A. T., welding alloy steel on edges of shear blades, 8*A*.
Capmany Arbat, J., elected Member, 6*P*.
Caquot, A. *See* Cazaud, R.
Carlsson, C. G., determination of metallic impurities in steel, 71*A*.
Carr, L. H., weldability tests, 8*A*.
Carswell, A. C., elected Associate, 8*P*.
Carter, R. D., elected Associate, 8*P*.
Cartwright, E. J., spraying equipment, 11*A*.
Castro, R., spectrochemical analysis of metal alloys, 33*A*.
Castro, R., and **A. Portevin,** solubility of iron oxide in solid iron, 15*A*.
Cavanagh, P. E. :
electro-magnetic method of comparing stresses in metals, 28*A*.
high-frequency testing apparatus, 13*A*.
Cawley, C. M., and **H. E. Newall,** corrosive action of benzole absorption oils, 33*A*.
Cazaud, R., and **L. Persoz :**
Book : "La Fatique des Métaux," 36*A*.
Cearns, C., elected Member, 6*P*.
Cellan-Jones, G., method of increasing benzole yield from coke-oven gas, 38*A*.
Chadeyron, A. A. G., elected Member, 6*P*.
Chandler, H. T., comparison and uses of alloying elements in steel, 54*A*.
Chase, H., conveyor plant for enamelling castings, 80*A*.
Chaudron, G., corrosion of metals and alloys, 33*A*.
Chesnut, F. T., high-frequency induction furnaces for steel melting, 22*A*.
Chesters, J. H., steel plant refractories, 57*A*.
Chesters, J. H., and **I. M. D. Halliday,** tests on refractories, 57*A*.
Chevenard, P. :
mechanical testing machine, 13*A*.
secondary mechanical properties of metals, 28*A*
thermo- and micro-mechanical testing, 13*A*.
Child, V. W., elected Member, 6*P*.
Childs, W. J. *See* Hess, W. F.
Chomelle, P., elected Member, 6*P*.
Choubersky, A. *See* Steedman, A. H.
Chouteau, R. *See* Jolivet, H.
Christian, A. F. *See* Haworth, R. D., jun.
Churchill, H. V., and **J. R. Churchill,** evaluation of spectrographic analytical data, 70*A*.
Churchill, J. R. *See* Churchill, H. V.
Clardy, F. B., J. C. Edwards, and **J. L. Leavitt,** determination of copper in steel, 71*A*.
Clark, C. B., X-ray diffraction data for refractory compounds, 57*A*.
Clark, D., production of steel, 63*A*.
Clark, G. L., developments of X-rays, 83*A*.
Clark, J. J., moulding and core sands, 39*A*.
Clark, K. L., solidification of steel castings, 61*A*.
Clarke, H. M., machinability of sulphur steel, 47*A*.
Clarke, S. G., B.N.F. jet test for measuring thickness of zinc coatings on steel, 50*A*.
Clasen, L. A., elected Member, 6*P*.
Clauser, H. R., interpretation of radiographs, 54*A*.
Clay, D. B., elected Associate, 8*P*.
Claydon, S. E., elected Member, 6*P*.
Cleland, R., jun., mould cavity variation, 74*A*.
Clements, C. S. *See* Wright, W. J.
Cleminson, G., elected Member, 6*P*.
Clift, A., elected Member, 6*P*.
Cobb, F. P., magnetic sorting of steels, 13*A*.
Cohen, M., apparatus for total-immersion corrosion tests, 70*A*.
Collier, R. L., electric steel furnaces, 60*A*.
Colombier, L., overheating of steel, 298*P*.

Comstock, G. F. :
effect of titanium on hardenability of steel, 29*A*.
effect of variations of composition and heat-treatment on alloy steels, 30*A*.
properties of titanium steels, 83*A*.
Cone, E. F., developments in casting technique in America, 74*A*.
Connell, L. J. C., O. W. Humphreys, and **J. L. Rycroft,** industrial heating processes, 25*A*.
Convey, J., and **L. G. Young,** spectrographic analysis, 71*A*.
Cook, A. E., elected Member, 6*P*.
Cooke, R. G., elected Member, 6*P*.
Coons, W. C. *See* Liedholm, C. A.
Cooper, W. E., overheating and burning of steel forgings, 293*P*.
Copson, H. R., rusting of alloy steels in atmosphere, 55*A*.
Cordiano, J. J. *See* Henry, O. H.
Corfield, G. *See* Gilbert, J. H.
Corke, J., elected Member, 6*P*.
Cornelius, H. :
diffusion of carbon and phosphorus in steel, 14*A*.
properties of chromium steels, 14*A*.
See also Bollenrath, F.
Cornforth, S., elected Member, 6*P*.
Cornubert, R., elected Member, 6*P*.
Cotton, J. F., repair of steel castings, 39*A*.
Coudel, J., elected Member, 6*P*.
Coulter, J. S., lime/silica ratio in open-hearth slags, 21*A*.
Cournot, J., manganese-molybdenum-nickel steel for castings, 3*A*.
Covert, A. S., nomograph for determining plating time, 50*A*.
Covert, S. A., induction heating, 6*A*.
Cowdrey, I. H., and **R. G. Adams :**
Book : "Materials Testing : Theory and Practice," 36*A*.
Cox, M. W. *See* Park, C. F., jun.
Cox, O., elected Member, 6*P*.
Crafts, W., and **J. L. Lamont,** calculation of Rockwell hardness of alloy steel, 68*A*.
Crancée, G., elected Member, 6*P*.
Craven, S. W., elected Member, 6*P*.
Crellin, G., elected Member, 6*P*.
Cresswell, R. A. :
Paper : "The Tinning of Cast Iron." *Correspondence,* 360*P*. *Author's Reply,* 361*P*.
tinning of cast iron, 49*A*.
Critchley, G. N., metallic recuperators, 58*A*.
Croft, J. E., elected Member, 6*P*.
Crome, L., graphitization of iron, 69*A*.
Crosta, T. W., elected Associate, 8*P*.
Cunningham, R. L. *See* Dubé, A.
Cuthbertson, J. W., elected Member, 6*P*.
Cuthill, A. S., elected Member, 6*P*.
Cutton, J. G. *See* Hughes, M. A.

Dale, J. J., hard chromium plating, 49*A*.
Daniel, J. L., elected Member, 6*P*.
Dardenne, R. L., elected Member, 6*P*.
Daveler, F. G., and **P. H. Aspen,** manufacture of welding electrodes by power metallurgy process, 8*A*.
Davenport, H., iron ore concentration plant, New Jersey, 37*A*.
Davidson, H. S. *See* Huckle, W. G.
Davies, C. E., progress in cold-rolling practice, 64*A*.
Davies, E., elected Member, 6*P*.
Davies, H. H. J., elected Member, 6*P*.
Davies, I., elected Member, 6*P*.
Davies, J. T., elected Member, 6*P*.
Davies, L. L., elected Associate, 8*P*.
Davies, R. A., reconstruction of Russian iron and steel plants, 21*A*.
Davies, W., elected Associate, 8*P*.
Davies, W., and **W. J. Rees :**
Paper : "The Hot-Strength Characteristics of Moulding Sands." *Correspondence,* 358*P*. *Authors' Reply,* 359*P*.
British bonding clays, 19*A*.
British resources of steel moulding sands, 3*A*.
Daviess, S. N. *See* Woodring, W. P.
Davis, G., moulding sand control, 19*A*.
Davis, H. M. *See* Zerfoss, S.
Dawson, W. J. *See* Desch, C. H.
Dean, J. F. *See* West, P. W.
Dean, R. S., J. R. Long, T. R. Graham, and **R. G. Feustel,** iron-manganese alloys, 31*A*.
Dearnley, G. S., elected Associate, 8*P*.
Debenham, W. S., open-hearth furnace bottoms, 40*A*.
De Boer, J. H., and **J. D. Fast,** diffusion of hydrogen through iron, 82*A*.
De Clercq, A. E., and **T. Barlow,** cereal core binders, 61*A*.
de Coriolis, E. G., heat-treatment of gears, 25*A*.
Decroix, L., study of metallic wear by friction, 30*A*
De Garmo, E. P. :
failures in welded joints, 46*A*.
plastic flow in welds, 78*A*.
de Jessey, M. B., surface hardening of iron castings, 43*A*.
de Lacombe, J., elongation properties of steel, 13*A*.
De Lattre, P., recovery of waste pickling liquors, 79*A*.
Delbart, G. :
deep case-hardening of steel, 6*A*.
mechanical properties of alloy steels, 30*A*.
Delbart, G., and **R. Potaszkin,** effect of austenite on properties of carbon steels, 50*A*.
Delbart, G., and **G. Wiltz,** water-quenching of alloy steels, 26*A*.
Delport, V., French foundry industry, 73*A*.
Denham, J., elected Member, 6*P*.
Denixman, T., elected Member, 6*P*.
Denlinger, C., use of ores in open-hearth furnaces, 4*A*., 75*A*.
Dennis, R. M., oxy-acetylene cutting, 8*A*.
Desch, C. H. :
grain boundaries, 295*P*.
induction as New President, 9*P*.
Presidential Address, 33*P*.
Desch, C. H., D. O. Sproule, and **W. J. Dawson :**
Paper : "The Detection of Cracks in Steel by Means of Supersonic Waves," 319*P*. *Section* 1.—"Introductory," by C. H. Desch, F.R.S., 319*P*. *Section* 2.—"The Supersonic Flaw Detector," by D. O. Sproule, 321*P*. *Section* 3.—"Application of Supersonic Testing to Steelworks Problems," by W. J. Dawson, 329*P*. *Discussion,* 341*P*. *Correspondence,* 348*P*. *Authors' Replies,* 350*P*.
Dias da Fonseca e Almeida, E. H., elected Member, 6*P*.
Diehl, R. C., effect of aluminium additions to fine-grained steel, 41*A*.
Diehl, R. C., and **F. G. Norris,** deoxidation of steel, 41*A*.
Dietert, H. W., effect of strain rate on hot-strength of moulding sand, 74*A*.
Dixey, F., geology and mineral resources of Nigeria, 72*A*.
Dixon, H. E., elected Associate, 8*P*.
Dlouhy, G. *See* Prutton, C. F.
Doan, G. E. *See* Stout, R. D.
Dobbins, N. E., elected Member, 6*P*.
Dod, N. G., quality control of spot welds, 67*A*.
Dodson, F. F. :
comparison of annealing and isothermal annealing, 24*A*.
sodium-cyanide treatment for steel before hardening, 66*A*.
Doganny, C., elected Member, 6*P*.
Doherty, F. C., elected Member, 6*P*.
Dooley, R. J., Magnaflux tests for retained austenite, 15*A*.
Doscheck, A., electrical method of sorting metals, 69*A*.
Doty, W. D. *See* Hess, W. F.
Douglas, I. H., elected Associate, 8*P*.
Doxey, G., fuel efficiency in iron and steel works, 200*P*.
Drane, H. D. H., elected Member, 6*P*.
Dreyfus, L., high-frequency induction furnaces, 43*A*.
Driessen, M. G., cleaning coal, 17*A*.
Drinker, P., and **T. Hatch :**
Book : "Industrial Dust." 85*A*.
Dubé, A., and **R. L. Cunningham,** phase changes in nickel steel, 69*A*.
Dudley-Jones, D. T., elected Associate, 8*P*.
Duff, W., elected Associate, 8*P*.
Duffek, V., and **H. Mahl,** removal of synthetic-resin replicas from surface of specimens, 15*A*.
Dufty, N. F., arc furnaces, 75*A*.
Du Mond, T. C. :
forging, press-forming, and stamping in America, 76*A*.
heat-treatment processes in America, 77*A*.
Dunlop, J. D., elected Member, 6*P*.
Dunningham, A. C., fuel efficiency in iron and steel works, 210*P*.
Dupuy, E. :
metal coatings, 79*A*.
See also Bertrand, P.
Durand, J., fuel consumption in iron and steel production, 2*A*.
Du Rose, A. H., lead and lead-tin coatings, 80*A*.
Durrer, R. :
Book : "Verhütten von Eisenerzen ausser dem Verhütten im Kokshochofen," 36*A*.
fuel efficiency in iron and steel works, 208*P*.
World iron resources, 1*A*.
Dutton, A., elected Member, 6*P*.
Dwyer, P. :
American Navy foundry, 21*A*.
casting bronze blast-furnace tuyeres, 74*A*.
casting ingot moulds, 74*A*.
moulding and casting grey iron engine-bed, 73*A*.

Eagan, T. E., effect of heat-treatment on endurance limit of grey cast iron, 68*A*.
Eckersley, F., elected Member, 6*P*.
Eckhardt, S. *See* Esser, H.
Eddy, C. T., R. J. Marcotte, and **R. J. Smith,** time-temperature transformation curves, 24*A*.
Edgar, J. S., induction hardening, 43*A*.
Edsall, H. L., detection of defects by electronics, 69*A*.

Edwards, C. A., effect of titanium in low-carbon steel, 51*A*.
Edwards, H., galvanizing plant of John Summers & Sons Ltd., 49*A*.
Edwards, H. D., waste-heat recovery, 17*A*.
Edwards, J. C. *See* Clardy, F. B.
Eichinger, A. :
theory of strain and fracture of solids, 28*A*.
See also Körber, F.
Eketorp, S., Höganäs sponge iron process, 38*A*.
Ekholm, L. E., hardenability specifications, 12*A*.
Ekholm, L. G., and **L. D. Hower, jun.**, ladle nozzles and stoppers, 5*A*., 40*A*.
Ellis, G., and **F. B. Stern, jun.**, use of brittle coatings to determine stresses, 51*A*.
Ellwood, E. C., elected Member, 6*P*.
Emerick, H. B., slag control, 41*A*.
Endell, K., and **W. Strasmann**, synthetic moulding sands, 20*A*.
Engel, E., finishes and finishing processes for metals, 9*A*.
Englisch, C., casting grey iron in metal moulds, 19*A*.
Enzian, G. H. *See* Work, H. K.
Erskine, J., elected Member, 6*P*.
Esser, H., S. Eckhardt, and **G. Finke**, use of air furnaces in creep tests on steel, 14*A*.
Esser, H., S. Eckhardt, and **G. Lautenbusch**, creep tests on thin-walled tubes, 14*A*.
Etker, S., elected Member, 6*P*.
Evans, C. T., jun., alloy steels for gas turbines, 53*A*.
Evans, E. A. :
Book : "Lubricating and Allied Oils," 85*A*.
Evans, H., overheating of wrought steels, 306*P*.
Evans, J., elected Associate, 8*P*.
Evans, J. J., elected Associate, 8*P*.
Evans, L., Russian iron and steel works, 21*A*.
Evans, M. B., wartime improvements in X-ray technique, 83*A*.
Evans, S. O., quality control of welded tubing, 8*A*.
Eyles, A. J. T. :
effect of cold-treatment on steel, 26*A*.
metal pickling, 9*A*.

Fairley, T., phosphorus reaction in basic open-hearth practice, 145*P*.
Falk, B., effect of mass and temperature on magnetic properties of cobalt steel, 30*A*.
Fancutt, F., methods of pretreating iron and steel before painting, 367*P*. 48*A*.
Fast, J. D. *See* De Boer, J. H.
Fay, M. A., wear of silica-brick roofs, 40*A*.
Feigenbau, S., improving cleanness of killed steel, 41*A*.
Feild, A. L., German stainless steels, 53*A*.
Femir, M., elected Member, 6*P*.
Fenby, C. R., elected Member, 6*P*.
Fermor, L. L., world manganese resources, 1*A*.
Fern, W. M., elected Associate, 8*P*.
Fetters, K. L., deoxidation of coarse-grained steel, 41*A*.
Feustel, R. G. *See* Dean, R. S.
Field, M., and **W. E. Bullock**, milling cast iron with carbide tools, 9*A*.
Fiennes, M. A., elected Member, 6*P*.
Finch, S. L. :
elected Member, 6*P*.
See also Jazwinski, S. T.
Fine, L. :
etching reagent to detect segregated oxides in steel, 69*A*.
overheating of steel, 309*P*.
Fine, L., C. H. Maak, and **A. R. Ozanich**, Uniweld process of oxy-acetylene welding, 77*A*.
Finke, G. *See* Esser, H.
Finlayson, T. C., and **A. Taylor**, coke-oven regenerators, 58*A*.
Finn, J., elected Member, 6*P*.
Firestone, F. A., supersonic flaw detector, 12*A*.
Fischer, P. *See* Spiers, R.
Fischer, R. P., vanadium deposits in Colorado and Utah, 1*A*.
Fischer, W. A. *See* Bardenheuer, P.
Fishenden, Margaret, and **O. A. Saunders**, heat-transfer data, 17*A*.
Fisher, A. :
notch impact tests, 11*A*.
See also Honeyman, A. J. K.
Fisher, T. F., elected Associate, 8*P*.
Fisk, P. M., assessment of wear and corrosion, 29*A*.
Fisk, P. M., and **F. F. Pollak**, formation of dross in hot-dip galvanizing, 79*A*.
Fitterer, G. R., J. W. Linhart, B. B. Rosenbaum, J. B. Kopec, S. Poch, and **W. G. Wilson**, fluidity of acid open-hearth slag, 42*A*.
Fleischmann, M., alloy steel for gas turbines, 82*A*.
Fletcher, W. C., elected Associate, 8*P*.
Flint, R. L. *See* Tucker, W. T.
Foley, G. M. *See* Grover, H. J.
Ford, W. F., oxide systems in steel-furnace slags, 353*P*.
Forsyth, H. J., nozzle-size *versus* quality of hot-top ingot, 41*A*.
Foshag, W. F., and **C. Fries, jun.**, tin deposits in Mexico, 1*A*.
The Foundry Practice Sub-Committee, manufacture of thin-walled steel castings, 60*A*.
Fourment, M., protective atmospheres in heat-treatment furnaces, 7*A*.
Fowler, B. S., elected Associate, 8*P*.
Fowler, H., elected Associate, 8*P*.
Fox, J. J., induction heating, 8*A*.
Frank, A. C. *See* Rohsenow, W. M.
Frank, H. *See* Siebel, E.
Frank, H. S., and **A. E. Reinhard**, basic open-hearth practice, 40*A*.
Frank, R. H., gamma-ray radiography, 32*A*.
Freeman, H. A., elected Member, 6*P*.
Freeman, R. E., elected Member, 6*P*.
Freer, W. G., elected Associate, 8*P*.
Fries, C., jun. *See* Foshag, W. F.
Frischmuth, B., surface examination by optical methods, 47*A*.
Frith, J. G., elected Member, 6*P*.
Frith, P., effect of overheating on fatigue properties of steel, 286*P*.
Frye, J. H., German metallurgical plants and processes, 40*A*.
Fua, F. *See* Woods, R. C.
Fucke, H., and **M. Möhrle**, detection of alloying elements in steel by drop reactions, 34*A*.
Fuller, P. S., sealing micro-pores in castings, 74*A*.

Gabor, D. :
Book : "The Electron Microscope," 86*A*.
Gainsbury, P. E., elected Associate, 8*P*.
Gardner, A. L., shot-blast cleaning, 9*A*.
Garland, R. J. *See* Sharman, J. C.
Garriott, F. E., aluminium-bronze welding in steel plant maintenance, 46*A*.
Garside, J. E., non-destructive methods of testing metals, 50*A*.
Garvey, T. M. *See* Grange, R. A.
Gass, S. B. *See* Bushell, L. A.
Gebauer, K., electro-plating chromium on iron and steel, 49*A*.
Gebhardt, H. L., synthetic resin core binders, 74*A*.
Geiger, J., damping properties of malleable cast iron, 29*A*.
Geil, G. W. *See* McAdam, D. J., jun.
Geisler, W. A., centrifugal casting of iron and steel, 21*A*.
Geller, W., reduction of silica by liquid steel, 22*A*., 42*A*.
Gemant, A., and **J. Sticher**, failure of crucibles in induction melting, 41*A*.
Gevers, M., elected Member, 6*P*.
Gibbons, R. C., economies in use of tool steel, 9*A*.
Gilbert, J. H., and **G. Corfield**, behaviour of zinc in contact with steel in soil, 55*A*.
Gilbert, P. T., electrochemical measurements for corrosion studies, 55*A*.
Giles, F. W., detection of cracks, 81*A*.
Gill, D. *See* Steedman, A. H.
Gill, J. P., German tool-steel industry, 62*A*.
Gille, F. *See* Keil, F.
Giniewski, O. I., porosity of ores, 365*P*.
Girschig, R., spectrochemical analysis of alloys, 34*A*.
Gladding, S. D., and **H. C. Bigge**, basic electric steel manufacture in America, 5*A*.
Glaser, O., and **F. Roll**, cupola slag, 18*A*.
Glass, J. J. *See* Koschmann, A. H.
Gledhill, P. K., determination of viscosity of welding slags, 45*A*.
Glen, J. :
supersonic testing of welds, 336*P*.
elected Member, 6*P*.
Glocker, R., and **H. Hasenmaier**, X-ray stress measurements in low-carbon steel, 51*A*.
Godbert, A. L. *See* Belcher, R.
Godenne, J., elected Member, 6*P*.
Goetzel, C. G., moulding complicated parts from powdered metals, 60*A*.
Gökyigit, N., elected Member, 6*P*.
Gonenc, R., elected Member, 6*P*.
Gonick, H., D. D. Tunnicliff, E. D. Peters, L. Lykken, and **V. Zahn**, determination of nitrogen by combustion, 71*A*.
Goodeve, Sir Charles, vote of thanks to President, 10*P*.
Goodeve, C. F., objects and scope of British Iron and Steel Research Association, 63*A*.
Goodfellow, S., elected Member, 6*P*.
Goodlad, W. H., elected Member, 6*P*.
Goodman, D. :
continuous X-ray inspection, 54*A*.
high-voltage radiography in America, 84*A*.
Goodrich, W. E. :
Paper : "Overheating and Burning of Nickel-Chromium-Molybdenum Steel," 255*P*. *Joint Discussion*, 279*P*. *Joint Correspondence*, 295*P*. *Authors' Replies*, 311*P*.
overheating and burning of steel, 281*P*.
Gorman, L., elected Member, 6*P*.
Gossedge, W. O., elected Member, 6*P*.

Gould, B., plastic protective coatings, 80*A*.
Graaf, Y. E. De, elected Member, 6*P*.
Graham, R. W., electric power distribution, Bethlehem Steel Co., 40*A*.
Graham, T. R. *See* Dean, R. S.
Grange, R. A., and **T. M. Garvey**, hardenability of boron-treated steels, 29*A*.
Grant, T. M., elected Member, 7*P*.
Grassmann, K., use of plastics as core binders, 20*A*.
Gray, A. G., electrodeposition of zinc on steel, 49*A*.
Gray, F. A. *See* Turner, N. H.
Green, F. H., and **L. S. King**, heat transfer in tubes, 58*A*.
Green, W., treatment of fines in coal-washing, 2*A*.
Gregg, A. W., mechanical equipment for charging cupolas, 60*A*.
Gregory, D., elected Member, 7*P*.
Gregory, E., induction heating, 7*A*.
Griffith, H. M., basic open-hearth furnace practice, 40*A*.
Griggs, A. B. *See* Smith, C. T.
Grison, M., sulphur in pig iron, 2*A*.
Grønninsaeter, A., metallurgical progress in America, 40*A*.
Gross, B., high-speed spot-welding, 78*A*.
Gross, L. *See* Camp, E. Q.
Grover, H. J., R. W. Bennett, and **G. M. Foley**, fatigue properties of flash-welded steel, 78*A*.
Grubitsch, H., oxide-print process, 15*A*.
Grubitsch, H., and **P. Warbichler**, phosphorus-print process, 15*A*.
Grummell, E. S., fuel efficiency in iron and steel works, 208*P*.
Grundén, R. *See* Backlund, O.
Gruniaux, M. E., elected Member, 7*P*.
Gude, W. G., research work on centrifugal casting at Watertown Arsenal, 61*A*.
Guild, P. W. *See* Smith, W. C.
Guillery, R., fatigue-testing machine, 12*A*.
Guillet, L. :
hardness-testing methods, 29*A*.
properties and formation of martensite, 15*A*.
Gumz, W. :
Book : "Die Kohle," 36*A*.
Gunday, F., elected Member, 7*P*.
Gunderson, C. T., elected Member, 7*P*.
Gunnert, R., welding of high-speed steel tools, 46*A*.
Guthrie, W. G., heat-treatment plant for gears, 43*A*.
Guzzoni, G. :
Book : "Gli acciai communi e speciali," 36*A*.

Haas, J. *See* Weihrich, R.
Habershon, J. W., elected Member, 7*P*.
Habershon, R. P. R., elected Member, 7*P*.
Hadden, W. M., elected Member, 7*P*.
Hadley, J. B., manganese deposits in California, 1*A*.
Haldar, M. K., elected Member, 7*P*.
Hales, W. L. *See* Harkins, F. G.
Halet, E. A., elected Member, 7*P*.
Hall, H. S., soaking-pits, 63*A*.
Hall, J. J. :
Book : "Steel Hardening, Tempering, and Annealing," 85*A*.
Hall, N., and **G. B. Hogaboom, jun.** :
Book : "Dictionary of Metal-Finishing Chemicals," 86*A*.
Hall, P. R. *See* Ritchey, J.
Halliday, I. M. D. *See* Chesters, J. H.; Lynam, T. R.
Halliwell, J., elected Associate, 8*P*.
Halmshaw, R., gamma-radiography for shipyard welds, 32*A*.
Halstead, H. L., radiant-tube-furnaces, 10*A*.
Hammer, G. *See* Maurer, E.
Hancock, J., elected Associate, 8*P*.
Hansen, P. J., elected Associate, 8*P*.
Harding, E. W., foundry costing, 4*A*.
Hardy, C. *See* Mantell, C. L.
Harkins, F. G., and **W. L. Hales**, resistance welding of stainless-steel aircraft-engine parts, 67*A*.
Harris, G. T., supersonic testing of castings, 335*P*.
Harris, I., elected Member, 7*P*.
Harris, L., elected Member, 7*P*.
Harris, R. H., elected Member, 7*P*.
Harrison, T. S., determination of alloying elements in steel and cast iron, 34*A*.
Harrop, T. R., costing system for coke-oven plants, 2*A*.
Hart, R., elected Associate, 8*P*.
Hart, R. J., inspection of steel castings, 39*A*.
Hart, W. W., elected Member, 7*P*.
Hartleif, G. *See* Kornfeld, H.
Hartley, A. :
overheating and burning of steel, 301*P*.
See also Preece, A.
Harvey, H. W. :
Book : "Recent Advances in the Chemistry and Biology of Sea Water," 71*A*.
Hasenmaier, H. *See* Glocker, R.
Haslem, M. Eleanor. *See* Zapffe, C. A.
Hatch, T. *See* Drinker, P.
Hatfield, W. H., biographical note, 375*P*.
Hawkes, H. E., jun., F. G. Wells, and **D. P. Wheeler, jun.**, chromite and mercury deposits in California, 1*A*.
Haworth, R. D., jun., and **A. F. Christian**, fracture tests for aircraft-engine parts, 54*A*.
Hay, W., elected Associate, 8*P*.
Haythorne, P. A., nitriding aircraft steels, 66*A*.
Hedberg, J. *See* Schwartz, H. A.
Hedges, E. S., tin and tin-alloy coatings, 49*A*.
Hedley, W. H. :
Book : "The Basis of Sheet Metal Drafting," 35*A*., 36*A*.
Hehman, P. L. *See* Kapron, M.
Heidenreich, R. D., electron microscopic examination of metal surfaces, 31*A*.
Heindlhofer, K., and **B. M. Larsen**, electrical analogue of heat flow in regenerators, 72*A*.
Helliwell, R., elected Associate, 8*P*.
Hellstrom, A. S., continuous pickling plant, 9*A*.
Hemsley, S. H. :
Book : "Optical Instruments in Engineering," 86*A*.
Henderson, I. J., elected Member, 7*P*.
Hendrick, H. D., mechanical equipment for heat-treatment furnaces, 77*A*.
Hengstenberg, O., K. Knehaus, and **N. Berndt**, life of ingot moulds, 75*A*.
Henry, O. H., and **J. J. Cordiano**, hot-pressing of iron powders, 59*A*.
Hermann, C. C., dust removal from sand conveyor belts, 61*A*.
Heselwood, W. C. :
detection of hair-line cracks by supersonic testing, 346*P*.
supersonic testing of slabs and plates, 334*P*.
Hess, W. F., W. D. Doty, and **W. J. Childs**, spot-welding of alloy steels, 26*A*.
Heuvers, A., technique of casting steel, 19*A*.
Hewlett, F., photo-grids, 64*A*.
Hey, J., elected Member, 7*P*.
Hibert, C. L., classification of tool steel, 83*A*.
Higgins, T. J., stress analysis of shafting, 51*A*.
Hilbert, H. :
Book : "Stanzereitechnik." Band I, "Schneidende Werkzeuge, Arbeitspläne, Entwurf und Herstellen der Werkzeuge, Maschinen zum Schneiden, Kalkulation von Werkzeugen und Schnitteilen," 36*A*.
Hiles, J., and **R. A. Mott**, gas flow through coke beds, 17*A*.
Hilliard, J. E., elected Associate, 8*P*.
Hillier, J. *See* Zworykin, V. K.
Hime, M. G. W., elected Member, 7*P*.
Hinde, J., overheating and burning of steel, 285*P*.
Hinde, J. M., elected Associate, 8*P*.
Hipwell, C., elected Member, 7*P*.
Hirst, H., elected Member, 7*P*.
Hirst, T. B. V., elected Member, 7*P*.
Hobbs, S. W., tungsten deposits in Arizona, 1*A*.
Hodge, A. L., control of open-hearth furnace flame radiation intensity, 41*A*.
Hodge, J. M., and **M. A. Orehoski**, hardenability and martensite relationships in low-alloy steels, 29*A*.
Hoffman, W. F., rolling-mill guides, 23*A*.
Hogaboom, G. B., jun. *See* Hall, N.
Hogarth, T. A., elected Member, 7*P*.
Hoglund, P. F., and **M. L. Holt**, electrodeposition of nickel-cobalt-tungsten alloys, 79*A*.
Holback, G. E., shear tests for rivets, 51*A*.
Holiday, J. D., elected Member, 7*P*.
Hollings, J. S., award of Bessemer Gold Medal, 3*P*.
Holloman, J. H. :
temper-brittleness, 53*A*.
See also Jaffe, L. D.
Holloman, J. H., and **L. D. Jaffe** :
hardenability of steels, 80*A*.
time-temperature relations in tempering steel, 24*A*.
Holloway, J., elected Associate, 8*P*.
Holt, M. L. *See* Hoglund, P. F.
Holt, M. L., and **R. E. Black**, electrodeposition of tungsten alloys from plating baths, 49*A*.
Holtslander, V. E., lifting magnets, 5*A*.
Holweg, E., consumption of sand and sand binders in foundries, 19*A*.
Homer, C. E., tinning of cast iron, 360*P*.
Homes, G. A., and **A. Portevin**, X-ray testing of welds, 26*A*.
Honeyman, A. J. K. :
detection of defects by supersonic testing, 349*P*.
overheating of steel, 305*P*.
See also Barr, W.
Honeyman, A. J. K., and **A. Fisher**, detection of defects in steel, 31*A*.
Hopkin, G. L. :
effect of hydrogen on cracking of welded alloy steel, 45*A*.
examination of weld deposits, 45*A*.
Hopkins, D. W., elected Member, 7*P*.

Horobin, W., elected Member, 7*P*.
Hornsby, W., elected Member, 7*P*.
Horton, A. H., production of cast iron, 60*A*.
Hoskins, R. A., survey of steel specifications, 54*A*.
Hostetter, H. E., determination of alloy combinations for hardenability, 29*A*.
Houdremont, E., and **G. Bandel**, effect of alloying elements on creep strength of steel, 13*A*.
Houdremont, E., F.-K. Naumann, and **H. Schrader**, solubility of titanium carbide in steel, 15*A*.
Howat, D. D., utilization of gaseous fuels in Britain, 38*A*.
Howden, H., elected Member, 7*P*.
Howden, Janet M., and **R. W. Lunt**, reactive wire drawing, 43*A*.
Howell, R., estimating costs of forging dies, 22*A*.
Hower, E. N., hot-patching of open-hearth roofs, 40*A*.
Hower, L D., jun. *See* Ekholm, L. G.
Howson, C., formation of banded structures in centrifugal castings, 61*A*.
Hoyt, S. L., selection of steel for welding, 67*A*.
Huckle, W. G., and **H. S. Davidson**, properties of corrosion inhibitors, 11*A*.
Hudson, J. C., corrosion of iron and steel, 55*A*.
Hughes, M. A., and **J. G. Cutton**, graphitization of hypo-eutectoid steels, 30*A*.
Hull, F. C., and **H. R. Welton**, effect of work-hardening on surfaces of fatigue-test specimens, 52*A*.
Hulse, C., elected Associate, 8*P*.
Hulse, C., and **R. J. Sarjant** :
Paper : "Problems in Fuel Efficiency," 165*P*. *Joint Discussion*, 199*P*. *Joint Correspondence*, 208*P*. *Authors' Replies*, 212*P*.
Hult, J., elected Member, 7*P*.
Hultgren, A., silicate inclusions in basic electric steel, 42*A*.
Humphreys, O. W. *See* Connell, L. J. C.
Hunt, C. B., V. E. McKelvey, and **J. H. Wiese**, manganese deposits in Nevada, 1*A*.
Hurst, J. E. :
effect of residual elements and gas in cast iron, 30*A*.
history of sand moulding in Great Britain, 74*A*.
Hussey, R., Hermann hot-dip process of galvanizing wire, 79*A*.
Hüttenes, K., core oils and core binders, 19*A*.
Hyde, P. W., award of Foundry Prize, 6*P*.
Hynd, J., elected Member, 7*P*.

Ihrig, H. K., determination of hot-workability of steels, 68*A*.
Ilter, H., elected Member, 7*P*.
Ingram, G., determination of sulphur in ferro-alloys, 34*A*.
Institute of British Foundrymen :
Book : "Methods of Testing Prepared Foundry Sands," 36*A*.
Isfendiyaroglu, F., elected Member, 7*P*.
Ivens, K., elected Member, 7*P*.
Ivett, A. E., elected Member, 7*P*.

Jackson, C. E. *See* McKenna, F. S.
Jackson, J. F. B., centrifugal casting of aircraft parts, 61*A*.
Jackson, J. S., elected Associate, 8*P*.
Jackson, K., elected Associate, 8*P*.
Jackson, R., award of Williams Prize, 5*P*.
Jackson, W., elected Member, 7*P*.
Jaffe, L. D. *See also* Holloman, J. H.
Jaffe, L. D., and **J. H. Holloman**, hardenability and quench-cracking of steels, 81*A*.
James, K. W., elected Associate, 8*P*.
Jameson, A. S. :
life of dies, 22*A*.
properties of steel for cold-heading dies, 14*A*., 68*A*.
Jamieson, D., elected Associate, 8*P*.
Janecek, F., blast-furnace operation under increased top-pressure, 73*A*.
Jaquet, J., uses of carbide tools, 27*A*.
Jarvis, E. E., elected Member, 7*P*.
Jarvis, E. G., and **H. O. Jarvis** :
Book : "Facts for Foundrymen," 36*A*., 85*A*.
Jarvis, H. O. *See* Jarvis, E. G.
Jay, A. H., phosphorus reaction in basic open-hearth practice, 145*P*.
Jay, A. H., and **K. W. Andrews** :
Paper : "Note on Oxide Systems Pertaining to Steel-Making Furnace Slags. FeO–MnO, FeO–MgO, CaO–MnO, MgO–MnO." *Correspondence*, 353*P*. *Authors' Reply*, 355*P*.
X-ray survey of binary slag systems, 22*A*.
Jazwinski, S. T., and **S. L. Finch**, pressure feeding of castings, 20*A*., 61*A*.
Jazwinski, S. T., E. D. Wells, and **S. L. Finch**, gating and feeding of steel castings, 3*A*.
Jenkin, J. W. :
manufacture of seamless steel tubes, 65*A*.
overheating and burning of steel, 279*P*.
Jenkins, I., and **S. V. Williams**, annealing malleable iron, 3*A*.
Jevons, J. D., deep-drawing and pressing, 76*A*.
Johnson, A. E., and **H. J. Tapsell**, creep tests, 82*A*.
Johnson, C. G. :
Book : "Metallurgy," 86*A*.
Johnson, H. F., elected Associate, 8*P*.
Johnson, H. H., L. H. Arner, and **H. A. Schwartz**, gas evolution from cast steel, 30*A*.
Johnson, J. L., manufacture of shell forgings and bombs, 76*A*.
Johnson, W. A. :
estimation of spatial grain size, 54*A*.
elected Member, 7*P*.
Johnston, J. M. *See* Steele, S. D.
Johnston, T. L., sponge-iron production, 18*A*.
Johnstone, G., methods of casting large Meehanite cast iron crankshafts, 74*A*.
Jolivet, H. :
coalescence of cementite in products of decomposition of austenite, 24*A*.
structure of cast steels, 12*A*.
Jolivet, H., and **R. Chouteau**, temper brittleness of steels, 32*A*.
Jolivet, H., and **G. Vidal**, detection of temper-brittleness by impact-strength measurements, 81*A*.
Jominy, W. E. :
progress in aircraft-engine metallurgy, 14*A*.
See also Strohm, J. R.
Jones, D., elected Associate, 8*P*.
Jones, F. O., elected Associate, 8*P*.
Jones, G. V., elected Associate, 8*P*.
Jones, J. R., elected Member, 7*P*.
Jones, R., elected Member, 7*P*.
Jones, S., elected Member, 7*P*.
Jones, T. I., elected Associate, 8*P*.
Jones, T. W., elected Member, 7*P*.
Jones, W. D., flame-spraying with Schori pistol, 50*A*.
Josch, K. :
Book : "Gusseisen als Baustoff," 36*A*.
Joyce, J. C., degreasing plants, 48*A*.
Judkins, M. F., wartime cutting-tool development in America, 9*A*.
Juncos, I. R. :
Book : "Experiencias sobre variacíon de la textura micro-scópica de los metales durante el ensayo de tracción," 86*A*.
Juppenlatz, J., production of steel castings in acid electric-furnaces, 5*A*.
Juppenlatz, J. W., non-destructive methods of testing castings, 81*A*.
Juretzek, H., impact strength of cast steel at low temperatures, 28*A*.
Juretzek, H., and **W. Trommer**, bibliography of steel foundries, 19*A*.

Kahn, W., H. Oster, and **R. Wachtell**, failure of stainless steel, 30*A*.
Kain, C. H., production and properties of steel castings, 60*A*.
Kalling, S. O. S., elected Member, 7*P*.
Kane, J. M., foundry ventilation, 75*A*.
Kaprali, E., elected Member, 7*P*.
Kapron, M., and **P. L. Hehman**, colorimetric determination of molybdenum in iron and steel, 34*A*.
Kassen, M. A., Tysland-Hole electric furnace for pig-iron manufacture, 38*A*.
Keil, F., and **F. Gille**, properties of concrete made from slag, 3*A*.
Kennedy, F., fuel efficiency in iron and steel works, 204*P*.
Kennedy, H. E., causes of brittle fractures in welded steel structures, 78*A*.
Kentischer, A., steel turnings for cleaning castings, 47*A*.
Kessner, H., process for distinguishing ferrite, austenite, and carbides in chromium steels, 15*A*., 83*A*.
Khan, M., elected Member, 7*P*.
Khan, S. C., elected Member, 7*P*.
Kiessler, H., properties and heat-treatment of chromium-manganese steel in Germany, 54*A*.
Kilby, D., fuel efficiency in iron and steel works, 212*P*.
Kilger, H., flash-welded joints, 46*A*.
Killing, H. *See* Kritzler, G.
King, L. S. *See* Green, F. H.
King, P. B., manganese deposits in Virginia, 1*A*.
King, R. D., elected Associate, 8*P*.
"Kingzett's Chemical Encyclopædia," 86*A*.
Kintzinger, K., sintering of iron ores in Germany, 37*A*.
Kirkaldy, W. J. F., elected Member, 7*P*.
Kirkby, H. W. :
overheating and burning of steel, 297*P*.
See also Woolman, J.
Kirkstall Forge :
Book : "The History of the Kirkstall Forge Through Seven Centuries 1200–1945 A.D." 36*A*.
Kjellberg, B. O., elected Member, 7*P*.
Klärding, J., production of clean steel, 62*A*.
Klein, H. C., synthetic-resin coatings, 11*A*.
Klier, E. P., transformation characteristics of chromium steel, 32*A*.
Knechtel, M. M., manganese deposits in Virginia, 1*A*.
Knehans, K. *See* Hengstenberg, O.

Knight, H. A. :
control of heat-treatment furnaces, 66*A*.
rolling, wire-drawing, and extruding processes in America, 76*A*.
testing and inspection methods, 81*A*.
Knights, E. D., elected Member, 7*P*.
Knorr, F., electric-pneumatic and steam hammers, 42*A*.
Koether, E. A., heat-treatment of aircraft-engine gears, 65*A*.
Kommers, J. B., effects of overstress in fatigue tests, 51*A*.
Kondic, V. :
overheating of steel, 303*P*.
See also Wheeler, J. A.
Kopec, J. B. *See* Fitterer, G. R.
Kopecki, E. S., gas carburizing, 7*A*.
Körber, F., A. Eichinger, and **H. Möller,** behaviour of metals under compression, 11*A*.
Körber, F., and **W. Oelsen,** technology of slags, 3*A*.
Kornfeld, H., and **G. Hartleif,** sensitivity to superheating of aluminium-killed steel, 14*A*.
Kornilov, I. I. :
solubilities of elements in solid iron, 69*A*.
Book : "Iron Alloys." Volume I. "Iron-Chromium-Aluminium Alloys," 36*A*.
Koschmann, A. H., J. J. Glass, and **J. S. Vhay,** tin deposits in Virginia, 1*A*.
Kratschmar, E., time studies in shearing of plates, 23*A*.
Krause, H., electroplating stainless steel, 49*A*.
Kritzler, G., diffusion of copper in steel, 20*A*.
Kritzler, G., and **H. Killing,** effect of flame-hardening on cast iron, 25*A*.
Kroner, A. M., control of the melt in basic open-hearth furnaces, 40*A*.
Krug, P. :
German oxy-acetylene cutting machines, 47*A*.
hardness and tensile tests on electric-welded cast iron, 46*A*.
Kubelik, T., elected Member, 7*P*.
Kunze, E., acceleration of nitriding of steel, 7*A*.
Kynaston, A. H., elected Member, 7*P*.

Labeka, C. L., production of clean steel, 41*A*.
Lacombe, P., passivity of metals, 33*A*.
Ladd, H. S., manganese deposits in Virginia and West Virginia, 1*A*.
Ladd, H. S., and **F. W. Stead,** manganese deposits in Virginia, 1*A*.
Lagercrantz, C. B. B., elected Associate, 8*P*.
Lake, R. A., elected Member, 7*P*.
Lamenzo, J. B., conveyor systems for foundries, 60*A*.
Lamont, J. L. *See* Crafts, W.
Landau, D. :
Book : "Wear of Metals," 86*A*.
Landis, M. N., properties of hot-rolled bars, 14*A*.
Lane, D., elected Associate, 8*P*.
Larsen, B. M. *See* Brower, T. E.; Heindlhofer, K.
Larsen, B. M., and **W. E. Shenk,** automatic control of open-hearth reversal, 41*A*., 62*A*.
Larsen, B. M., and **C. Siddall,** fuels for open-hearth furnaces, 37*A*.
Lasky, S. G., and **B. N. Webber,** manganese deposits in Arizona, 1*A*.
Latourte, J., elected Member, 7*P*.
Latta, J. D., overheating of steel drop-forgings, 291*P*.
Laurent, P., elected Member, 7*P*.
Lautenbusch, G. *See* Esser, H.
Lawrie, R. D., elected Member, 7*P*.
Lea, F. C., and **E. N. Simons :**
Book : "The Machining of Steel Simply Explained," 86*A*.
Leavitt, J. L. *See* Clardy, F. B.
Leckie, A. H., elected Member, 7*P*.
Lee, A. W., elected Member, 7*P*.
Lee, G., elected Member, 7*P*.
Lee, H. *See* Andrew, J. H.
Lee, P. A., elected Member, 7*P*.
Lefebvre, A. G., elected Member, 7*P*.
Leffingwell, G., and **M. A. Lesser,** use of glycerine for cleaning metals, 47*A*.
Lefort, Y., manufacture of refractories, 57*A*.
Lehman, A. J., cleaning nails, 79*A*.
Leroy, A. :
weldability of metals, 46*A*.
elected Member, 7*P*.
Lesser, M. A. *See* Leffingwell, G.
Lessner, C., elected Member, 7*P*.
Lesso, H. F., and **R. W. McCann,** effect of changes in the charge on life of open-hearth furnaces, 21*A*.
LeVally, J. R., high-pressure lubrication systems, 77*A*.
Levy, B., cathode-ray oscillograph for recording cooling curves of quenching oils, 66*A*.
Lewis, B. F., adherence of electrolytic coatings, 10*A*.
Lewis, J. E., elected Member, 7*P*.
Lewis, K. G., overheating of steel, 307*P*.
Liddiard, P. D., preparation of steel surfaces by pickling, 9*A*.
Liedholm, C. A., heat-treatment furnaces for hollow steel aircraft propeller blades, 77*A*.
Liedholm, C. A., and **W. C. Coons,** effect of cooling transformation on isothermal reactions, 54*A*.
Linabury, J. E., quality control of grey iron castings, 73*A*.
Lincoln, R. A., heat-resistant steels, 31*A*.
Lincoln, R. B., effect of metallurgical characteristics on welding properties of steel, 66*A*.
Lindroth, G. T., removal of pyrites from Swedish iron ores, 72*A*.
Lindsay, R. W., and **J. E. Atherton, jun.,** effect of heat-treatment on pearlitic malleable cast iron, 24*A*.
Linhart, J. W. *See* Fitterer, G. R.
Linney, J. A., elected Member, 7*P*.
Lippert, T. W., German steel industry, 40*A*.
Lipson, H., X-ray diffraction, 54*A*.
Lipson, S., thickness gauge for coatings, 11*A*.
List, I. H., pattern for medium-bore flanged return bends, 39*A*.
Llewellyn, D., welding Nitralloy steels, 67*A*.
Lloyd, D. W. *See* Mahaney, E. W.
Locke, C., carbon control in electric steel manufacture, 34*A*.
Long, J. R. *See* Dean, R. S.
Longenecker, C., rolling-mill plant, 23*A*.
Longten, B. *See* Waber, J. T.
Loos, C. E., hot- and cold-working properties of high-strength steels, 68*A*.
Lorig, C. H. :
American wartime malleable iron foundries, 60*A*.
See also Barlow, T. E.
Loux, J. H. :
annealing steel wire, 7*A*.
See also McCloskey, C. R.
Love, D. A., elected Member, 7*P*.
Lovlee, J., elected Member, 7*P*.
Lownie, H. W., jun. *See* Mahin, W. E.
Lowry, H. H. *See* National Research Council (*Book*).
Lubahn, J. W. *See* Sachs, G.
Lucas, G., elected Associate, 8*P*.
Lucas, J., electric welding machine for tubes, 26*A*.
Luetscher, O. P., life and maintenance of open-hearth roofs, 40*A*.
Luneau, J., binary solidification diagram, 32*A*.
Lunt, R. W. *See* Howden, Janet M.
Lunt, R. Winstanley, and **G. D. S. MacLellan,** theory of wire drawing, 64*A*.
Lykken, L. *See* Gonick, H.
Lykken, L., D. J. Pompeo, and **J. R. Weaver,** photo-electric recording polarograph, 70*A*.
Lyle, S. R. *See* Rowland, E. S.
Lyman, T., and **A. R. Troiano :**
isothermal transformation of austenite in chromium steel, 32*A*.
time-temperature effects on transformations of chromium steels, 32*A*.
Lynam, T. R., and **I. M. D. Halliday,** tests on silica bricks for gas industry, 57*A*.
Lynch, J. E., and **C. W. Snyder,** cyanide nitriding, 6*A*.
Lyons, E. H., jun., effect of films on surfaces for electroplating, 9*A*.
Lysaght, V. E. :
micro-hardness testing of materials, 29*A*.
new developments in hardness testing, 81*A*.
Lytle, A. R., hard-facing by welding, 67*A*.

Maak, C. H. *See* Fine, L.
McAdam, D. J., jun., fracture of metals under combined stresses, 28*A*.
McAdam, D. J., jun., G. W. Geil, and **R. W. Mebs,** effect of combined stresses on properties of steels, 50*A*.
McAllister, J. F. *See* Page, L. R.
McArthur, J. *See* Watson, E. F.
McCain, L. H., elected Member, 7*P*.
McCann, R. W. *See* Lesso, H. F.
McCarthy, B. L. *See* Sutch, D. A.
McCaulley, W. *See* Wenninger, C. E.
McCloskey, C. R., and **J. H. Loux,** theory of carburization, 77*A*.
McCulloch, T., elected Associate, 8*P*.
Macdonald, A. C., heat-treatment of steel, 43*A*.
McDonald, H. J. *See* Waber, J. T.
McDowall, I. P., elected Associate, 8*P*.
McElgin, J., heat-treatment of shells, 77*A*.
McEwan, G. J., elected Member, 7*P*.
MacGregor, C. W. *See* Mehringer, F. J.
McHugh, I. L. *See* Pearsall, L. T.
McIntyre, G. H., porcelain enamels, 11*A*.
Mack, D. J., Young's modulus, 80*A*.
McKelvey, V. E. *See* Hunt, C. B.
McKenna, F. S., and **C. E. Jackson,** weldability of cast steels, 78*A*.
Mackenzie, I. M., elected Associate, 8*P*.
MacKenzie, R. A., stretch- and contour-forming of sheet metal, 43*A*.
McLean, D. S., steel-plant maintenance, 5*A*.
MacLellan, G. D. S. *See* Lunt, R. Winstanley.
MacLeod, N. A., ball-wear in grinding mills, 31*A*.
McMahon, J. P. L., stoppers and nozzles, 41*A*.

Magson, L. W., elected Member, 7*P*.
Mahaney, E. W., and **D. W. Lloyd**, quality control by statistical methods, 21*A*.
Mahin, W. E., and **H. W. Lownie, jun.**, relation of microstructure to properties of cast iron, 84*A*.
Mahl, H. *See* Duffek, V.
Malcor, H., elected Member, 7*P*.
Malisius, R., distortion of flat bars welded on one edge, 46*A*.
Mallik, A. K. *See* Andrew, J. H.
Malotaux, R. N. M. A., elected Member, 7*P*.
Mance, H. W. *See* Rollason, E. C.
Mantell, C. L., and **C. Hardy :**
Book : "Calcium Metallurgy and Technology," 71*A*.
Marcotte, R. J. *See* Eddy, C. T.
Marquardt, H. F., dies and die-rolling, 64*A*.
Marshall, K., elected Associate, 8*P*.
Martin, D. L., and **W. G. Van Note**, hardenability and transformation characteristics of alloy steels, 25*A*.
Mason, J. B. M., fuel efficiency in iron and steel works, 199*P*.
Matthews, N. A., ferrous metallurgical research at Watertown Arsenal Laboratory, 83*A*.
Matthews, S., elected Member, 7*P*.
Matthews, W. S., coke-oven gas for town use, 2*A*.
Maurer, E., **G. Hammer**, and **H. Möbius**, iron and hydrogen sulphide equilibrium, 2*A*.
Mawhinney, M. H. :
Book : "The Heating of Steel," 86*A*.
Maxon, S. E., Cronak process to increase corrosion resistance of zinc coatings, 49*A*.
Maxwell, R. :
preparation of coal, 2*A*.
elected Member, 7*P*.
May, E. C. :
Book : "Principio to Wheeling 1715–1945. A Pageant of Iron and Steel," 85*A*.
Mayenborn, R. :
Book : "Untersuchungen über das unterschiedliche Durchvergütungsvermögen von Baustählen," 36*A*.
Mayer, S. E. *See* Preece, A.
Mayne, J. S., elected Member, 7*P*.
Mayne, P., elected Member, 7*P*.
Mazarrasa Quijano, J. A., elected Member, 7*P*.
Meadley, A. H., elected Member, 7*P*.
Mebs, R. W. *See* McAdam, D. J., jun.
Mehringer, F. J., and **C. W. MacGregor**, effect of cold-rolling on stress-strain properties of low-carbon steel, 28*A*.
Meikle, G., overheating of steel, 296*P*.
Meinhart, W. L. *See* Ziegler, N. A.
Meinsforth, E., elected Member, 7*P*.
Merchant, H. J. :
Paper : "Some Aspects of the Overheating of Steel Drop-Forgings," 217*P*. *Joint Discussion*, 279*P*. *Joint Correspondence*, 295*P*. *Authors' Replies*, 311*P*.
Merchant, M. E., and **N. Zlatin**, analysis of metal-cutting processes, 27*A*.
Mercier, A., elected Member, 7*P*.
Merryweather, H., reclaiming and hardening parts by electro-deposition, 10*A*.
Metzler, R. J. *See* Woldman, N. E.
Meyer, A. W., and **F. R. Archibald**, high-speed milling of steel, 9*A*.
Meyersberg, G., effect of graphite in cast iron, 51*A*.
Meynadier, H., elected Member, 7*P*.
Miall, L. M. *See* Armstrong, E. F.
Michel, A. :
Book : "Aciers à Outils," 86*A*.
Middleton, T. R., elected Member, 7*P*.
Miess, A. :
Book : "Die Ueberspannung der Eisenmetalle," 36*A*.
Milburn, E. W., X-ray diffraction applied to shot-peened surfaces, 52*A*.
Miller, A. G. *See* Brophy, G. R.
Miller, C. R., conservation of fuel oil, 73*A*.
Miller, R. F. *See* Smith, G. V.
Miller, T. A., decoration of blackplate and tinplate, 80*A*.
Miller, W. G., production of rocket projectiles, 64*A*.
Ministry of Supply :
Book : "A First Guide to Quality Control for Engineers." By Dr. E. H. Sealy, 36*A*.
Misset, J., elected Member, 7*P*.
Mitchell, W. J. J., elected Member, 7*P*.
Mobey, F., blast-furnace practice, 73*A*.
Möbius, H. *See* Maurer, E.
Modrovsky, J. *See* Pearce, D. M.
Moffett, G. A., overload protection of rolling-mill electric motors, 64*A*.
Mohler, F., electric-current rectifiers, 23*A*.
Möhrle, M. *See* Fucke, H.
Möller, H. *See* Körber, F.
Monneret, F., elected Member, 7*P*.
Monroe, W. H., manganese deposits in Virginia, 1*A*.
Monroe, W. W. *See* Ritchey, J.
Montgomery, W., elected Member, 7*P*.
Monypenny, J. H. G. :
British emergency specifications for steel, 31*A*.
stainless steels for turbine blades, 14*A*., 31*A*.
Moore, C. D., furnace repair, Worth Steel Co., 40*A*.
Moorhead, E. C., redesigning of patterns, 39*A*.
Moreau, L., effect of inhibitors in pickling acid, 10*A*.
Morgan, D. F., elected Associate, 8*P*.
Morlet, E., creep resistance, 82*A*.
Morley, H., elected Member, 7*P*.
Morral, F. R. :
application of salt-baths in the wire industry, 77*A*.
chronology of wire and wire products, 43*A*.
heat-treatment diagrams, 6*A*.
Morrill, J. R., underwater welding, 26*A*.
Morris, A. Langley, three-phase electric power distribution for welding, 78*A*.
Morrish, A. H. J., elected Member, 7*P*.
Morton, G. A. *See* Zworykin, V. K.
Morton, R. L., elected Associate, 8*P*.
Mott, J. R., heat-treatment of steel, 43*A*.
Mott, R. A. :
coking coal resources in England, 37*A*.
See also Hiles, J.
Mottram, H., elected Member, 7*P*.
Mousley, R. G., elected Member, 7*P*.
Mueller, J., forging die design, 5*A*., 22*A*., 42*A*., 64*A*., 76*A*.
Muir, W., elected Member, 7*P*.
Mulcahy, E. W., De Lattre pickling plant, 48*A*.
Müller, E. A. W., magnetic-powder testing of crankshafts, 53*A*.
Murray, W., methods to reduce corrosion of metals by water and steam, 55*A*.
Murton, A. E., roll manufacture for American rolling mills, 64*A*.
Myers, F. W., jun., wartime arc-welding in Germany, 66*A*.

Nash, C. A., elected Member, 7*P*.
National Research Council :
Book : "Chemistry of Coal Utilization," 85*A*.
Naujoks, W., design of forged parts, 76*A*.
Naumann, F.-K. *See* Houdremont, E.
Naysmith, J., elected Associate, 8*P*.
Neil, M., elected Member, 7*P*.
Nelson, J. H., and **H. Silman :**
Book : "The Application of Radiant Heat to Metal Finishing," 36*A*.
Newall, H. E. *See* Cawley, C. M.
Newhall, H. S., electric-arc furnaces, 22*A*.
Newton, N. Y., elected Associate, 8*P*.
Nichols, F., elected Member, 7*P*.
Nicholson, H., and **L. Rotherham**, supersonic testing, 331*P*. 342*P*.
Nickson, M. C., elected Associate, 8*P*.
Niconoff, D., dilatometric method to determine critical points of alloy steel, 32*A*.
Norbury, A. L., overheating and burning of steel, 296*P*.
Norgard, J. G., elected Member, 7*P*.
Norman, J. E., wear-resistant castings for mining industry, 54*A*.
Norris, F. G. :
effect of wartime conditions on American steel manufacture, 4*A*.
See also Diehl, R. C.
North, J. E., elected Member, 7*P*.
North, P. E., elected Associate, 8*P*.
Nutting, J. *See* Preece, A.

Ockelford, C. W. G., determination of ash in coal and coke, 34*A*.
Oelsen, W. *See* Körber, F.
Olds, E. G., statistical quality control, 13*A*.
Oledal, M., oil-driven auxiliary machinery for ironworks, 63*A*.
Oliver, D. A., supersonic testing of steel, 345*P*.
Ollard, E. A., and **E. B. Smith**, production of electroplated steel strip, 48*A*.
Olsen, R. C., deterioration of automobile parts, 10*A*.
Olson, H. M., review of literature on corrosion, 70*A*.
O'Neill, H. :
overheating and burning of steel, 292*P*.
supersonic testing of railway wheels and axles, 349*P*.
weldability of high-tensile steel, 67*A*.
weldability tests, 45*A*.
Orehoski, M. A. *See* Hodge, J. M.
Oresen, H., Chinese steel industry, 4*A*.
Ors, F., elected Member, 7*P*.
Orton, L. H., physics of welding arcs, 45*A*.
Orton, R. E., photo-elastic stress analysis, 51*A*.
Osborn, H. B., jun., induction heating, 7*A*.
Osswald, E. *See* Bollenrath, F.
Oster, H. *See* Kahn, W.

Otero Navascués, J. M., elected Member, 7*P*.
Owen, G. G., coke-oven practice, 2*A*.
Oxanich, A. R. *See* Fine, L.

Page, F. H., jun., welding stainless steel, 26*A*., 46*A*.
Page, L. R., tin and tungsten deposits in Washington, 1*A*.
Page, L. R., and **J. F. McAllister,** tungsten deposits in Cuba, 1*A*.
Paic, M., application of X-ray analysis to metallurgy, 84*A*.
Palm, J. H., elected Member, 7*P*.
Paris, P., elected Member, 7*P*.
Park, C. F., jun., manganese deposits in Washington, 1*A*.
Park, C. F., jun., and **M. W. Cox,** manganese deposits in Cuba, 1*A*.
Parker, Audrey M. B., atomic structure of steels, 83*A*.
Parker, J. O., liquid-carburizing process, 25*A*.
Parker, W. G., deformation and compressive strength of green sand, 74*A*.
Parkins, R. N., elected Associate, 8*P*.
Partridge, J. M., elected Associate, 8*P*.
Paschkis, V. :
methods of increasing efficiency of electric-arc furnaces, 22*A*.
solidification of steel castings, 61*A*.
temperature-time-volume relationships when quenching steel spheres, 26*A*.
Pasini, A. C., coal conservation, 58*A*.
Patchett, J. H., blast-furnace and coke-oven plant and practice, 17*A*., 59*A*.
Pavlish, A. E. *See* Sullivan, J. D.
Pearce, D. M., and **J. Modrovsky,** use of plastic models in testing crankshafts, 51*A*.
Pearsall, L. T., and **I. L. McHugh,** training furnace-men, 17*A*.
Pearson, H., elected Associate, 8*P*.
Pearson, O., elimination of surface defects in alloy steel, 41*A*.
Pearson, T. F. :
flame radiation, 58*A*.
fuel efficiency in iron and steel works, 207*P*.
award of Williams Prize, 5*P*.
Pechal, E., gas-producer plant, 38*A*.
Peddie, R., elected Member, 7*P*.
Pellett, H. E. *See* Russell, J. V.
Pellowe, E. F., and **F. F. Pollak,** methods to improve adhesion of paint on galvanized steel, 50*A*.
Pennington, W. A., decarburization of steel, 25*A*.
Perry, F. S., acid open-hearth steel, 75*A*.
Persoz, L. *See* Cazaud, R.
Peters, E. D. *See* Gonick, H.
Peters, F. P., review of ferrous materials, 83*A*.
Peters, J., elected Member, 7*P*.
Petit, D., elected Member, 7*P*.
Phillips, C. *See* Camp, E. Q.
Philpot, A. J., elected Member, 7*P*.
Pickles, C. H., elected Member, 7*P*.
Pierce, E. W., elected Member, 7*P*.
Pierce, W. G., cobalt-bearing manganese deposits in Alabama, Georgia, and Tennessee, 1*A*.
Pigott, E. C., analysis of iron and steel, 70*A*.
Pillans, S., elected Associate, 8*P*.
Pinchin, H., elected Member, 7*P*.
Pinedo Salzedo, O., elected Member, 7*P*.
Piper, T. E. *See* Bromhead, E. B.
Pirk, G. W., physical metallurgy, 15*A*.
Piwowarsky, E. :
ageing tendencies of cast iron, 29*A*.
hot-blast cupola practice, 18*A*.
properties of cast iron, 27*A*.
Pluhař, A., elected Member, 7*P*.
Poch, S. *See* Fitterer, G. R.
Pollak, F. F. *See* Fisk, P. M ; Pellowe, E. F.
Pomey, J. :
brittleness, 52*A*.
gas-carburization of steel, 65*A*.
Pomfret, R. A., removal of defective areas in steel castings, 27*A*.
Pompeo, D. J. *See* Lykken, L.
Poor, J., chromium plating, 10*A*.
Portevin, A. :
hardenability of cast iron and steel, 81*A*.
properties of metals, 27*A*.
structural hardening, 52*A*.
See also Castro, R. ; Homes, G. A.
Post, C. T., lost-wax process of precision casting, 20*A*.
Postlethwaite, A. W., elected Associate, 8*P*.
Potaszkin, R. *See* Delbart, G.
Pourbaix, M. J. N., supersonic testing of materials in Belgium, 345*P*.
Powell, A., elected Member, 7*P*.
Powell, R. D., elected Member, 7*P*.
Power, T., elected Member, 7*P*.
Poynter, J. W., characteristics of induction-hardened steel, 25*A*.
Preece, A., A. Hartley, S. E. Mayer, and **J. Nutting :**
Paper : "The Overheating and Burning of Steel," 237*P*. *Joint Discussion,* 279*P*. *Joint Correspondence,* 295*P*. *Authors' Replies,* 311*P*.
Prescott, P. R., elected Member, 7*P*.
Price, F., elected Member, 7*P*.
Price, G. H. S., powder metallurgy, 38*A*.
Proctor, K. L. *See* Bricker, L. G. ; Spiers, R.
Prutton, C. F., D. Turnbull, and **G. Dlouhy,** rate of attack on iron and steel by hydrogen chloride and hydrogen sulphide, 70*A*.
Prytz, His Excellency M. Björn, G., speech at luncheon, 15*P*.
Pull, E. :
Book : "Boiler House Practice," 36*A*., 71*A*.
Purcell, P. R., elected Associate, 8*P*.
Purvis, R., elected Member, 7*P*.
Pyefinch, K. A., assessment of anti-fouling compositions, 11*A*.

Quarrell, A. G. *See* Andrew, J. H. ; Balajiva, K.
Quass, F. W. *See* Bushell, L. A.
Quilter, G. W., elected Member, 7*P*.

Raisig, C. L., cooling-beds for rolled bars, 23*A*.
Rait, J. R., acid open-hearth steel, 41*A*.
Ramberg, E. G. *See* Zworykin, V. K.
Rambush, N. E., and **G. B. Taylor,** charge materials in cupolas, 3*A*.
Ramsay, I. M., elected Member, 7*P*.
Rankin, A. C., supersonic testing of steel, 346*P*.
Ranque, G., non-metallic inclusions in steel, 4*A*.
Rasmussen, R. T. C., and **F. Sillers, jun.,** use of electrolytic manganese in steel production, 21*A*.
Ratcliffe, J. S. *See* Wainwright, W. H.
Ratzel, E. A., effect of hammer blows on cracked welds, 8*A*.
Reavell, B. N., pickling of steel, 79*A*.
Reay, J. K., and **R. P. Towndrow,** lugs for blast-furnace cooling plates, 38*A*.
Reddet, F., gas producers, 2*A*.
Reed, A. W., elected Member, 7*P*.
Rees, D., elected Associate, 8*P*.
Rees, H. W. I., elected Member, 7*P*.
Rees, O. E., elected Member, 7*P*.
Rees, W. J. *See* Davies, W.
Reeve, L., cracking of welded gas mains, 45*A*.
Reich, H. J. :
Book : "Principles of Electron Tubes," 86*A*.
Reinhard, A. E. *See* Frank, H. S.
Reis, A. *See* Schwarzkopf, P.
Reitmeister, W., gas-permeability of moulding sands, 19*A*.
Rémond, V., French blast-furnaces, 59*A*.
Reynaud, A., elected Member, 7*P*.
Rice, O. R. :
blast-furnace practice, 59*A*.
properties of blast-furnace gas, 72*A*.
Richard, K. *See* Thum, A.
Richards, T. E., elected Member, 7*P*.
Richards, W., elected Member, 7*P*.
Richardson, N. W. :
modern soaking pits, 63*A*.
pipe production by Fretz-Moon process, 23*A*.
Ridley, R. W. *See* Tapsell, H. J.
Rigbey, J. V., testing and inspecting metals, 80*A*.
Riley, G., elected Member, 7*P*.
Riley, H. L. *See* Blayden, H. E.
Ritchey, J. :
Book : "Pattern Making," 86*A*.
Riviere Manen, L., elected Member, 7*P*.
Roberson, F., electronic controls, 23*A*.
Roberts, D., elected Member, 7*P*.
Roberts, J. A., elected Associate, 8*P*.
Roberts, J. E., elected Associate, 8*P*.
Roberts, R. J. :
manganese deposits in Costa Rica, 1*A*.
tungsten deposits in Nevada, 1*A*.
Robertson, T. M., elected Associate, 8*P*.
Robinson, C. W., elected Member, 7*P*.
Roden, H., elected Member, 7*P*.
Roebuck, A., development of steel production in England, 61*A*.
Rogers, B., absorptiometric methods of analysis of steels, 34*A*.
Rogers, F. C., propane torch for drying mould surfaces, 74*A*.
Rogers, S. E., elected Associate, 8*P*.
Rogers, W. T., quality control by statistical methods, 21*A*.
Rohsenow, W. M., M. J. Aronstein, and **A. C. Frank,** time-temperature changes in heating bars, 65*A*.
Rolfe, R. T. :
Book : "A Dictionary of Metallography, 56*A*.
Roll, F. :
coal dust for moulding purposes, 20*A*.
See also Glaser, O.

Roll, F., and **Annemarie Arland**, composition and testing of core-binding materials, 20*A*.
Rollason, E. C., and **H. W. Mance**, determination of hydrogen in weld metal, 34*A*.
Rooney, T. E., oxide systems in steel-furnace slags, 353*P*.
Roop, W. P. *See* Windenburg, D. F.
Rosenbaum, B. B. *See* Fitterer, G. R.
Ross, D. W., production of sponge iron, 3*A*.
Roth, W., nitriding aircraft-engine parts, 25*A*.
Rotherham, L. :
damping capacity, 52*A*.
damping-capacity measurements in supersonic testing, 341*P*.
See also Nicholson, H.
Rowe, K. W., elected Member, 7*P*.
Rowland, E. S., and **S. R. Lyle**, case-depth measurement, 24*A*.
Roxburgh, J. R., foundry management, 39*A*.
Ruddle, R. W., feeding of castings, 61*A*.
Rüdiger, O. *See* Bennek, H.
Rudorff, D. W., elected Member, 7*P*.
Ruf, J. :
Book : " Die Berechnung der Schwere- und Temperatur-seigerung bei flüssigen zweistofflegierungen," 36*A*.
Ruff, W., fluidity tests in melting alloy steels, 21*A*.
Russell, D. C., elected Member, 7*P*.
Russell, F., elected Member, 7*P*.
Russell, J. V., and **H. E. Pellett**, supersonic testing of billets and blooms, 68*A*.
Russenberger, M., electro-magnetic fatigue-testing machine, 52*A*.
Ryan, H. M., elected Member, 7*P*.
Rycroft, J. L. *See* Connell, L. J. C.

Sachs, G., and **J. D. Lubahn**, determination of characteristics of metals by notched-bar tensile tests, 68*A*.
Safranek, W. H., zinc-plating on steel sheet, 49*A*.
Sahlin, B. I., elected Member, 7*P*.
Saltonstall, R. B., protective metallic plating, 10*A*.
Sanders, H. :
manufacture of industrial electrodes, 41*A*.
manufacture of seamless steel tubes, 65*A*.
Sanderson, L., A.S.T.M. standardized procedure for Jominy end-quench test, 52*A*.
Sandford, E. J., optical pyrometers, 362*P*.
Sargent, B. A., elected Member, 7*P*.
Sarjant, R. J. *See* Hulse, C.
Saunders, H. L., and **H. J. Tress** :
Paper : " A Rapid Method of Ore Testing. The 'S.K.' Porosity Test." *Correspondence*, 365*P*. *Authors' Reply*, 366*P*.
Saunders, O. A. *See* Fishenden, Margaret.
Saunders, W. B. J., elected Associate, 8*P*.
Sawert, W. :
Book : " Die Festigkeit der Baustähle bei wechselnder mehrachsiger Beanspruchung," 36*A*.
Scarbrough, H. E. *See* Bornholt, W. J.
Schaal, A., measurement of stress in surface of specimens, 12*A*.
Schaub, C. :
bend-fatigue tests on weld metal, 46*A*.
fracture phenomena in steels at high temperatures, 69*A*.
Schaufus, H. S., effect of cold-rolling on properties of stainless steel, 76*A*.
Schaufus, H. S., and **W. H. Braun**, properties and processing of stainless steel, 43*A*.
Schenck, H. :
Book : " Introduction to the Physical Chemistry of Steelmaking," 36*A*.
Schenström, J. M., elected Member, 7*P*.
Schmidt, H., slag and rock wools, 18*A*.
Schmitz, F. :
Book : " Ein Beitrag zur Frage der Lötbrüchigkeit von Stahl," 36*A*.
Schneider, C., elected Member, 7*P*.
Scholl, R. W., steel production, 63*A*.
Schrader, H. *See* Houdremont, E.
Schubert, C. E., testing core-binding materials, 20*A*.
Schwartz, E. H., segregation of scrap at Wisconsin Steel Works, 41*A*.
Schwartz, H. A. :
heat transfer in moulding sand, 39*A*.
See also Johnson, H. H.
Schwartz, H. A., **I. Young**, and **J. Hedberg**, repair of malleable iron castings by welding, 46*A*.
Schwarzkopf, P., and **A. Reis**, dies and punches for powder-metal parts, 3*A*.
Schwertner, F. *See* Weihrich, R.
Schwiedessen, H. :
combustion properties of fuel gases, 2*A*.
heat consumption of furnaces, 2*A*.
Scott, N. W. G., elected Member, 7*P*.
Sealy, E. H. *See* Ministry of Supply.
Seelig, R. P., powder metallurgy, 18*A*.
Setterwall, C. A. M., elected Member, 8*P*.
Sharav, W. B., flame-hardening equipment, 66*A*.
Sharman, J. C., and **R. J. Garland**, drop forging, 5*A*.
Sharp, K. C., elected Member, 8*P*.
Shaw, C., application of ethyl silicate in foundry practice, 39*A*.
Shaw, E., elected Member, 8*P*.
Shaw, F. *See* Blayden, H. E.
Shea, J. A., methods of testing stoppers, 40*A*.
Sheehan, J. J., production and properties of cast iron, 60*A*.
Shenk, W. E. *See* Larsen, B. M.
Shepard, A. P., structure of sprayed-metal coatings, 50*A*.
Sheshunoff, V. *See* Whitfield, M. G.
Shestopal, V. M., casting design, 20*A*.
Shimmin, J. A., steel plant maintenance, 5*A*.
Shingledecker, G. M., manufacture of magnetic core laminations, 22*A*.
Shoemaker, J. H., cleaning cast iron for enamelling, 9*A*.
Short, J., elected Member, 8*P*.
Siddall, C. *See* Larsen, B. M.
Siebel, E., **H. Buchholtz**, and **H. Frank**, calculation of reduction in cold-drawing of steel tubes, 6*A*.
Siegfried, W., brittleness and toughness of metals at high temperatures, 53*A*.
Sigerfoos, C. C., and **H. L. Womochel**, effect of lime and dolomite as cupola fluxes, 18*A*.
Sillers, F., jun. *See* Rasmussen, R. T. C.
Silman, H. *See* Nelson, J. H.
Simister, E., forging machinery, 76*A*.
Simms, H., elected Associate, 8*P*.
Simons, E. N. :
steel production problems in wartime Great Britain, 75*A*.
supersonic flaw detector, 12*A*.
See also Lea, F. C.
Simpkin, N., Lancashire coalfield, 37*A*.
Sims, C. E. :
aluminium, sulphur, and grain-size relationships, 41*A*.
American wartime production of steel castings, 60*A*.
Skaperdas, G. T., heat transmission, 58*A*.
Skerl, J. G. A., elected Member, 8*P*.
Skilton, H. G., elected Member, 8*P*.
Slottman, G. V. :
cost reduction in flame-cutting operations, 68*A*.
oxy-acetylene cutting of alloy steels, 78*A*.
Smellie, G., elected Member, 8*P*.
Smellie, W. J., elected Associate, 8*P*.
Smith, A. E. McRae, grey-iron foundry practice, 18*A*.
Smith, C. T., and **A. B. Griggs**, chromite deposits in California, 1*A*.
Smith, D. M. *See* British Non-Ferrous Metals Research Association.
Smith, E. B. *See* Ollard, E. A.
Smith, E. K., wartime foundries in China, 60*A*.
Smith, G. S., brittle fracture, 52*A*.
Smith, G. V., **R. F. Miller**, and **C. O. Tarr**, hardness tests on de-oxidized steels, 53*A*.
Smith, H. J., pyrometry, 23*A*.
Smith, H. W., jun., ceramic gas burner for heat-treatment furnaces, 25*A*.
Smith, J. B., elected Member, 8*P*.
Smith, J. J., magnetic comparators, 13*A*.
Smith, R. J. *See* Eddy, C. T.
Smith, W. C., and **P. W. Guild**, tungsten deposits in Nevada, 1*A*.
Smith, W. R., elected Associate, 8*P*.
Smythe, J. F., electrically controlled flame-cutting machine, 68*A*.
Snow, R. B., density tests on open-hearth furnace materials, 40*A*.
Snowden, H. N., submerged heating for pickling tanks, 10*A*.
Snyder, C. W. *See* Lynch, J. E.
Snyder, G. L., design of welded machinery parts, 78*A*.
Society of Automotive Engineers, Inc. :
Book : " S.A.E. Handbook, 1945 Edition," 36*A*.
Soler, G., mould design, 41*A*.
Sønnichsen, A., elected Member, 8*P*.
Sorrells, E. C., effect of variables on surface and yield of semikilled steel, 41*A*.
Sosman, R. B., basic open-hearth furnaces and practice, 40*A*.
Southall, J., elected Associate, 8*P*.
Spahn, E., permanent magnets, 81*A*.
Spiers, R., **P. Fischer**, and **K. L. Proctor**, spectrochemical determination of aluminium in steel, 71*A*.
Spraragen, W., progress in welding, 8*A*.
Spring, S., properties of drawing lubricants, 6*A*.
Springer, H., magnetic hardness testing of high-speed steel, 53*A*.
Sproule, D. O. :
detection of flaws by supersonic waves, 32*A*.
See also Desch, C. H.
Spruce, F. G., elected Member, 8*P*.
Spurgeon, C. E., elected Member, 8*P*.
Squires, A. G., patternmaking for machine-moulded castings, 39*A*.
Stanfield, C. C. M., elected Associate, 8*P*.
Stanford, E. G., supersonic testing of light alloys, 343*P*.
Stanley, F., pickling sheet steel prior to vitreous enamelling, 79*A*.

Stanley, G. R. *See* Stephenson, H.
Stanley, T. R., foundry practice, 60*A*.
Stanley, W. J., elected Member, 8*P*.
Stansel, N. R., induction heating, 66*A*.
Stanton, L. R. *See* Thompson, F. C.
Starbuck, L., elected Member, 8*P*.
Stead, F. W. *See* Ladd, H. S.
Stedman, G. E. :
production of steel castings, 44*A*.
water-supply service at Fontana steelworks, 76*A*.
Steedman, A. H., D. Gill, and **A. Choubersky,** wartime mineral position of French North Africa, 72*A*.
Steele, S. D., and **J. M. Johnston,** spectrographic analysis of chromium-nickel steels, 33*A*.
Stein, C. H., elected Member, 8*P*.
Stephenson, H., and **G. R. Stanley,** electric steel furnaces, 19*A*.
Stern, F. B., jun. *See* Ellis, G.
Stewart, F. S. :
Book : "Airframe Materials," 86*A*.
Stewart, R. C., salt baths, 65*A*.
Sticher, J. *See* Gemant, A.
Stirling, A., fuel efficiency in iron and steel works, 211*P*.
Stokeld, F. E., overheating of steel drop-forgings, 301*P*.
Stokes, F., elected Member, 8*P*.
Stokes, R., etching nickel deposits on steel, 32*A*.
Stolle, R., production of cast steel by Bessemer process, 19*A*.
Storey, C., elected Associate, 8*P*.
Stout, R. D., S. S. Tör, and **G. E. Doan,** measurement of response of steel to welding, 67*A*.
Strasmann, W. *See* Endell, K.
Streicher, M. A., corrosion protection by phosphatization, 50*A*.
Strohm, J. R., and **W. E. Jominy,** large grains in forged bars, 22*A*.
Suff, D. W., elected Member, 8*P*.
Sullivan, H. H., elected Member, 8*P*.
Sullivan, J. D., and **A. E. Pavlish,** residual metals in open-hearth steel, 41*A*.
Sutch, D. A., and **B. L. McCarthy,** evaluating steel wire for cold drawing, 64*A*.
Sutherland, H. M., elected Member, 8*P*.
Sutton, H., overheating and burning of steel, 284*P*.
Sweeter, R. H., removal of a blast-furnace from Florida to Texas, 18*A*.
Sykes, C., developments in ferrous metallurgy, 50*A*.

Tak-Ho Sun, B. S. :
Book : "Ueber den Wassertoff im Stahl," 36*A*.
Talbot, D. E. J., elected Associate, 9*P*.
Talmadge, N. C., elastic properties of steel wire for springs, 43*A*.
Tapsell, H. J. *See* Johnson, A. E.
Tapsell, H. J., and **R. W. Ridley,** creep properties of carbon-molybdenum steel, 82*A*.
Tarasov, L. P., defects in ground metal surfaces, 27*A*.
Tarr, C. O. *See* Smith, G. V.
Taylor, A. :
Book : "An Introduction to X-Ray Metallography," 16*A*.
See also Finlayson, T. C.
Taylor, A. J., elected Member, 8*P*.
Taylor, G. B. *See* Rambush, N. E.
Taylor, H. H., elected Member, 8*P*.
Taylor, J., elected Member, 8*P*.
Teichmann, R. F. J. *See* Bushell, L. A.
Tenenbaum, M. :
deoxidation of steel, 41*A*.
slag control, 41*A*.
Tharp, W. E., design and interchangeability of patterns, 74*A*.
Thayer, T. P., chrome deposits in Cuba, 1*A*.
Thibout, C. G., blast-furnace coke, 17*A*.
Thilo, E. R., high-speed radiography, 84*A*.
Thomas, L., elected Member, 8*P*.
Thompson, F. C., overheating and burning of steel, 283*P*.
Thompson, F. C., and **L. R. Stanton :**
Paper : "The Effect of Oxygen on the Isothermal Transformations of Steel, and a Suggested Test for Burning," 259*P*. *Joint Discussion,* 279*P*. *Joint Correspondence,* 295*P*. *Authors' Replies,* 311*P*.
Thompson, J. R., production of fine steel wire, 23*A*.
Thompson, R. J. S., by-product recovery plant, 2*A*.
Thomson, J., vacuum-cleaning unit for castings, 75*A*.
Thorneycroft, J. A. C., elected Member, 8*P*.
Thring, M. W. :
fuel efficiency in iron and steel works, 204*P*.
See also Baulk, R. H.
Thum, A., and **K. Richard,** creep tests, 30*A*.
Thurlow, S. M., elected Member, 8*P*.
Thurman, A. L., tube-reducing mills, 23*A*.
Tibbenham, L. :
Book : "The Welding of Cast Iron by the Oxy-acetylene Process," 36*A*., 71*A*.
Tigerschiöld, M. :
Paper : "Fuel Problems in the Swedish Iron and Steel Industry," 151*P*. *Joint Discussion,* 199*P*. *Joint Correspondence,* 208*P*. *Authors' Replies,* 212*P*.
Timbrell, J. :
method of igniting cupola bed, 18*A*.
moulded pattern plates, 74*A*.
Timby, T. G., electrolytic tinplate production, 10*A*.
Timmons, G. A., graphitization of steam pipes, 69*A*.
Timms, C., measuring finely finished surfaces by optical interference, 47*A*.
Tiner, N., elected Member, 8*P*.
Tobias, P. *See* Brinkmann, G.
Toft, J. L., elected Member, 8*P*.
Toft, L. H., elected Associate, 9*P*.
Tomlinson, H. V., elected Member, 8*P*.
Tör, S. S. *See* Stout, R. D.
Törneman, B. Y., elected Member, 8*P*.
Tournaire, M., elected Member, 8*P*.
Towndrow, R. P. *See* Reay, J. K.
Townsend, C. D., metal-cleaning methods, 48*A*.
Townsend, L. W., sodium hydride descaling, 48*A*.
Train, L. F., electrically heated salt-bath furnaces, 43*A*.
Treharne, D. M., elected Member, 8*P*.
Trembicki, H. L., lubrication of wire for drawing, 64*A*.
Tress, H. J. *See* Saunders, H. L.
Troiano, A. R. *See* Lyman, T.
Trommer, W. *See also* Juretzek, H.
Tromp, K. F., separation of middlings in coal washers, 58*A*.
Tschudnowsky, J. R., elected Member, 8*P*.
Tuck, D. H., electric lighting equipment for steelworks, 76*A*.
Tucker, W. T., and **R. L. Flint,** effect of surface treatment in cleaning metals, 79*A*.
Tunnicliff, D. D. *See* Gonick, H.
Turkan, M., elected Member, 8*P*.
Turnbull, D. *See* Prutton, C. F.
Turner, H. W., preparing patterns and fixing cores for small castings, 74*A*.
Turner, N. H., and **F. A. Gray :**
Paper : "Fuel Utilization in Iron and Steel Works," 183*P*. *Joint Discussion,* 199*P*. *Joint Correspondence,* 208*P*. *Authors' Replies,* 212*P*.
Tyszka, L., elected Member, 8*P*.

Ucok, O., elected Member, 8*P*.
Underwood, L. R., rolling of metals, 23*A*.
United Steel Companies, Ltd. :
Book : "Standard Methods of Analysis of Iron, Steel, and Ferro-Alloys," 36*A*.
Urie, T., elected Associate, 9*P*.
Urlaub, J., intensity data for X-ray penetration, 15*A*.

Vadeboncoeur, J. O., tellurium core-washes, 20*A*.
Vajragupta, P. *See* Balajiva, K.
Vance, A. W. *See* Zworykin, V. K.
Van de Bogart, L. D., protection of metal piping, 10*A*.
Vanick, J. S. :
cast iron foundry practice in America, 39*A*.
wartime production of grey iron, 18*A*.
Van Note, W. G. *See* Martin, D. L.
Van Sciver, H., spot welds in stainless steel, 46*A*.
Van Vleck, J. H., theory of ferromagnetism, 30*A*.
Varley, G., reconditioning war-damaged machine tools, 78*A*.
Vaughn, F. F., induction-hardening of agricultural machinery, 66*A*.
Verein deutscher Ingenieure :
Book : "Schweissen von Gusseisen," 36*A*.
Vernon, W. H. J., atmospheric and immersed corrosion, 55*A*.
Vernor, T. A., and **E. F. Adams,** induction heating for brazing tool tips, 26*A*.
Veselý, L., elected Member, 8*P*.
Vhay, J. S. *See* Koschmann, A. H.
Vibart, H. H. R., elected Member, 8*P*.
Vidal, G. *See* Jolivet, H.
Vilella, J. R., inverted and upright microscopes, 69*A*.
Vogel, A. I. :
Book : "A Text Book of Qualitative Chemical Analysis, including Semimicro Qualitative Analysis," 35*A*.
Volk, K. E., lead in steel, 15*A*.
Vollrath, J. P., control instruments for soaking-pit practice, 63*A*.
Vosburgh, F. G., carbon linings for blast-furnace hearths, 57*A*.

Waber, J. T., and **H. J. McDonald,** stress-corrosion cracking of mild steel, 70*A*.
Waber, J. T., H. J. McDonald, and **B. Longtin,** stress-corrosion cracking of mild steel, 70*A*.
Wachtell, R. *See* Kahn, W.

Wahlquist, H. W., use of zinc for cathodic protection, 16*A*.
Wainer, E., and **W. J. Baldwin**, use of nickel coatings to improve enamel adherence on steel, 49*A*.
Wainwright, W. H., and **J. S. Ratcliffe**, Barvoys coal-cleaning plant, 58*A*.
Wakefield, Viscount, of Hythe. *See* Evans, E. A.
Wales, C., liquid-fuel firing of open-hearth furnaces, 21*A*.
Walker, J. P., production of sponge iron, 3*A*.
Walker, R. C. :
Book : "Electronic Equipment and Accessories," 86*A*
Walker, W., overheating of steel, 304*P*.
Walter, E. R., corrosion in cast iron sectional boilers, 70*A*.
Warbichler, P. :
Book : "Ausarbeitung eines Abdruckverfahrens zum Nachweis von Phosphorseigerungen in Eisen und Stahl," 36*A*.
See also Grubitsch, H.
Ward, R., formation of oxide-metal layers on iron-silicon alloys, 33*A*.
Ward, W. E., elected Member, 8*P*.
Warren, A. G., supersonic testing of steel, 348*P*.
Waterhouse, G. B. :
Lecture : "The Services to Metallurgy of the late Dr. W. H. Hatfield, F.R.S.," 369*P*.
biographical note, 376*P*.
overheating and burning of steel, 292*P*.
Watson, E. F., and **J. McArthur**, isothermal heat-treatment of steel, 65*A*.
Watson, H. L., jun., renewing and repairing steel rolls, 65*A*.
Weaver, J. R. *See* Lykken, L.
Webb, W. R. *See* Work, H. K.
Webber, B. N. *See* Lasky, S. G.
Weihrich, R., and **J. Haas**, determination of arsenic in ferro-alloys, 34*A*.
Weihrich, R., and **F. Schwertner**, determination of cobalt, iron, and nickel by spot tests, 34*A*.
Weinberg, S. *See* Bricker, L. G.
Weir, C. D., intercrystalline cracking, 55*A*.
Weissler, A., spectrophotometric determination of titanium in steel, 71*A*.
Weitmann, O., spark-gap converters, 25*A*.
Weitzenkorn, L. F. :
determination of bath temperatures, 41*A*.
stainless steel scrap, 63*A*.
Weller, F., elected Member, 8*P*.
Wellnitz, H., tests on core oils and core-binding materials, 19*A*.
Wells, E. D. *See* Jazwinski, S. T.
Wells, F. G. *See* Hawkes, H. E., jun.
Welton, H. R. *See* Hull, F. C.
Wenninger, C. E., and **W. McCaulley**, acid open-hearth practice, 41*A*.
Wentrup, H., Bessemer process, 4*A*.
Wernick, S., electrolytic polishing, 47*A*.
West, P. W., and **J. F. Dean**, polarographic determination of nickel in steel and nickel ore, 71*A*.
West, W. A., phase boundaries in medium-alloy steels, 84*A*.
Westendarp, H. O., jun., welding mild steel, 26*A*.
Westwood, W. H., elected Member, 8*P*.
Wheeler, D. P., jun. *See* Hawkes, H. E., jun.
Wheeler, J. A., overheating of steel, 303*P*.
Wheeler, J. A., and **V. Kondic**, effect of initial heating temperature on properties of air-hardening steel, 45*A*.
Wheelwright, F. T., elected Associate, 9*P*.
White, J. :
oxide systems in steel-furnace slags, 353*P*.
phase relations in slag systems, 355*P*.
White, W. S., manganese deposits in Maine, 1*A*.
Whiteley, H. A., overheating of steel drop-forgings, 292*P*.
Whitfield, M. G., and **V. Sheshunoff**, Al-Fin process of bonding aluminium to iron and steel, 26*A*.
Whitfield, R. :
fuel efficiency in iron and steel works, 209*P*.
overheating and burning of steel, 295*P*.
Wiese, J. H. *See* Hunt, C. B.
Wijkander, R., elected Member, 8*P*.
Wilkins, C. A. E., etching of iron and steel, 54*A*.
Williams, A., elected Member, 8*P*.
Williams, D. C. :
high-temperature testing of moulding sand, 19*A*.
hot-strength characteristics of moulding sands, 358*P*.
Williams, E., elected Member, 8*P*.
Williams, Edgar, fuel efficiency in iron and steel works, 211*P*.
Williams, E. F., elected Member, 8*P*.
Williams, H., elected Associate, 9*P*.
Williams, H. J. *See* Bozorth, R. M.
Williams, P., elected Associate, 9*P*.
Williams, R., elected Associate, 9*P*.
Williams, S. V. *See* Jenkins, S. V.
Williams, T., elected Member, 8*P*.
Williamson, H., elected Member, 8*P*.
Wills, W. H. :
die steels for cold work, 31*A*.
manufacture of high-speed steel, 41*A*.
Wilmot, Rt. Hon. John, M.P., speech at luncheon, 11*P*.
Wilson, J. B., elected Associate, 9*P*.
Wilson, J. G., elected Associate, 9*P*.
Wilson, W. G. *See* Fitterer, G. R.
Wiltz, G. *See* Delbart, G.
Windenburg, D. F., and **W. P. Roop**, tensile tests on steel ship plates, 78*A*.
Wingate, D., elected Member, 8*P*.
Winter, W. H., elected Member, 8*P*.
Winters, W. W., salt baths, 7*A*.
Winton, J., elected Associate, 9*P*.
Wisbrun, E., effect of weather conditions on casting properties of cast iron, 73*A*.
Wissmann, C., acid and basic electric-steel processes, 22*A*.
Wissmann, C. C. :
deoxidation of acid electric-steel, 5*A*.
electric steel production, 41*A*.
Witt, E. H., oxy-acetylene cutting, 27*A*.
Woldman, N. E., and **R. J. Metzler** :
Book : "Engineering Alloys," 36*A*.
Wolfe, K. J. B., carburizing-test results on deep-drawing steel sheet, 28*A*.
Womochel, H. L. *See* Sigerfoos, C. C.
Wood, G. A., elected Member, 8*P*.
Woodring, W. P., and **S. N. Daviess**, manganese deposits in Cuba, 1*A*.
Woods, R. C., and **F. Fua**, X-ray micrometer for thickness measurement, 23*A*.
Woolfenden, T. C., die calculations, 6*A*.
Woolman, J., and **H. W. Kirkby** :
Paper : "Some Experiments on Overheating," 265*P*. *Joint Discussion*, 279*P*. *Joint Correspondence*, 295*P*. *Authors' Replies*, 311*P*.
Work, H. K., and **G. H. Enzian**, effect of deoxidation on strain-sensitivity of low-carbon steels, 41*A*.
Work, H. K., and **W. R. Webb**, experimental open-hearth furnace, 5*A*., 40*A*.
Worne, S., elected Member, 8*P*.
Wotton, J. E., elected Member, 8*P*.
Wrazej, W. J., overheating and burning of steel forgings, 294*P*.
Wright, E. C., production of thick-walled tubes, 65*A*.
Wright, W. J., and **C. S. Clements**, Grand Lake coalfield, New Brunswick, 37*A*.
Wurth, J., elected Member, 8*P*.
Wyant, R. A., measurement of electrical contact resistance in spot-welding of sheet, 67*A*.
Wynn, W. J., elected Member, 8*P*.

Yates, J. L., large shake-out machine, 74*A*.
Yates, W. R. :
supersonic testing of billets and bars, 332*P*.
supersonic testing of light alloys, 346*P*.
surface transmission in supersonic testing, 338*P*.
Young, A., arc welding, 67*A*.
Young, G. A., fuel efficiency in iron and steel works, 206*P*.
Young, I. *See* Schwartz, H. A.
Young, L. G. *See* Convey, J.
Young, V. C., corrosion-resistant properties of Eatonite, 82*A*.
Young, V. G., metal-spraying to repair diesel-engine parts, 80*A*.

Zachariason, R. H., semi-automatic devices for simplifying spectrographic analysis, 71*A*.
Zahn, V. *See* Gonick, H.
Zapffe, C. A., corrosion resistance of stainless steels, 14*A*.
Zapffe, C. A., and **M. Eleanor Haslem**, measurement of hydrogen embrittlement of stainless-steel wire, 82*A*.
Zener, C. :
decomposition of austenite, 85*A*.
equilibrium relations in medium-alloy steels, 84*A*.
fracture stress of steel, 28*A*.
Zerfoss, S., and **H. M. Davis**, iron-oxide bursting of chromium-magnesite brick, 57*A*.
Zickrick, L., elected Member, 8*P*.
Ziegler, N. A., and **W. L. Meinhart**, effect of nickel on properties of alloy steels, 31*A*.
Zimmer, F., elected Member, 8*P*.
Zlatin, N. *See* Merchant, M. E.
Zumbusch, W., permanent magnets, 13*A*.
Zweiling, G., ventilating equipment in foundries, 21*A*.
Zworykin, V. K., G. A. Morton, E. G. Ramberg, J. Hillier, and **A. W. Vance** :
Book : "Electron Optics and the Electron Microscope," 36*A*.

Printed in Great Britain by Richard Clay and Company, Ltd., Bungay, Suffolk.